

Fei Ding

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1130947/fei-ding-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

6,076
citations

37
h-index

77
g-index

136
ext. papers

7,354
ext. citations

7.5
avg, IF

6.31
L-index

#	Paper	IF	Citations
114	Room-temperature on-chip orbital angular momentum single-photon sources.. <i>Science Advances</i> , 2022 , 8, eabk3075	14.3	8
113	Multifunctional all-dielectric metasurface quarter-wave plates for polarization conversion and wavefront shaping.. <i>Optics Letters</i> , 2022 , 47, 2478-2481	3	1
112	Full-range birefringence control with piezoelectric MEMS-based metasurfaces.. <i>Nature Communications</i> , 2022 , 13, 2071	17.4	8
111	Phase-change metasurface for switchable vector vortex beam generation. <i>Optics Express</i> , 2021 , 29, 427633	3.3	2
110	Significantly enhanced second-harmonic generations with all-dielectric antenna array working in the quasi-bound states in the continuum and excited by linearly polarized plane waves. <i>Nanophotonics</i> , 2021 , 10, 1189-1196	6.3	11
109	Helicity-dependent continuous varifocal metalens based on bilayer dielectric metasurfaces. <i>Optics Express</i> , 2021 , 29, 39461-39472	3.3	1
108	Functional Metasurface Quarter-Wave Plates for Simultaneous Polarization Conversion and Beam Steering. <i>ACS Nano</i> , 2021 ,	16.7	5
107	Dual-Functional Optical Waveplates Based on Gap-Surface Plasmon Metasurfaces. <i>Advanced Optical Materials</i> , 2021 , 9, 2002253	8.1	5
106	Recent Advances in Polarization-Encoded Optical Metasurfaces. <i>Advanced Photonics Research</i> , 2021 , 2, 2000173	1.9	13
105	Deterministic Approach to Achieve Full-Polarization Cloak. <i>Research</i> , 2021 , 2021, 6382172	7.8	12
104	Single photon emission from ODT passivated near-surface GaAs quantum dots. <i>Applied Physics Letters</i> , 2021 , 118, 221107	3.4	0
103	A Biomass-Based Integral Approach Enables Li-S Full Pouch Cells with Exceptional Power Density and Energy Density. <i>Advanced Science</i> , 2021 , 8, e2101182	13.6	7
102	Electrical Tuning of Fresnel Lens in Reflection. <i>ACS Photonics</i> , 2021 , 8, 1576-1581	6.3	4
101	Fundamentals and applications of spin-decoupled Pancharatnam-Berry metasurfaces. <i>Frontiers of Optoelectronics</i> , 2021 , 14, 134-147	2.8	6
100	Dynamic piezoelectric MEMS-based optical metasurfaces. <i>Science Advances</i> , 2021 , 7,	14.3	24
99	Maximally entangled and gigahertz-clocked on-demand photon pair source. <i>Physical Review B</i> , 2021 , 103,	3.3	3
98	Heralded preparation of spin qubits in droplet-etched GaAs quantum dots using quasiresonant excitation. <i>Physical Review B</i> , 2021 , 104,	3.3	1

97	Spectrally selective emitters based on 3D Mo nanopillars for thermophotovoltaic energy harvesting. <i>Materials Today Physics</i> , 2021 , 21, 100503	8	4
96	Nitrogen Doping Improves the Immobilization and Catalytic Effects of Co ₉ S ₈ in Li-S Batteries. <i>Advanced Functional Materials</i> , 2020 , 30, 2002462	15.6	46
95	Optical Gap-Surface Plasmon Metasurfaces for Spin-Controlled Surface Plasmon Excitation and Anomalous Beam Steering. <i>ACS Photonics</i> , 2020 , 7, 1849-1856	6.3	21
94	Metasurface-enabled broadband beam splitters integrated with quarter-wave plate functionality. <i>Nanoscale</i> , 2020 , 12, 14106-14111	7.7	20
93	Metasurface-Enabled Generation of Circularly Polarized Single Photons. <i>Advanced Materials</i> , 2020 , 32, e1907832	24	36
92	Strain tunable quantum dot based non-classical photon sources. <i>Journal of Semiconductors</i> , 2020 , 41, 011901	2.3	5
91	Quantum dot-based broadband optical antenna for efficient extraction of single photons in the telecom O-band. <i>Optics Express</i> , 2020 , 28, 19457-19468	3.3	6
90	Gap-surface plasmon metasurfaces for linear-polarization conversion, focusing, and beam splitting. <i>Photonics Research</i> , 2020 , 8, 707	6	29
89	Focused vortex-beam generation using gap-surface plasmon metasurfaces. <i>Nanophotonics</i> , 2020 , 9, 371-378	6.38	28
88	Dual-Band Metasurfaces Using Multiple Gap-Surface Plasmon Resonances. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 1250-1256	9.5	12
87	High-Capacity, Dendrite-Free, and Ultrahigh-Rate Lithium-Metal Anodes Based on Monodisperse N-Doped Hollow Carbon Nanospheres. <i>Small</i> , 2020 , 16, e2004770	11	12
86	High-efficiency focused optical vortex generation with geometric gap-surface plasmon metalenses. <i>Applied Physics Letters</i> , 2020 , 117, 011103	3.4	5
85	Demonstration of > 2π reflection phase range in optical metasurfaces based on detuned gap-surface plasmon resonators. <i>Scientific Reports</i> , 2020 , 10, 19031	4.9	6
84	Spin-Orbit Controlled Excitation of Quantum Emitters in Hybrid Plasmonic Nanocircuits. <i>Advanced Optical Materials</i> , 2020 , 8, 2000854	8.1	12
83	Versatile Polarization Generation and Manipulation Using Dielectric Metasurfaces. <i>Laser and Photonics Reviews</i> , 2020 , 14, 2000116	8.3	49
82	Directional off-Normal Photon Streaming from Hybrid Plasmon-Emitter Coupled Metasurfaces. <i>ACS Photonics</i> , 2020 , 7, 1111-1116	6.3	5
81	Active control of anapole states by structuring the phase-change alloy GeSbTe. <i>Nature Communications</i> , 2019 , 10, 396	17.4	107
80	A Review of Unidirectional Surface Plasmon Polariton Metacouplers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2019 , 25, 1-11	3.8	26

79	Strain-modulated photoelectric properties of self-rolled GaAs/Al _{0.26} Ga _{0.74} As quantum well nanomembrane. <i>Applied Physics Express</i> , 2019 , 12, 065003	2.4	4
78	Plasmon Metasurfaces: Gap-Surface Plasmon Metasurfaces for Broadband Circular-to-Linear Polarization Conversion and Vector Vortex Beam Generation (Advanced Optical Materials 9/2019). <i>Advanced Optical Materials</i> , 2019 , 7, 1970033	8.1	1
77	Dynamic Metasurfaces Using Phase-Change Chalcogenides. <i>Advanced Optical Materials</i> , 2019 , 7, 1801708	8.1	77
76	Switchable multifunctional terahertz metasurfaces employing vanadium dioxide. <i>Scientific Reports</i> , 2019 , 9, 5454	4.9	35
75	Gap-Surface Plasmon Metasurfaces for Broadband Circular-to-Linear Polarization Conversion and Vector Vortex Beam Generation. <i>Advanced Optical Materials</i> , 2019 , 7, 1801414	8.1	32
74	Multifunctional Metamirrors for Broadband Focused Vector-Beam Generation. <i>Advanced Optical Materials</i> , 2019 , 7, 1900724	8.1	14
73	Telecom wavelength single photon sources. <i>Journal of Semiconductors</i> , 2019 , 40, 071901	2.3	20
72	Energy band modulation of GaAs/Al _{0.26} Ga _{0.74} As quantum well in 3D self-assembled nanomembranes. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2019 , 383, 2938-2942	2.3	1
71	Entanglement Swapping with Semiconductor-Generated Photons Violates Bell's Inequality. <i>Physical Review Letters</i> , 2019 , 123, 160502	7.4	35
70	High-efficiency broadband vortex beam generator based on transmissive metasurface. <i>Optics Express</i> , 2019 , 27, 4281-4291	3.3	30
69	Ultra-broadband microwave metasurfaces for polarizer and beam splitting. <i>Europhysics Letters</i> , 2019 , 128, 47003	1.6	4
68	Rationally engineered amorphous TiO _x /Si/TiO _x nanomembrane as an anode material for high energy lithium ion battery. <i>Energy Storage Materials</i> , 2018 , 12, 23-29	19.4	29
67	Confined Growth of ZIF-8 Nanocrystals with Tunable Structural Colors. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701270	4.6	9
66	Vanadium Dioxide Integrated Metasurfaces with Switchable Functionalities at Terahertz Frequencies. <i>Advanced Optical Materials</i> , 2018 , 6, 1701204	8.1	114
65	On-Chip Spectropolarimetry by Fingerprinting with Random Surface Arrays of Nanoparticles. <i>ACS Photonics</i> , 2018 , 5, 1703-1710	6.3	10
64	Entangled-photons generation with quantum dots. <i>Chinese Physics B</i> , 2018 , 27, 020307	1.2	2
63	Gradient metasurfaces: a review of fundamentals and applications. <i>Reports on Progress in Physics</i> , 2018 , 81, 026401	14.4	256
62	Highly-efficient extraction of entangled photons from quantum dots using a broadband optical antenna. <i>Nature Communications</i> , 2018 , 9, 2994	17.4	90

61	Near-field phase characterization of gradient gap plasmon-based metasurfaces 2018 ,		1
60	Metasurface-Based Polarimeters. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 594	2.6	23
59	Frequency feedback for two-photon interference from separate quantum dots. <i>Physical Review B</i> , 2018 , 98,	3.3	16
58	Angle-insensitive narrowband optical absorption based on high-Q localized resonance. <i>Scientific Reports</i> , 2018 , 8, 15240	4.9	4
57	Plasmonic nano-arrays for ultrasensitive bio-sensing. <i>Nanophotonics</i> , 2018 , 7, 1517-1531	6.3	47
56	Direct Characterization of Near-Field Coupling in Gap Plasmon-Based Metasurfaces. <i>Nano Letters</i> , 2018 , 18, 6265-6270	11.5	26
55	Polarization-selective dual-wavelength gap-surface plasmon metasurfaces. <i>Optics Express</i> , 2018 , 26, 23760-23789	6.3	69
54	On-demand semiconductor source of 780-nm single photons with controlled temporal wave packets. <i>Physical Review B</i> , 2018 , 97,	3.3	10
53	A review of gap-surface plasmon metasurfaces: fundamentals and applications. <i>Nanophotonics</i> , 2018 , 7, 1129-1156	6.3	155
52	Bifunctional gap-plasmon metasurfaces for visible light: polarization-controlled unidirectional surface plasmon excitation and beam steering at normal incidence. <i>Light: Science and Applications</i> , 2018 , 7, 17178	16.7	104
51	A Flexible PMN-PT Ribbon-Based Piezoelectric-Pyroelectric Hybrid Generator for Human-Activity Energy Harvesting and Monitoring. <i>Advanced Electronic Materials</i> , 2017 , 3, 1600540	6.4	49
50	Beam-Size-Invariant Spectropolarimeters Using Gap-Plasmon Metasurfaces. <i>ACS Photonics</i> , 2017 , 4, 943-949	6.4	67
49	Detection of internal fields in double-metal terahertz resonators. <i>Applied Physics Letters</i> , 2017 , 110, 061109	3.0	9
48	Solid-state ensemble of highly entangled photon sources at rubidium atomic transitions. <i>Nature Communications</i> , 2017 , 8, 15501	17.4	65
47	Addressable and Color-Tunable Piezophotonic Light-Emitting Stripes. <i>Advanced Materials</i> , 2017 , 29, 1605165	5.1	44
46	Tunable Pseudocapacitance in 3D TiO Nanomembranes Enabling Superior Lithium Storage Performance. <i>ACS Nano</i> , 2017 , 11, 821-830	16.7	113
45	Electric-Field-Induced Energy Tuning of On-Demand Entangled-Photon Emission from Self-Assembled Quantum Dots. <i>Nano Letters</i> , 2017 , 17, 501-507	11.5	17
44	Ultrabroadband super-Planckian radiative heat transfer with artificial continuum cavity states in patterned hyperbolic metamaterials. <i>Physical Review B</i> , 2017 , 95,	3.3	14

43	Temperature-Dependent Coercive Field Measured by a Quantum Dot Strain Gauge. <i>Nano Letters</i> , 2017 , 17, 7864-7868	11.5	5
42	Scalable single crystalline PMN-PT nanobelts sculpted from bulk for energy harvesting. <i>Nano Energy</i> , 2017 , 31, 239-246	17.1	39
41	Tungsten based anisotropic metamaterial as an ultra-broadband absorber. <i>Optical Materials Express</i> , 2017 , 7, 606	2.6	51
40	Polarization Entangled Photons from Semiconductor Quantum Dots. <i>Nano-optics and Nanophotonics</i> , 2017 , 235-266	0	
39	Monolithically Integrated Microelectromechanical Systems for On-Chip Strain Engineering of Quantum Dots. <i>Nano Letters</i> , 2016 , 16, 5785-91	11.5	20
38	Large-area, lithography-free, low-cost SERS sensor with good flexibility and high performance. <i>Nanotechnology</i> , 2016 , 27, 385205	3.4	7
37	Random-phase metasurfaces at optical wavelengths. <i>Scientific Reports</i> , 2016 , 6, 28448	4.9	36
36	Wavelength-tunable entangled photons from silicon-integrated III-V quantum dots. <i>Nature Communications</i> , 2016 , 7, 10387	17.4	81
35	Energy-tunable single-photon light-emitting diode by strain fields. <i>Applied Physics B: Lasers and Optics</i> , 2016 , 122, 1	1.9	2
34	Broadband near-infrared metamaterial absorbers utilizing highly lossy metals. <i>Scientific Reports</i> , 2016 , 6, 39445	4.9	175
33	Controlling the exciton energy of a nanowire quantum dot by strain fields. <i>Applied Physics Letters</i> , 2016 , 108, 182103	3.4	36
32	Upconversion photoluminescence of epitaxial Yb ³⁺ /Er ³⁺ codoped ferroelectric Pb(Zr,Ti)O ₃ films on silicon substrates. <i>Thin Solid Films</i> , 2016 , 607, 32-35	2.2	1
31	Multilayer tungsten-alumina-based broadband light absorbers for high-temperature applications. <i>Optical Materials Express</i> , 2016 , 6, 2704	2.6	75
30	Band-Emission Evolutions from Magic-sized Clusters to Nanosized Quantum Dots of Cd ₃ As ₂ in the Hot-Bubbling Synthesis. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 16390-16395	3.8	6
29	MoS ₂ nanosheets decorated with gold nanoparticles for rechargeable LiO ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 14562-14566	13	94
28	Lithography-free, broadband, omnidirectional, and polarization-insensitive thin optical absorber. <i>Applied Physics Letters</i> , 2015 , 106, 061108	3.4	57
27	Broadband high-efficiency half-wave plate: a supercell-based plasmonic metasurface approach. <i>ACS Nano</i> , 2015 , 9, 4111-9	16.7	311
26	Bendable, ultra-black absorber based on a graphite nanocone nanowire composite structure. <i>Optics Express</i> , 2015 , 23, 20115-23	3.3	11

25	Patterning of graphite nanocones for broadband solar spectrum absorption. <i>AIP Advances</i> , 2015 , 5, 067139	1
24	Single photons on-demand from light-hole excitons in strain-engineered quantum dots. <i>Nano Letters</i> , 2015 , 15, 422-7	11.5 23
23	An artificial Rb atom in a semiconductor with lifetime-limited linewidth. <i>Physical Review B</i> , 2015 , 92,	3.3 43
22	High yield and ultrafast sources of electrically triggered entangled-photon pairs based on strain-tunable quantum dots. <i>Nature Communications</i> , 2015 , 6, 10067	17.4 88
21	Hierarchically designed SiO _x /SiO _y bilayer nanomembranes as stable anodes for lithium ion batteries. <i>Advanced Materials</i> , 2014 , 26, 4527-32	24 122
20	Ultrabroadband strong light absorption based on thin multilayered metamaterials. <i>Laser and Photonics Reviews</i> , 2014 , 8, 946-953	8.3 100
19	Ultra-broadband terahertz metamaterial absorber. <i>Applied Physics Letters</i> , 2014 , 105, 021102	3.4 293
18	Plasmonic and metamaterial structures as electromagnetic absorbers. <i>Laser and Photonics Reviews</i> , 2014 , 8, 495-520	8.3 403
17	LIGHT ABSORBER WITH AN ULTRA-BROAD FLAT BAND BASED ON MULTI-SIZED SLOW-WAVE HYPERBOLIC METAMATERIAL THIN-FILMS (Invited Paper). <i>Progress in Electromagnetics Research</i> , 2014 , 147, 69-79	3.8 48
16	A nanomembrane-based wavelength-tunable high-speed single-photon-emitting diode. <i>Nano Letters</i> , 2013 , 13, 5808-13	11.5 24
15	Vertical microcavities with high Q and strong lateral mode confinement. <i>Physical Review B</i> , 2013 , 87,	3.3 27
14	Integrated vertical microcavity using a nano-scale deformation for strong lateral confinement. <i>Applied Physics Letters</i> , 2013 , 103, 243305	3.4 11
13	Thinning and functionalization of few-layer graphene sheets by CF ₄ plasma treatment. <i>Nanoscale Research Letters</i> , 2012 , 7, 268	5 20
12	Ultra-broadband microwave metamaterial absorber. <i>Applied Physics Letters</i> , 2012 , 100, 103506	3.4 634
11	Enhancement of immunoassay's fluorescence and detection sensitivity using three-dimensional plasmonic nano-antenna-dots array. <i>Analytical Chemistry</i> , 2012 , 84, 4489-95	7.8 116
10	Ultra-broadband near-infrared metamaterial absorber 2012 ,	2
9	TERAHERTZ METAMATERIAL MODULATORS BASED ON ABSORPTION. <i>Progress in Electromagnetics Research</i> , 2011 , 119, 449-460	3.8 21
8	Stretchable graphene: a close look at fundamental parameters through biaxial straining. <i>Nano Letters</i> , 2010 , 10, 3453-8	11.5 275

7	Rolled-up optical microcavities with subwavelength wall thicknesses for enhanced liquid sensing applications. <i>ACS Nano</i> , 2010 , 4, 3123-30	16.7	88
6	Self-assembled quantum dots with tunable thickness of the wetting layer: Role of vertical confinement on interlevel spacing. <i>Physical Review B</i> , 2009 , 80,	3.3	40
5	Epitaxial quantum dots in stretchable optical microcavities. <i>Optics Express</i> , 2009 , 17, 22452-61	3.3	37
4	Versatile Approach for Integrative and Functionalized Tubes by Strain Engineering of Nanomembranes on Polymers. <i>Advanced Materials</i> , 2008 , 20, 4085-4090	24	537
3	Carrier channels of multimodal-sized quantum dots: A surface-mediated adatom migration picture. <i>Physical Review B</i> , 2007 , 76,	3.3	16
2	Unveiling the morphology of buried In(Ga)As nanostructures by selective wet chemical etching: From quantum dots to quantum rings. <i>Applied Physics Letters</i> , 2007 , 90, 173104	3.4	17
1	Quantum Hybrid Plasmonic Nanocircuits for Versatile Polarized Photon Generation. <i>Advanced Optical Materials</i> , 2101596	8.1	