

Babita Ghai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11312135/publications.pdf>

Version: 2024-02-01

20
papers

480
citations

840585

11
h-index

839398

18
g-index

20
all docs

20
docs citations

20
times ranked

424
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of oral midazolam with intranasal dexmedetomidine premedication for children undergoing <scp>CT</scp> imaging: a randomized, double-blind, and controlled study. Paediatric Anaesthesia, 2017, 27, 37-44.	0.6	65
2	Lateral Parasagittal Versus Midline Interlaminar Lumbar Epidural Steroid Injection for Management of Low Back Pain with Lumbosacral Radicular Pain. Anesthesia and Analgesia, 2013, 117, 219-227.	1.1	61
3	Comparative evaluation of midazolam and ketamine with midazolam alone as oral premedication. Paediatric Anaesthesia, 2005, 15, 554-559.	0.6	59
4	Subtenon Block Compared to Intravenous Fentanyl for Perioperative Analgesia in Pediatric Cataract Surgery. Anesthesia and Analgesia, 2009, 108, 1132-1138.	1.1	54
5	Laryngeal mask airway insertion in children: comparison between rotational, lateral and standard technique. Paediatric Anaesthesia, 2008, 18, 308-312.	0.6	44
6	Comparison of different techniques of laryngeal mask placement in children. Current Opinion in Anaesthesiology, 2009, 22, 400-404.	0.9	40
7	Postoperative emergence delirium in pediatric patients undergoing cataract surgery – a comparison of desflurane and sevoflurane. Paediatric Anaesthesia, 2013, 23, 1131-1137.	0.6	37
8	Effect of intranasal dexmedetomidine or oral midazolam premedication on sevoflurane EC50 for successful laryngeal mask airway placement in children: a randomized, double-blind, placebo-controlled trial. Paediatric Anaesthesia, 2014, 24, 433-439.	0.6	25
9	Efficacy of two oral premedicants: midazolam or a low-dose combination of midazolam-ketamine for reducing stress during intravenous cannulation in children undergoing CT imaging. Paediatric Anaesthesia, 2010, 20, 330-337.	0.6	23
10	Efficacy of subtenon block in infants – a comparison with intravenous fentanyl for perioperative analgesia in infantile cataract surgery. Paediatric Anaesthesia, 2013, 23, 1015-1020.	0.6	16
11	Fiber-optic assessment of LMA position in children: a randomized crossover comparison of two techniques. Paediatric Anaesthesia, 2011, 21, 1142-1147.	0.6	14
12	Minimum alveolar concentration of desflurane with fentanyl for laryngeal mask airway removal in anesthetized children. Paediatric Anaesthesia, 2012, 22, 335-340.	0.6	8
13	Cuff filling volumes for pediatric classic laryngeal mask airways: comparison of clinical end points versus adjusted cuff pressure. Paediatric Anaesthesia, 2013, 23, 122-126.	0.6	7
14	Effect of Low Dose Dexmedetomidine on Emergence Delirium and Recovery Profile following Sevoflurane Induction in Pediatric Cataract Surgeries. Journal of Anesthesiology, 2015, 2015, 1-7.	0.2	6
15	Effect of dexmedetomidine on emergence agitation using desflurane in pediatric cataract surgery. Saudi Journal of Anaesthesia, 2018, 12, 28.	0.2	6
16	In Response:. Anesthesia and Analgesia, 2009, 109, 1349-1350.	1.1	5
17	Optimum sevoflurane concentration for l-gel insertion in unpremedicated children. Journal of Clinical Anesthesia, 2015, 27, 627-631.	0.7	5
18	Evaluation of Intranasal Dexmedetomidine as a Procedural Sedative for Ophthalmic Examination of Children With Glaucoma. Journal of Glaucoma, 2020, 29, 1043-1049.	0.8	5

#	ARTICLE	IF	CITATIONS
19	In Response. <i>Anesthesia and Analgesia</i> , 2014, 118, 236-237.	1.1	0
20	EC50 of sevoflurane for classic laryngeal mask airway insertion in children at different time points: A randomized blind trial. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2020, 36, 489.	0.2	0