

Babita Ghai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11312135/publications.pdf>

Version: 2024-02-01

20
papers

480
citations

840585

11
h-index

839398

18
g-index

20
all docs

20
docs citations

20
times ranked

424
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of Intranasal Dexmedetomidine as a Procedural Sedative for Ophthalmic Examination of Children With Glaucoma. <i>Journal of Glaucoma</i> , 2020, 29, 1043-1049.	0.8	5
2	EC50 of sevoflurane for classic laryngeal mask airway insertion in children at different time points: A randomized blind trial. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2020, 36, 489.	0.2	0
3	Effect of dexmedetomidine on emergence agitation using desflurane in pediatric cataract surgery. <i>Saudi Journal of Anaesthesia</i> , 2018, 12, 28.	0.2	6
4	Comparison of oral midazolam with intranasal dexmedetomidine premedication for children undergoing <scp>CT</scp> imaging: a randomized, double-blind, and controlled study. <i>Paediatric Anaesthesia</i> , 2017, 27, 37-44.	0.6	65
5	Effect of Low Dose Dexmedetomidine on Emergence Delirium and Recovery Profile following Sevoflurane Induction in Pediatric Cataract Surgeries. <i>Journal of Anesthesiology</i> , 2015, 2015, 1-7.	0.2	6
6	Optimum sevoflurane concentration for l-gel insertion in unpremedicated children. <i>Journal of Clinical Anesthesia</i> , 2015, 27, 627-631.	0.7	5
7	Effect of intranasal dexmedetomidine or oral midazolam premedication on sevoflurane EC50 for successful laryngeal mask airway placement in children: a randomized, double-blind, placebo-controlled trial. <i>Paediatric Anaesthesia</i> , 2014, 24, 433-439.	0.6	25
8	In Response. <i>Anesthesia and Analgesia</i> , 2014, 118, 236-237.	1.1	0
9	Cuff filling volumes for pediatric classic laryngeal mask airways: comparison of clinical end points versus adjusted cuff pressure. <i>Paediatric Anaesthesia</i> , 2013, 23, 122-126.	0.6	7
10	Efficacy of subtenon block in infants – a comparison with intravenous fentanyl for perioperative analgesia in infantile cataract surgery. <i>Paediatric Anaesthesia</i> , 2013, 23, 1015-1020.	0.6	16
11	Postoperative emergence delirium in pediatric patients undergoing cataract surgery – a comparison of desflurane and sevoflurane. <i>Paediatric Anaesthesia</i> , 2013, 23, 1131-1137.	0.6	37
12	Lateral Parasagittal Versus Midline Interlaminar Lumbar Epidural Steroid Injection for Management of Low Back Pain with Lumbosacral Radicular Pain. <i>Anesthesia and Analgesia</i> , 2013, 117, 219-227.	1.1	61
13	Minimum alveolar concentration of desflurane with fentanyl for laryngeal mask airway removal in anesthetized children. <i>Paediatric Anaesthesia</i> , 2012, 22, 335-340.	0.6	8
14	Fiber-optic assessment of LMA position in children: a randomized crossover comparison of two techniques. <i>Paediatric Anaesthesia</i> , 2011, 21, 1142-1147.	0.6	14
15	Efficacy of two oral premedicants: midazolam or a low-dose combination of midazolam + ketamine for reducing stress during intravenous cannulation in children undergoing CT imaging. <i>Paediatric Anaesthesia</i> , 2010, 20, 330-337.	0.6	23
16	Comparison of different techniques of laryngeal mask placement in children. <i>Current Opinion in Anaesthesiology</i> , 2009, 22, 400-404.	0.9	40
17	In Response:. <i>Anesthesia and Analgesia</i> , 2009, 109, 1349-1350.	1.1	5
18	Subtenon Block Compared to Intravenous Fentanyl for Perioperative Analgesia in Pediatric Cataract Surgery. <i>Anesthesia and Analgesia</i> , 2009, 108, 1132-1138.	1.1	54

#	ARTICLE	IF	CITATIONS
19	Laryngeal mask airway insertion in children: comparison between rotational, lateral and standard technique. Paediatric Anaesthesia, 2008, 18, 308-312.	0.6	44
20	Comparative evaluation of midazolam and ketamine with midazolam alone as oral premedication. Paediatric Anaesthesia, 2005, 15, 554-559.	0.6	59