
Marcel Prévost

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11313225/publications.pdf Version: 2024-02-01



MARCEL PRÃ QUOST

#	Article	IF	CITATIONS
1	Eight-year ecophysiology and growth dynamics of Picea rubens seedlings planted in harvest gaps of partially cut stands. Forest Ecology and Management, 2020, 478, 118514.	3.2	5
2	Silvicultural options for rehabilitating high-graded mixedwood stands in northeastern North America. Forest Ecology and Management, 2020, 466, 118137.	3.2	3
3	Basal area and diameter growth in high-graded eastern temperate mixedwood forests: the influence of acceptable growing stock, species, competition and climate. Forestry, 2019, 92, 659-669.	2.3	3
4	Nine-year physiology, nutrition and morphological development of Picea glauca reintroduced by planting in a high-graded yellow birch–conifer stand. Scandinavian Journal of Forest Research, 2019, 34, 656-666.	1.4	3
5	Rehabilitation silviculture in a high-graded temperate mixedwood stand in Quebec, Canada. New Forests, 2019, 50, 677-698.	1.7	6
6	Long-term growth response of black spruce advance regeneration (layers), natural seedlings and planted seedlings to scarification: 25th year update. Scandinavian Journal of Forest Research, 2018, 33, 583-593.	1.4	15
7	Assessing the single-tree and small group selection cutting system as intermediate disturbance to promote regeneration and diversity in temperate mixedwood stands. Forest Ecology and Management, 2018, 430, 21-32.	3.2	34
8	Precommercial thinning of overtopping aspen to release coniferous regeneration in a boreal mixedwood stand. Forestry Chronicle, 2017, 93, 259-270.	0.6	9
9	Patch Cutting in Temperate Mixedwood Stands: What Happens in the Between-Patch Matrix?. Forest Science, 2016, 62, 227-236.	1.0	10
10	Morphological response of conifer advance growth to canopy opening in mixedwood stands, in Quebec, Canada. Trees - Structure and Function, 2016, 30, 1735-1747.	1.9	9
11	Germination and establishment of natural red spruce (<i>Picea rubens</i>) seedlings in silvicultural gaps of different sizes. Forestry Chronicle, 2016, 92, 90-100.	0.6	11
12	Selection cutting in a yellow birch–conifer stand, in Quebec, Canada: Comparing the single-tree and two hybrid methods using different sizes of canopy opening. Forest Ecology and Management, 2015, 357, 195-205.	3.2	20
13	Germination et établissement de semis naturels d'épinette rouge (<i>Picea rubens</i>) dans des troué sylvicoles de différentes tailles. Forestry Chronicle, 2015, 91, 573-583.	^{0es} 0.6	0
14	Physiology and growth of advance Picea rubens and Abies balsamea regeneration following different canopy openings. Tree Physiology, 2014, 34, 194-204.	3.1	31
15	Shelterwood cutting in a boreal mixedwood stand: 10-year effects of the establishment cut on growth and mortality of merchantable residual trees. Forest Ecology and Management, 2014, 330, 94-104.	3.2	9
16	Shelterwood cutting to release coniferous advance growth and limit aspen sucker development in a boreal mixedwood stand. Forest Ecology and Management, 2014, 323, 148-157.	3.2	19
17	Decennial growth and mortality following uniform partial cutting in yellow birch – conifer stands. Canadian Journal of Forest Research, 2013, 43, 224-233.	1.7	10
18	Shelterwood cutting in a red spruce – balsam fir lowland site: Effects of final cut on water table and regeneration development. Forest Ecology and Management, 2013, 291, 404-416.	3.2	12

MARCEL PRéVOST

#	Article	IF	CITATIONS
19	Canopy disturbance and intertree competition: implications for tree growth and recruitment in two yellow birch–conifer stands in Quebec, Canada. Journal of Forest Research, 2013, 18, 168-178.	1.4	14
20	Effect of gap size, aspect and slope on available light and soil temperature after patch-selection cutting in yellow birch–conifer stands, Quebec, Canada. Forest Ecology and Management, 2012, 274, 210-221.	3.2	59
21	Precommercial thinning increases growth of overstory aspen and understory balsam fir in a boreal mixedwood stand. Forest Ecology and Management, 2012, 278, 17-26.	3.2	24
22	Growth and mortality following partial cutting in a trembling aspen– conifer stand: results after 10Âyears. Canadian Journal of Forest Research, 2010, 40, 894-903.	1.7	19
23	Regeneration dynamics after patch cutting and scarification in yellow birch – conifer stands. Canadian Journal of Forest Research, 2010, 40, 357-369.	1.7	61
24	Changes in stream water quality due to logging of the boreal forest in the Montmorency Forest, Québec. Hydrological Processes, 2009, 23, 764-776.	2.6	28
25	Can the impact of deer browsing on tree regeneration be mitigated by shelterwood cutting and strip clearcutting?. Forest Ecology and Management, 2009, 257, 38-45.	3.2	28
26	Establishment of natural regeneration under severe browsing pressure from white-tailed deer after group seed-tree cutting with scarification on Anticosti Island. Canadian Journal of Forest Research, 2009, 39, 596-605.	1.7	14
27	Regeneration development under shelterwoods in a lowland red spruce – balsam fir stand. Canadian Journal of Forest Research, 2008, 38, 31-39.	1.7	12
28	Ecophysiology and growth of advance red spruce and balsam fir regeneration after partial cutting in yellow birch-conifer stands. Tree Physiology, 2008, 28, 1221-1229.	3.1	28
29	Effect of cutting intensity on microenvironmental conditions and regeneration dynamics in yellow birch– conifer stands. Canadian Journal of Forest Research, 2008, 38, 317-330.	1.7	35
30	Natural canopy gap disturbances and their role in maintaining mixed-species forests of central Quebec, CanadaThis article is one of a selection of papers published in the Special Forum IUFRO 1.05 Uneven-Aged Silvicultural Research Group Conference on Natural Disturbance-Based Silviculture: Managing for Complexity Canadian Journal of Forest Research, 2007, 37, 1534-1544.	1.7	64
31	Management for red spruce conservation in Québec: The importance of some physiological and ecological characteristics – A review. Forestry Chronicle, 2007, 83, 378-391.	0.6	54
32	Rainfall generated stormflow response to clearcutting a boreal forest: peak flow comparison with 50 world-wide basin studies. Journal of Hydrology, 2005, 302, 137-153.	5.4	72
33	Effets du drainage sur la croissance et le statut nutritif d'un peuplement d'épinette noire de structure inéquienne : rA©sultats de 10 ans. Forestry Chronicle, 2005, 81, 516-524.	0.6	4
34	Predicting Soil Properties from Organic Matter Content following Mechanical Site Preparation of Forest Soils. Soil Science Society of America Journal, 2004, 68, 943-949.	2.2	62
35	Using the shelterwood method to mitigate water table rise after forest harvesting. Forest Ecology and Management, 2003, 179, 573-583.	3.2	48
36	Croissance et statut nutritif de marcottes, de semis naturels et de plants d'épinette noire à la suite du scarifiage : résultats de 10 ans. Canadian Journal of Forest Research, 2003, 33, 2097-2107.	1.7	34

MARCEL PRéVOST

#	Article	IF	CITATIONS
37	Partial cuts in a trembling aspen – conifer stand: effects on microenvironmental conditions and regeneration dynamics. Canadian Journal of Forest Research, 2003, 33, 1-15.	1.7	102
38	Photosynthetic light response and growth analysis of competitive regeneration after partial cutting in a boreal mixed stand. Trees - Structure and Function, 2002, 16, 365-373.	1.9	32
39	Effects of drainage of a forested peatland on water quality and quantity. Journal of Hydrology, 1999, 214, 130-143.	5.4	94
40	Substrate conditions in a treed peatland: Responses to drainage. Ecoscience, 1997, 4, 543-554.	1.4	48
41	Effects of scarification on seedbed coverage and natural regeneration after a group seed-tree cutting in a black spruce (Picea mariana) stand. Forest Ecology and Management, 1997, 94, 219-231.	3.2	43
42	Effets du scarifiage sur les propriétés du sol et l'ensemencement naturel dans une pessière noire Ã mousses de la forêt boréale québécoise. Canadian Journal of Forest Research, 1996, 26, 72-86.	1.7	36
43	Scalping and burning of Kalmia angustifolia (Ericaceae) litter: effects on Picea mariana establishment and ion leaching in a greenhouse experiment. Forest Ecology and Management, 1994, 63, 199-218.	3.2	8
44	Application of a snow cover energy and mass balance model in a balsam fir forest. Water Resources Research, 1990, 26, 1079-1092.	4.2	31
45	Snowmelt runoff modeling in a balsam fir forest with a variable source area simulator (VSAS2). Water Resources Research, 1990, 26, 1067-1077.	4.2	13
46	Simulation of snowmelt runoff pathways on the Lac Laflamme watershed. Journal of Hydrology, 1990, 113, 103-121.	5.4	10
47	Interception de la pluie dans la sapinière à bouleau blanc, Forêt Montmorency. Canadian Journal of Forest Research, 1984, 14, 722-730.	1.7	12
48	Accumulation et fonte de la neige en milieux boisé et déboisé. Géographie Physique Et Quaternaire, 1984, 38, 27-35.	0.2	12