

P R Larsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11319685/publications.pdf>

Version: 2024-02-01

184
papers

19,928
citations

8208

78
h-index

12638

137
g-index

188
all docs

188
docs citations

188
times ranked

6959
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Thyroid Hormone Promotes Postnatal Rat Pancreatic β -Cell Development and Glucose-Responsive Insulin Secretion Through MAFA. <i>Diabetes</i> , 2013, 62, 1569-1580. | 0.3 | 120 |
| 2 | Response: Re: Thyroid Dysfunction from Antineoplastic Agents. <i>Journal of the National Cancer Institute</i> , 2012, 104, 423-423. | 3.0 | 1 |
| 3 | Physiological role and regulation of iodothyronine deiodinases: A 2011 update. <i>Journal of Endocrinological Investigation</i> , 2011, 34, 395-407. | 1.8 | 75 |
| 4 | Thyroxine-induced expression of pyroglutamyl peptidase II and inhibition of TSH release precedes suppression of TRH mRNA and requires type 2 deiodinase. <i>Journal of Endocrinology</i> , 2011, 211, 73-78. | 1.2 | 32 |
| 5 | Type-2 Iodothyronine 5 α -Deiodinase (D2) in Skeletal Muscle of C57Bl/6 Mice. II. Evidence for a Role of D2 in the Hypermetabolism of Thyroid Hormone Receptor β -Deficient Mice. <i>Endocrinology</i> , 2011, 152, 3093-3102. | 1.4 | 31 |
| 6 | Thyroid Dysfunction from Antineoplastic Agents. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1572-1587. | 3.0 | 143 |
| 7 | Sonic hedgehog-induced type 3 deiodinase blocks thyroid hormone action enhancing proliferation of normal and malignant keratinocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14466-14471. | 3.3 | 149 |
| 8 | Overexpression of Type 2 Iodothyronine Deiodinase in Follicular Carcinoma as a Cause of Low Circulating Free Thyroxine Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 594-598. | 1.8 | 65 |
| 9 | Transcriptional regulation of iodothyronine deiodinases during embryonic development. <i>Molecular and Cellular Endocrinology</i> , 2001, 183, 1-9. | 1.6 | 69 |
| 10 | Regional physiological adaptation of the central nervous system deiodinases to iodine deficiency. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 281, E54-E61. | 1.8 | 69 |
| 11 | The Human Type 2 Iodothyronine Deiodinase Is a Selenoprotein Highly Expressed in a Mesothelioma Cell Line. <i>Journal of Biological Chemistry</i> , 2001, 276, 30183-30187. | 1.6 | 87 |
| 12 | Relation of severity of maternal hypothyroidism to cognitive development of offspring. <i>Journal of Medical Screening</i> , 2001, 8, 18-20. | 1.1 | 120 |
| 13 | Type 2 Iodothyronine Deiodinase Transgene Expression in the Mouse Heart Causes Cardiac-Specific Thyrotoxicosis ¹ . <i>Endocrinology</i> , 2001, 142, 13-20. | 1.4 | 59 |
| 14 | The Human, but Not Rat, <i>dio2</i> Gene Is Stimulated by Thyroid Transcription Factor-1 (TTF-1). <i>Molecular Endocrinology</i> , 2001, 15, 112-124. | 3.7 | 62 |
| 15 | The type 2 iodothyronine deiodinase is essential for adaptive thermogenesis in brown adipose tissue. <i>Journal of Clinical Investigation</i> , 2001, 108, 1379-1385. | 3.9 | 271 |
| 16 | DARPP-32 and CREB are present in type 2 iodothyronine deiodinase-producing tanycytes: implications for the regulation of type 2 deiodinase activity. <i>Brain Research</i> , 2000, 862, 154-161. | 1.1 | 34 |
| 17 | The Role of Selenocysteine 133 in Catalysis by the Human Type 2 Iodothyronine Deiodinase ¹ . <i>Endocrinology</i> , 2000, 141, 4606-4612. | 1.4 | 53 |
| 18 | Characterization of the 5 α -Flanking and 5 α -Untranslated Regions of the Cyclic Adenosine 3 α ,5 α -Monophosphate-Responsive Human Type 2 Iodothyronine Deiodinase Gene ¹ . <i>Endocrinology</i> , 2000, 141, 229-237. | 1.4 | 101 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Selective Proteolysis of Human Type 2 Deiodinase: A Novel Ubiquitin-Proteasomal Mediated Mechanism for Regulation of Hormone Activation. <i>Molecular Endocrinology</i> , 2000, 14, 1697-1708. | 3.7 | 140 |
| 20 | Distinct Subcellular Localization of Transiently Expressed Types 1 and 2 Iodothyronine Deiodinases as Determined by Immunofluorescence Confocal Microscopy. <i>Endocrinology</i> , 2000, 141, 4309-4312. | 1.4 | 110 |
| 21 | Substrate-Induced Down-Regulation of Human Type 2 Deiodinase (hD2) Is Mediated through Proteasomal Degradation and Requires Interaction with the Enzyme's Active Center. <i>Endocrinology</i> , 2000, 141, 1127-1135. | 1.4 | 98 |
| 22 | Severe Hypothyroidism Caused by Type 3 Iodothyronine Deiodinase in Infantile Hemangiomas. <i>New England Journal of Medicine</i> , 2000, 343, 185-189. | 13.9 | 486 |
| 23 | Regional Expression of the Type 3 Iodothyronine Deiodinase Messenger Ribonucleic Acid in the Rat Central Nervous System and Its Regulation by Thyroid Hormone*. <i>Endocrinology</i> , 1999, 140, 784-790. | 1.4 | 167 |
| 24 | Thyroid Hormone Regulates Hyperpolarization-Activated Cyclic Nucleotide-Gated Channel (HCN2) mRNA in the Rat Heart. <i>Circulation Research</i> , 1999, 85, 498-503. | 2.0 | 76 |
| 25 | Cloning and Expression of the Chicken Type 2 Iodothyronine 5'-Deiodinase. <i>Journal of Biological Chemistry</i> , 1999, 274, 13768-13776. | 1.6 | 70 |
| 26 | Mutation of the Secys residue 266 in human type 2 selenodeiodinase alters ⁷⁵ Se incorporation without affecting its biochemical properties. <i>Biochimie</i> , 1999, 81, 535-538. | 1.3 | 39 |
| 27 | The 3'-Untranslated Region of Human Type 2 Iodothyronine Deiodinase mRNA Contains a Functional Selenocysteine Insertion Sequence Element. <i>Journal of Biological Chemistry</i> , 1998, 273, 33374-33378. | 1.6 | 68 |
| 28 | Further Characterization of Thyroid Hormone Response Elements in the Human Type 1 Iodothyronine Deiodinase Gene. <i>Endocrinology</i> , 1998, 139, 1156-1163. | 1.4 | 58 |
| 29 | Studies of the Hormonal Regulation of Type 2 5'-Iodothyronine Deiodinase Messenger Ribonucleic Acid in Pituitary Tumor Cells Using Semiquantitative Reverse Transcription-Polymerase Chain Reaction**This work was supported by NIH Grant DK-36256.. <i>Endocrinology</i> , 1998, 139, 4895-4905. | 1.4 | 69 |
| 30 | The Guanosine Monophosphate Reductase Gene Is Conserved in Rats and Its Expression Increases Rapidly in Brown Adipose Tissue during Cold Exposure. <i>Journal of Biological Chemistry</i> , 1998, 273, 31092-31096. | 1.6 | 27 |
| 31 | Type 2 Iodothyronine deiodinase in rat pituitary tumor cells is inactivated in proteasomes.. <i>Journal of Clinical Investigation</i> , 1998, 102, 1895-1899. | 3.9 | 95 |
| 32 | Structure-Activity Relationships for Thyroid Hormone Deiodination by Mammalian Type I Iodothyronine Deiodinases. <i>Endocrinology</i> , 1997, 138, 213-219. | 1.4 | 53 |
| 33 | The Role of the Active Site Cysteine in Catalysis by Type 1 Iodothyronine Deiodinase*. <i>Endocrinology</i> , 1997, 138, 5452-5458. | 1.4 | 27 |
| 34 | Van Meter Prize of the American Thyroid Association to Gregory Brent. <i>Thyroid</i> , 1997, 7, 153-154. | 2.4 | 0 |
| 35 | Regional Distribution of Type 2 Thyroxine Deiodinase Messenger Ribonucleic Acid in Rat Hypothalamus and Pituitary and Its Regulation by Thyroid Hormone*. <i>Endocrinology</i> , 1997, 138, 3359-3368. | 1.4 | 267 |
| 36 | Update on the human Iodothyronine selenodeiodinases, the enzymes regulating the activation and inactivation of thyroid hormone. <i>Biochemical Society Transactions</i> , 1997, 25, 588-592. | 1.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | In Vivo Genomic Footprinting of Thyroid Hormone-Responsive Genes in Pituitary Tumor Cell Lines. <i>Molecular and Cellular Biology</i> , 1996, 16, 4465-4477. | 1.1 | 22 |
| 38 | Is There a Negative TRE in the Luciferase Reporter cDNA?. <i>Thyroid</i> , 1996, 6, 325-328. | 2.4 | 27 |
| 39 | Characterization of the Promoter of the Rat Sarcoplasmic Endoplasmic Reticulum Ca ²⁺ -ATPase 1 Gene and Analysis of Thyroid Hormone Responsiveness. <i>Journal of Biological Chemistry</i> , 1996, 271, 32048-32056. | 1.6 | 52 |
| 40 | Molecular biological and biochemical characterization of the human type 2 selenodeiodinase.. <i>Endocrinology</i> , 1996, 137, 3308-3315. | 1.4 | 241 |
| 41 | The structure of the coding and 5'-flanking region of the type 1 iodothyronine deiodinase (dio1) gene is normal in a patient with suspected congenital dio1 deficiency.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 2121-2124. | 1.8 | 6 |
| 42 | Type 2 iodothyronine deiodinase is highly expressed in human thyroid.. <i>Journal of Clinical Investigation</i> , 1996, 98, 962-968. | 3.9 | 174 |
| 43 | A Novel Retinoid X Receptor-Independent Thyroid Hormone Response Element Is Present in the Human Type 1 Deiodinase Gene. <i>Molecular and Cellular Biology</i> , 1995, 15, 5100-5112. | 1.1 | 129 |
| 44 | Effect of 3,5,3'-Triiodothyronine (T3) administration on dio1 gene expression and T3 metabolism in normal and type 1 deiodinase-deficient mice.. <i>Endocrinology</i> , 1995, 136, 4842-4849. | 1.4 | 56 |
| 45 | The American Thyroid Association: D'oÃ Venons Nous? Que Sommes Nous? OÃ Allons Nous? (Whence) Tj ETQq1 1 0.784314 rgBT /O | 2.4 | 11 |
| 46 | Prospective Studies of Thyroid Function in Patients Receiving Gold Therapy. <i>Thyroid</i> , 1995, 5, 113-116. | 2.4 | 3 |
| 47 | Topological Analysis of the Integral Membrane Protein, Type 1 Iodothyronine Deiodinase (D1). <i>Journal of Biological Chemistry</i> , 1995, 270, 12310-12318. | 1.6 | 91 |
| 48 | Pituitary cells respond to thyroid hormone by discrete, gene-specific pathways.. <i>Endocrinology</i> , 1995, 136, 1488-1494. | 1.4 | 26 |
| 49 | Structural and functional differences in the dio1 gene in mice with inherited type 1 deiodinase deficiency.. <i>Molecular Endocrinology</i> , 1995, 9, 969-980. | 3.7 | 65 |
| 50 | Nutritional and Hormonal Regulation of Thyroid Hormone Deiodinases. <i>Annual Review of Nutrition</i> , 1995, 15, 323-352. | 4.3 | 153 |
| 51 | Type 3 Iodothyronine deiodinase: cloning, in vitro expression, and functional analysis of the placental selenoenzyme.. <i>Journal of Clinical Investigation</i> , 1995, 96, 2421-2430. | 3.9 | 173 |
| 52 | Review of Antithyroid Drug Use During Pregnancy and Report of a Case of Aplasia Cutis. <i>Thyroid</i> , 1994, 4, 129-133. | 2.4 | 135 |
| 53 | Type I Iodothyronine Deiodinase: Unexpected Complexities in a Simple Deiodination Reaction. <i>Thyroid</i> , 1994, 4, 357-362. | 2.4 | 8 |
| 54 | Activation and inactivation of thyroid hormone by type I iodothyronine deiodinase. <i>FEBS Letters</i> , 1994, 344, 143-146. | 1.3 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Maternal and Fetal Thyroid Function. <i>New England Journal of Medicine</i> , 1994, 331, 1072-1078. | 13.9 | 613 |
| 56 | Identification of critical amino acids for 3,5,3'-triiodothyronine deiodination by human type I deiodinase based on comparative functional-structural analyses of the human, dog, and rat enzymes. <i>Journal of Biological Chemistry</i> , 1994, 269, 20329-34. | 1.6 | 29 |
| 57 | Levothyroxine Therapy in Patients with Thyroid Disease. <i>Annals of Internal Medicine</i> , 1993, 119, 492. | 2.0 | 286 |
| 58 | The type I iodothyronine 5'-deiodinase messenger ribonucleic acid is localized to the S3 segment of the rat kidney proximal tubule.. <i>Endocrinology</i> , 1993, 132, 2136-2140. | 1.4 | 31 |
| 59 | Dominant negative inhibition by mutant thyroid hormone receptors is thyroid hormone response element and receptor isoform specific.. <i>Molecular Endocrinology</i> , 1993, 7, 1319-1330. | 3.7 | 55 |
| 60 | Physiological and genetic analyses of inbred mouse strains with a type I iodothyronine 5' deiodinase deficiency.. <i>Journal of Clinical Investigation</i> , 1993, 92, 1517-1528. | 3.9 | 78 |
| 61 | Functional characterization of the eukaryotic SECIS elements which direct selenocysteine insertion at UGA codons. <i>EMBO Journal</i> , 1993, 12, 3315-22. | 3.5 | 132 |
| 62 | Cloning and in vitro expression of the human selenoprotein, type I iodothyronine deiodinase.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1992, 75, 1133-1139. | 1.8 | 92 |
| 63 | Substitution of cysteine for selenocysteine in type I iodothyronine deiodinase reduces the catalytic efficiency of the protein but enhances its translation.. <i>Endocrinology</i> , 1992, 131, 1848-1852. | 1.4 | 109 |
| 64 | Capacity for cooperative binding of thyroid hormone (T3) receptor dimers defines wild type T3 response elements.. <i>Molecular Endocrinology</i> , 1992, 6, 502-514. | 3.7 | 67 |
| 65 | The Role of Selenium in Thyroid Hormone Action*. <i>Endocrine Reviews</i> , 1992, 13, 207-219. | 8.9 | 86 |
| 66 | Commentary: Monitoring Thyroxine Treatment During Pregnancy. <i>Thyroid</i> , 1992, 2, 153-154. | 2.4 | 20 |
| 67 | Differential capacity of wild type promoter elements for binding and trans-activation by retinoic acid and thyroid hormone receptors.. <i>Molecular Endocrinology</i> , 1992, 6, 1527-1537. | 3.7 | 51 |
| 68 | Antiestrogens stimulate expression of transiently transfected and endogenous genes in rat pituitary tumor cell lines. <i>Molecular and Cellular Endocrinology</i> , 1991, 77, 133-140. | 1.6 | 0 |
| 69 | Thyroid Hormone Regulation of Gene Expression. <i>Annual Review of Physiology</i> , 1991, 53, 17-35. | 5.6 | 210 |
| 70 | Triiodothyronine causes rapid reversal of $\hat{1}\pm 1$ /cyclic adenosine monophosphate synergism on brown adipocyte respiration and type II deiodinase activity. <i>Metabolism: Clinical and Experimental</i> , 1991, 40, 1327-1332. | 1.5 | 11 |
| 71 | Photoaffinity Labeling of Rat Type I Iodothyronine Deiodinase*. <i>Endocrinology</i> , 1991, 129, 1042-1048. | 1.4 | 3 |
| 72 | Type I iodothyronine deiodinase is a selenocysteine-containing enzyme. <i>Nature</i> , 1991, 349, 438-440. | 13.7 | 854 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Recognition of UGA as a selenocysteine codon in Type I deiodinase requires sequences in the 3' untranslated region. <i>Nature</i> , 1991, 353, 273-276. | 13.7 | 619 |
| 74 | Effects of Varying the Position of Thyroid Hormone Response Elements within the Rat Growth Hormone Promoter: Implications for Positive and Negative Regulation by 3,5,3'-Triiodothyronine. <i>Molecular Endocrinology</i> , 1991, 5, 542-548. | 3.7 | 64 |
| 75 | Evidence that Cysteine, not Selenocysteine, is in the Catalytic Site of Type II Iodothyronine Deiodinase. <i>Endocrinology</i> , 1991, 129, 550-552. | 1.4 | 73 |
| 76 | Selenocysteine confers the biochemical properties characteristic of the type I iodothyronine deiodinase. <i>Journal of Biological Chemistry</i> , 1991, 266, 14155-8. | 1.6 | 129 |
| 77 | Direct repeats. <i>Nature</i> , 1990, 345, 584-584. | 13.7 | 0 |
| 78 | Thyroid Hormone Regulates Type I Deiodinase Messenger RNA in Rat Liver. <i>Molecular Endocrinology</i> , 1990, 4, 743-748. | 3.7 | 109 |
| 79 | Increased Need for Thyroxine during Pregnancy in Women with Primary Hypothyroidism. <i>New England Journal of Medicine</i> , 1990, 323, 91-96. | 13.9 | 356 |
| 80 | Effect of thyroid status on catecholamine stimulation of thyroxine 5'-deiodinase in brown adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1989, 256, E74-E79. | 1.8 | 8 |
| 81 | 1- and 2-Adrenergic Agents Cause Synergistic Stimulation of the Iodothyronine Deiodinase in Rat Brown Adipocytes*. <i>Endocrinology</i> , 1989, 125, 2502-2509. | 1.4 | 63 |
| 82 | Identification of a thyroid hormone receptor that is pituitary-specific. <i>Science</i> , 1989, 244, 76-79. | 6.0 | 494 |
| 83 | Maternal Thyroxine and Congenital Hypothyroidism. <i>New England Journal of Medicine</i> , 1989, 321, 44-46. | 13.9 | 35 |
| 84 | Mutations of the Rat Growth Hormone Promoter which Increase and Decrease Response to Thyroid Hormone Define a Consensus Thyroid Hormone Response Element. <i>Molecular Endocrinology</i> , 1989, 3, 1996-2004. | 3.7 | 239 |
| 85 | Inhibition of thyroid hormone action by a non-hormone binding c-erbA protein generated by alternative mRNA splicing. <i>Nature</i> , 1989, 337, 659-661. | 13.7 | 440 |
| 86 | The Pituitary-Thyroid Regulatory System. <i>Advances in Experimental Medicine and Biology</i> , 1989, 261, 11-26. | 0.8 | 7 |
| 87 | Functional characterization of the rat growth hormone promoter elements required for induction by thyroid hormone with and without a co-transfected 2 type thyroid hormone receptor. <i>Journal of Biological Chemistry</i> , 1989, 264, 178-182. | 1.6 | 175 |
| 88 | Thyroid hormone aporeceptor represses T3-inducible promoters and blocks activity of the retinoic acid receptor. <i>The New Biologist</i> , 1989, 1, 329-36. | 2.8 | 69 |
| 89 | Functional characterization of the rat growth hormone promoter elements required for induction by thyroid hormone with and without a co-transfected beta type thyroid hormone receptor. <i>Journal of Biological Chemistry</i> , 1989, 264, 178-82. | 1.6 | 124 |
| 90 | Multihormonal Regulation of the Human, Rat, and Bovine Growth Hormone Promoters: Differential Effects of 5'-Cyclic Adenosine Monophosphate, Thyroid Hormone, and Glucocorticoids. <i>Molecular Endocrinology</i> , 1988, 2, 792-798. | 3.7 | 94 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Multiple sequences encoding potential thyroid hormone receptors isolated from mouse skeletal muscle cDNA libraries. <i>Nucleic Acids Research</i> , 1988, 16, 6248-6248. | 6.5 | 66 |
| 92 | Isolation of a cDNA clone encoding a biologically active thyroid hormone receptor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 5031-5035. | 3.3 | 222 |
| 93 | Immunometric assays may underestimate thyrotropin concentrations in sera from infants with congenital hypothyroidism.. <i>Clinical Chemistry</i> , 1988, 34, 2182-2182. | 1.5 | 1 |
| 94 | Phorbol esters, protein kinase C, and thyroxine 5'-deiodinase in brown adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1988, 254, E323-E327. | 1.8 | 10 |
| 95 | Thyroid hormone metabolism in the central nervous system. <i>Vienna Clinical Weekly</i> , 1988, 15 Suppl 1, 5-10. | 0.9 | 0 |
| 96 | Comparison of Kidney and Brown Adipose Tissue Iodothyronine 5 α -Deiodinases*. <i>Endocrinology</i> , 1987, 121, 650-656. | 1.4 | 28 |
| 97 | Revised Nomenclature for Tests of Thyroid Hormones and Thyroid-Related Proteins in Serum.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987, 64, 1089-1094. | 1.8 | 59 |
| 98 | Thyroid hormone receptor binds to a site in the rat growth hormone promoter required for induction by thyroid hormone.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 5670-5674. | 3.3 | 190 |
| 99 | The regional hypothalamic distribution of type II 5 α -monodeiodinase in euthyroid and hypothyroid rats. <i>Brain Research</i> , 1987, 420, 194-198. | 1.1 | 84 |
| 100 | Insulin stimulation of iodothyronine 5 α -deiodinase in rat brown adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 1987, 143, 81-86. | 1.0 | 28 |
| 101 | Repression mediates cell-type-specific expression of the rat growth hormone gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 8283-8287. | 3.3 | 109 |
| 102 | Plasma T4 and T3 levels in naturally metamorphosing <i>Eurycea bislineata</i> (Amphibia; Plethodontidae). <i>General and Comparative Endocrinology</i> , 1986, 61, 153-163. | 0.8 | 39 |
| 103 | The Role of 3,3 α ,5 α -Triiodothyronine in the Regulation of Type II Iodothyronine 5 α -Deiodinase in the Rat Cerebral Cortex*. <i>Endocrinology</i> , 1986, 119, 2186-2192. | 1.4 | 37 |
| 104 | Sequences required for cell-type specific thyroid hormone regulation of rat growth hormone promoter activity.. <i>Journal of Biological Chemistry</i> , 1986, 261, 14373-14376. | 1.6 | 85 |
| 105 | Interrelationships among thyroxine, growth hormone, and the sympathetic nervous system in the regulation of 5'-iodothyronine deiodinase in rat brown adipose tissue.. <i>Journal of Clinical Investigation</i> , 1986, 77, 1214-1223. | 3.9 | 73 |
| 106 | Sequences required for cell-type specific thyroid hormone regulation of rat growth hormone promoter activity. <i>Journal of Biological Chemistry</i> , 1986, 261, 14373-6. | 1.6 | 50 |
| 107 | In Vitro 3,3 α ,5 α -Triiodothyronine Binding to Rat Cerebrocortical Neuronal and Glial Nuclei Suggests the Presence of Binding Sites Unavailable in Vivo*. <i>Endocrinology</i> , 1985, 116, 2019-2028. | 1.4 | 33 |
| 108 | Plasma Kinetics, Tissue Distribution, and Cerebrocortical Sources of Reverse Triiodothyronine in the Rat*. <i>Endocrinology</i> , 1985, 116, 2192-2200. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Thyroid hormone metabolism in primary cultures of fetal rat brain cells. <i>Brain Research</i> , 1985, 327, 1-13. | 1.1 | 62 |
| 110 | Potential of brown adipose tissue type II thyroxine 5'-deiodinase as a local and systemic source of triiodothyronine in rats.. <i>Journal of Clinical Investigation</i> , 1985, 76, 2296-2305. | 3.9 | 189 |
| 111 | Oral Thyroxine: Variation in Biologic Action and Tablet Content. <i>Annals of Internal Medicine</i> , 1984, 100, 641. | 2.0 | 39 |
| 112 | Acute Posttranscriptional Regulation of Cerebrocortical and Pituitary Iodothyronine 5 ^α -Deiodinases by Thyroid Hormone[*]. <i>Endocrinology</i> , 1984, 114, 998-1004. | 1.4 | 111 |
| 113 | Regulation of Thyroxine 5 ^α -Deiodinase Activity by 3,5,3 ^α -Triiodothyronine in Cultured Rat Anterior Pituitary Cells*. <i>Endocrinology</i> , 1984, 115, 324-329. | 1.4 | 52 |
| 114 | Phorbol esters as probes of the regulation of thyrotropin secretion. <i>Biochemical and Biophysical Research Communications</i> , 1984, 125, 353-359. | 1.0 | 13 |
| 115 | Qualitative and quantitative differences in the pathways of extrathyroidal triiodothyronine generation between euthyroid and hypothyroid rats.. <i>Journal of Clinical Investigation</i> , 1984, 73, 898-907. | 3.9 | 106 |
| 116 | Adrenergic activation of triiodothyronine production in brown adipose tissue. <i>Nature</i> , 1983, 305, 712-713. | 13.7 | 381 |
| 117 | THYROXINE 5 ^α -DEIODINASE ACTIVITY IN BROWN ADIPOSE TISSUE. <i>Endocrinology</i> , 1983, 112, 1153-1155. | 1.4 | 208 |
| 118 | Evidence for Two Pathways of Iodothyronine 5 ^α -Deiodination in Rat Pituitary That Differ in Kinetics, Propylthiouracil Sensitivity, and Response to Hypothyroidism. <i>Journal of Clinical Investigation</i> , 1983, 71, 992-1002. | 3.9 | 178 |
| 119 | Thyroid-Pituitary Interaction. <i>New England Journal of Medicine</i> , 1982, 306, 23-32. | 13.9 | 337 |
| 120 | Kinetic evidence suggesting two mechanisms for iodothyronine 5'-deiodination in rat cerebral cortex.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 5080-5084. | 3.3 | 222 |
| 121 | Subcellular distribution of iodothyronine 5 ^α -deiodinase in cerebral cortex from hypothyroid rats. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1982, 718, 109-119. | 1.1 | 29 |
| 122 | Bioavailability of thyroid hormones from oral replacement preparations. <i>Metabolism: Clinical and Experimental</i> , 1982, 31, 900-905. | 1.5 | 81 |
| 123 | An Analysis of the Sources and Quantity of 3,5,3 ^α -Triiodothyronine Specifically Bound to Nuclear Receptors in Rat Cerebral Cortex and Cerebellum*. <i>Endocrinology</i> , 1982, 110, 367-375. | 1.4 | 327 |
| 124 | Prevalence of abnormal thyroid function test results in patients with acute medical illnesses. <i>American Journal of Medicine</i> , 1982, 72, 9-16. | 0.6 | 169 |
| 125 | Evidence for Two Tissue-specific Pathways for In Vivo Thyroxine 5 ^α -Deiodination in the Rat. <i>Journal of Clinical Investigation</i> , 1982, 69, 1176-1184. | 3.9 | 136 |
| 126 | Comparison of Iodothyronine 5 ^α -Deiodinase and Other Thyroid-Hormone-dependent Enzyme Activities in the Cerebral Cortex of Hypothyroid Neonatal Rat. <i>Journal of Clinical Investigation</i> , 1982, 70, 1110-1123. | 3.9 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Different pathways of iodothyronine 5 α -deiodination in rat cerebral cortex. Biochemical and Biophysical Research Communications, 1981, 101, 1297-1304. | 1.0 | 61 |
| 128 | Anatomical Distribution of Phenolic and Tyrosyl Ring Iodothyronine Deiodinases in the Nervous System of Normal and Hypothyroid Rats*. Endocrinology, 1981, 109, 397-402. | 1.4 | 74 |
| 129 | Cerebral cortex responds rapidly to thyroid hormones. Science, 1981, 214, 571-573. | 6.0 | 203 |
| 130 | Evidence for a Possible Role for Ca ⁺⁺ in the 3,5,3 α -Triiodothyronine Inhibition of Thyrotropin-Releasing Hormone-Induced Secretion of Thyrotropin by Rat Anterior Pituitary in Vitro*. Endocrinology, 1981, 108, 1690-1696. | 1.4 | 17 |
| 131 | Neonatal Thyroid Function after Propylthiouracil Therapy for Maternal Graves' Disease. New England Journal of Medicine, 1981, 304, 525-528. | 13.9 | 160 |
| 132 | Relationships between Circulating and Intracellular Thyroid Hormones: Physiological and Clinical Implications*. Endocrine Reviews, 1981, 2, 87-102. | 8.9 | 548 |
| 133 | Starvation in the rat. II. Effect of age and obesity on protein sparing and fuel metabolism. American Journal of Physiology - Endocrinology and Metabolism, 1980, 239, E277-E277. | 1.8 | 95 |
| 134 | Direct Radioimmunoassay of Nuclear 3,5,3 α -Triiodothyronine in Rat Anterior Pituitary. Journal of Clinical Investigation, 1980, 65, 675-681. | 3.9 | 21 |
| 135 | Rapid Thyroxine to 3,5,3 α -Triiodothyronine Conversion and Nuclear 3,5,3 α -Triiodothyronine Binding in Rat Cerebral Cortex and Cerebellum. Journal of Clinical Investigation, 1980, 65, 935-938. | 3.9 | 127 |
| 136 | Acute Deficiency of Thyroxine-Binding Globulin during L-Asparaginase Therapy. New England Journal of Medicine, 1979, 301, 252-253. | 13.9 | 59 |
| 137 | Comparison of thyroxine and 3,3 α ,5 α -triiodothyronine metabolism in rat kidney and liver homogenates. Metabolism: Clinical and Experimental, 1979, 28, 1139-1146. | 1.5 | 46 |
| 138 | Screening for congenital hypothyroidism: Results of screening one million North American infants. Journal of Pediatrics, 1979, 94, 700-705. | 0.9 | 347 |
| 139 | Inhibition of intrapituitary thyroxine to 3,5,3'-triiodothyronine conversion prevents the acute suppression of thyrotropin release by thyroxine in hypothyroid rats.. Journal of Clinical Investigation, 1979, 64, 117-128. | 3.9 | 144 |
| 140 | Physiological and Pharmacological Influences on Thyroxine to 3,5,3 α -Triiodothyronine Conversion and Nuclear 3,5,3 α -Triiodothyronine Binding in Rat Anterior Pituitary. Journal of Clinical Investigation, 1979, 64, 1402-1414. | 3.9 | 78 |
| 141 | Correlation of sequential changes in serum thyroglobulin, triiodothyronine, and thyroxine in patients with Graves' disease and subacute thyroiditis. Metabolism: Clinical and Experimental, 1978, 27, 449-460. | 1.5 | 98 |
| 142 | Isolation of labeled triiodothyronine from serum using affinity chromatography: Application to the estimation of the peripheral T4 to T3 conversion in rats. Metabolism: Clinical and Experimental, 1978, 27, 303-313. | 1.5 | 42 |
| 143 | Thyroxine to 3,5,3 α -triiodothyronine conversion by rat anterior pituitary and liver. Metabolism: Clinical and Experimental, 1978, 27, 1601-1607. | 1.5 | 37 |
| 144 | The Contribution of Local Tissue Thyroxine Monodeiodination to the Nuclear 3,5,3 α -Triiodothyronine in Pituitary, Liver, and Kidney of Euthyroid Rats*. Endocrinology, 1978, 103, 1196-1207. | 1.4 | 189 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Peripheral Metabolism of Homologous Thyrotropin in Euthyroid and Hypothyroid Rats: Acute Effects of Thyrotropin-Releasing Hormone, Triiodothyronine, and Thyroxine*. <i>Endocrinology</i> , 1978, 102, 1783-1796. | 1.4 | 52 |
| 146 | Contributions of Plasma Triiodothyronine and Local Thyroxine Monodeiodination to Triiodothyronine to Nuclear Triiodothyronine Receptor Saturation in Pituitary, Liver, and Kidney of Hypothyroid Rats. <i>Journal of Clinical Investigation</i> , 1978, 61, 1247-1259. | 3.9 | 197 |
| 147 | Comparison of the Biological Effects of Thyroxine and Triiodothyronine in the Rat*. <i>Endocrinology</i> , 1977, 100, 980-988. | 1.4 | 114 |
| 148 | Pituitary nuclear 3,5,3'-triiodothyronine and thyrotropin secretion: an explanation for the effect of thyroxine. <i>Science</i> , 1977, 198, 617-620. | 6.0 | 205 |
| 149 | Thyroid function studies in preterm infants recovering from the respiratory distress syndrome. <i>Journal of Pediatrics</i> , 1977, 91, 261-263. | 0.9 | 33 |
| 150 | Triiodothyronine and thyroxine content of desiccated thyroid tablets. <i>Metabolism: Clinical and Experimental</i> , 1977, 26, 1213-1218. | 1.5 | 43 |
| 151 | Triiodothyronine, Thyroxine, and Iodine in Purified Thyroglobulin from Patients with Graves' Disease. <i>Journal of Clinical Investigation</i> , 1977, 59, 1105-1112. | 3.9 | 78 |
| 152 | Recommendations for screening programs for congenital hypothyroidism. <i>American Journal of Medicine</i> , 1976, 61, 932-934. | 0.6 | 21 |
| 153 | Hyperthyroidism. <i>Disease-a-Month</i> , 1976, 22, 1-30. | 0.4 | 4 |
| 154 | Neonatal thyroid function in congenital hypothyroidism. <i>Journal of Pediatrics</i> , 1976, 89, 545-549. | 0.9 | 55 |
| 155 | IMMUNOASSAY OF HUMAN TSH USING DRIED BLOOD SAMPLES ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1976, 42, 987-990. | 1.8 | 46 |
| 156 | Formation of 3,3,5-Triiodothyronine and 3,5,3,5-Tetraiodothyronine (Reverse T ₃) in Thyroid Glands of Rats and in Enzymatically Iodinated Thyroglobulin. <i>Endocrinology</i> , 1976, 99, 281-290. | 1.4 | 26 |
| 157 | Tests of Thyroid Function. <i>Medical Clinics of North America</i> , 1975, 59, 1063-1074. | 1.1 | 20 |
| 158 | Effect of Acute Exposure to Cold on the Activity of the Hypothalamic-Pituitary-Thyroid System. <i>Endocrinology</i> , 1975, 97, 1185-1195. | 1.4 | 124 |
| 159 | Thyroidal Triiodothyronine and Thyroxine in Graves' Disease: Correlation with Presurgical Treatment, Thyroid Status, and Iodine Content. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1975, 41, 1098-1104. | 1.8 | 68 |
| 160 | Thyroxine (T ₄) Immunoassay Using Filter Paper Blood Samples for Screening of Neonates for Hypothyroidism. <i>Pediatric Research</i> , 1975, 9, 604-609. | 1.1 | 71 |
| 161 | Correlation of serum triiodothyronine (T ₃) and thyroxine (T ₄) with biologic effects of thyroid hormone replacement in propylthiouracil-treated rats. <i>Metabolism: Clinical and Experimental</i> , 1975, 24, 547-554. | 1.5 | 55 |
| 162 | Subacute thyroiditis in a lateral thyroid gland: Evaluation of the pituitary-thyroid axis during the acute destructive and the recovery phases. <i>Journal of Pediatrics</i> , 1975, 87, 34-37. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Total and Free Triiodothyronine and Thyroxine in Early Infancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1974, 39, 263-268. | 1.8 | 77 |
| 164 | Serum triiodothyronine, thyroxine, and thyrotropin during hyperthyroid, hypothyroid, and recovery phases of subacute nonsuppurative thyroiditis. <i>Metabolism: Clinical and Experimental</i> , 1974, 23, 467-471. | 1.5 | 45 |
| 165 | Triiodothyronine and Thyroxine in Hyperthyroidism COMPARISON OF THE ACUTE CHANGES DURING THERAPY WITH ANTITHYROID AGENTS. <i>Journal of Clinical Investigation</i> , 1974, 54, 201-208. | 3.9 | 139 |
| 166 | Biochemical Observations in Functioning Human Thyroid Adenomas ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1973, 36, 1009-1018. | 1.8 | 34 |
| 167 | Immunoassay of Thyroxine in Unextracted Human Serum. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1973, 37, 177-182. | 1.8 | 134 |
| 168 | Familial Autoimmune Thyroiditis: Maternal-Fetal Relationship and the Role of Generalized Autoimmunity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1973, 37, 265-275. | 1.8 | 66 |
| 169 | Serum Triiodothyronine and Thyroxine in the Neonate and the Acute Increases in These Hormones Following Delivery. <i>Journal of Clinical Investigation</i> , 1973, 52, 1195-1199. | 3.9 | 111 |
| 170 | Demonstration of Iodide Transport Defect but Normal Iodide Organification in Nonfunctioning Nodules of Human Thyroid Glands. <i>Journal of Clinical Investigation</i> , 1973, 52, 2404-2410. | 3.9 | 53 |
| 171 | Triiodothyronine and Thyroxine in the Serum and Thyroid Glands of Iodine-Deficient Rats. <i>Journal of Clinical Investigation</i> , 1973, 52, 2522-2531. | 3.9 | 136 |
| 172 | Triiodothyronine: Review of recent studies of its physiology and pathophysiology in man. <i>Metabolism: Clinical and Experimental</i> , 1972, 21, 1073-1092. | 1.5 | 152 |
| 173 | Effects of thyroid-stimulating hormone on adenylyl cyclase activity and intermediary metabolism of "cold" thyroid nodules and normal human thyroid tissue. <i>Journal of Clinical Investigation</i> , 1972, 51, 1109-1117. | 3.9 | 74 |
| 174 | Salicylate-induced increases in free triiodothyronine in human serum. <i>Journal of Clinical Investigation</i> , 1972, 51, 1125-1134. | 3.9 | 162 |
| 175 | Direct immunoassay of triiodothyronine in human serum. <i>Journal of Clinical Investigation</i> , 1972, 51, 1939-1949. | 3.9 | 192 |
| 176 | In vitro demonstration of iodide-trapping defect but normal thyrotropin (TSH) responsiveness in benign and malignant "cold" thyroid nodules. <i>Transactions of the Association of American Physicians</i> , 1972, 85, 309-16. | 0.1 | 2 |
| 177 | Technical aspects of the estimation of triiodothyronine in human serum: Evidence of conversion of thyroxine to triiodothyronine during assay. <i>Metabolism: Clinical and Experimental</i> , 1971, 20, 609-624. | 1.5 | 39 |
| 178 | Inhibition of triiodothyronine (T3) binding to thyroxine-binding globulin by sodium salicylate and its application to immunoassay of T3 in human serum. <i>Metabolism: Clinical and Experimental</i> , 1971, 20, 976-980. | 1.5 | 24 |
| 179 | The effect of diphenylhydantoin on thyroxine metabolism in man. <i>Journal of Clinical Investigation</i> , 1970, 49, 1266-1279. | 3.9 | 112 |
| 180 | The toxic proteins of cobra venom. <i>Biochemical Pharmacology</i> , 1968, 17, 503-504. | 2.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | The Basic Proteins of Cobra Venom. <i>Journal of Biological Chemistry</i> , 1968, 243, 1283-1289. | 1.6 | 57 |
| 182 | The Basic Proteins of Cobra Venom. <i>Journal of Biological Chemistry</i> , 1968, 243, 1290-1296. | 1.6 | 30 |
| 183 | Inhibition of accumulative transport by a protein from cobra venom. <i>Biochemical Pharmacology</i> , 1967, 16, 2003-2009. | 2.0 | 10 |
| 184 | Iodide Transport: Inhibition by Agents Reacting at the Membrane. <i>Science</i> , 1967, 155, 335-336. | 6.0 | 26 |