Cheuk-Lun Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1132045/publications.pdf

Version: 2024-02-01

840585 996849 16 492 11 15 citations h-index g-index papers 16 16 16 807 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Transcriptome signature identifies distinct cervical pathways induced in lipopolysaccharide-mediated preterm birthâ€,‡. Biology of Reproduction, 2018, 98, 408-421.	1.2	30
2	Whole extracts of Radix Achyranthis Bidentatae and Radix Cyathulae promote angiogenesis in human umbilical vein endothelial cells in vitro and in zebrafish in vivo. Experimental and Therapeutic Medicine, 2017, 13, 1032-1038.	0.8	8
3	Preparative separation of gallocatechin gallate from Camellia ptilophylla using macroporous resins followed by sephadex LH-20 column chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1011, 6-13.	1.2	16
4	Differentiation of deer tendons from cattle tendons by a loop-mediated isothermal amplification (LAMP) test and bone remodeling bioassays. Chinese Medicine, 2015, 10, 33.	1.6	6
5	Molecular mechanisms of angiogenesis effect of active sub-fraction from root of Rehmannia glutinosa by zebrafish sprout angiogenesis-guided fractionation. Journal of Ethnopharmacology, 2014, 151, 565-575.	2.0	20
6	Pro-angiogenic effects of Carthami Flos whole extract in human microvascular endothelial cells in vitro and in zebrafish in vivo. Phytomedicine, 2014, 21, 1256-1263.	2.3	21
7	Er-Miao-San, a traditional herbal formula containing Rhizoma Atractylodis and Cortex Phellodendri inhibits inflammatory mediators in LPS-stimulated RAW264.7 macrophages through inhibition of NF-κB pathway and MAPKs activation. Journal of Ethnopharmacology, 2014, 154, 711-718.	2.0	60
8	In vitro and in vivo mechanistic study of a novel proanthocyanidin, GC-(4â†'8)-GCG from cocoa tea (Camellia ptilophylla) in antiangiogenesis. Journal of Nutritional Biochemistry, 2014, 25, 319-328.	1.9	19
9	Molecular angiogenic events of a twoâ€herb wound healing formula involving <scp>MAPK</scp> and <scp>A</scp> kt signaling pathways in human vascular endothelial cells. Wound Repair and Regeneration, 2013, 21, 579-587.	1.5	16
10	Stachyose: One of the Active Fibroblast-proliferating Components in the Root of Rehmanniae Radix ($å$ e $^{\circ}$ é» f d \tilde{A} -) Ti ETQq(1.5) 0 ₉ 0 rgBT /O\
11	Synergistic interaction between Astragali Radix and Rehmanniae Radix in a Chinese herbal formula to promote diabetic wound healing. Journal of Ethnopharmacology, 2012, 141, 250-256.	2.0	113
12	Bioassay-guided isolation of anti-inflammatory components from the root of Rehmannia glutinosa and its underlying mechanism via inhibition of iNOS pathway. Journal of Ethnopharmacology, 2012, 143, 867-875.	2.0	29
13	Electric Cell-Substrate Impedance Sensing as a Screening Tool for Wound Healing Agents. Cancer Metastasis - Biology and Treatment, 2012, , 203-216.	0.1	5
14	The diabetic wound healing effect of a two-herb formula and its mechanisms of action. Planta Medica, 2012, 78, .	0.7	0
15	The in vivo and in vitro diabetic wound healing effects of a 2-herb formula and its mechanisms of action. Journal of Ethnopharmacology, 2011, 134, 831-838.	2.0	110
16	Bioassay-guided isolation of norviburtinal from the root of Rehmannia glutinosa, exhibited angiogenesis effect in zebrafish embryo model. Journal of Ethnopharmacology, 2011, 137, 1323-1327.	2.0	30