

# Atsushi Otsuka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1132568/publications.pdf>

Version: 2024-02-01

219  
papers

7,025  
citations

57631

44  
h-index

71532

76  
g-index

219  
all docs

219  
docs citations

219  
times ranked

10399  
citing authors

#	ARTICLE	IF	CITATIONS
1	Autoimmune polyendocrine syndrome type 3, characterized by autoimmune thyroid disease, type 1 diabetes mellitus, and isolated ACTH deficiency, developed during adjuvant nivolumab treatment. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 481-482.	0.7	2
2	Impacts of cachexia progression in addition to serum IgG and blood lymphocytes on serum nivolumab in advanced cancer patients. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 77-87.	0.8	6
3	Innovation in the treatment of atopic dermatitis: Emerging topical and oral Janus kinase inhibitors. <i>Allergology International</i> , 2022, 71, 40-46.	1.4	61
4	A phenotypic analysis of involucrin-mOVA mice following adoptive transfer of OVA-specific CD8+ T cells. <i>JID Innovations</i> , 2022, , 100127.	1.2	0
5	Anti-allergic effect of ascorbic acid derivative DDH in a mouse model of atopic dermatitis. <i>Experimental Dermatology</i> , 2022, , .	1.4	0
6	Filaggrin-deficient rats generated using zinc-finger nucleases spontaneously exhibit dry scaly skin. <i>Allergology International</i> , 2022, 71, 545-547.	1.4	1
7	Atypical blue naevus of the labium minus confirmed by whole-exome sequencing. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e59-e61.	1.3	0
8	Demographic and clinical characteristics of extramammary Paget's disease patients in Japan from 2000 to 2019. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e133-e135.	1.3	9
9	Inducible skin-associated lymphoid tissue (iSALT) in a patient with Schnitzler syndrome who manifested wheals on recurrent localized erythema. <i>British Journal of Dermatology</i> , 2021, 184, 1199-1201.	1.4	9
10	Two cases of vitiligo vulgaris treated with topical Janus kinase inhibitor delgocitinib. <i>Australasian Journal of Dermatology</i> , 2021, 62, 433-434.	0.4	8
11	PD-L1 on mast cells suppresses effector CD8+ T-cell activation in the skin in murine contact hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 563-573.e7.	1.5	19
12	Pituitary adenylate cyclase-activating polypeptide promotes cutaneous dendritic cell functions in contact hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 858-866.	1.5	12
13	Real-world efficacy of anti-PD-1 antibody or combined anti-PD-1 plus anti-CTLA-4 antibodies, with or without radiotherapy, in advanced mucosal melanoma patients: A retrospective, multicenter study. <i>European Journal of Cancer</i> , 2021, 157, 361-372.	1.3	24
14	Anti-PD-1 antibody monotherapy versus anti-PD-1 plus anti-CTLA-4 combination therapy as first-line immunotherapy in unresectable or metastatic mucosal melanoma: a retrospective, multicenter study of 329 Japanese cases (JMAC study). <i>ESMO Open</i> , 2021, 6, 100325.	2.0	24
15	Dupilumab improved atypical fibrotic skin plaques in atopic dermatitis. <i>British Journal of Dermatology</i> , 2020, 182, 487-488.	1.4	3
16	Identification of CD49a+ CD8+ resident memory T cells in vitiligo-like lesions associated with nivolumab treatment for melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e79-e82.	1.3	4
17	Janus kinase inhibitor delgocitinib suppresses pruritus and nerve elongation in an atopic dermatitis murine model. <i>Journal of Dermatological Science</i> , 2020, 97, 161-164.	1.0	20
18	Advanced Invasive Extramammary Paget's Disease Concomitant with Cecal Cancer Possessing Rare Variant of TP53 Single Nucleotide Polymorphism. <i>Case Reports in Oncology</i> , 2020, 12, 855-860.	0.3	0

#	ARTICLE	IF	CITATIONS
19	Immune checkpoint inhibitor-induced vitiligo in advanced melanoma could be related to increased levels of CCL19. <i>British Journal of Dermatology</i> , 2020, 182, 1297-1300.	1.4	9
20	Editorial: Recent Developments in Therapies and Diagnostic Tools for Melanoma and Non-melanoma Skin Cancer. <i>Frontiers in Medicine</i> , 2020, 7, 613152.	1.2	1
21	Anti-PD1 checkpoint inhibitor therapy in acral melanoma: a multicenter study of 193 Japanese patients. <i>Annals of Oncology</i> , 2020, 31, 1198-1206.	0.6	96
22	The efficacy of eribulin mesylate for patients with cutaneous angiosarcoma previously treated with taxane: a multicentre prospective observational study. <i>British Journal of Dermatology</i> , 2020, 183, 831-839.	1.4	26
23	Increased expression of dermal LL37 may trigger migration of CCR7+ regulatory T cells in extramammary Paget's disease. <i>Journal of Dermatological Science</i> , 2020, 99, 65-68.	1.0	3
24	IGF2BP3 (IMP3) expression in angiosarcoma, epithelioid hemangioendothelioma, and benign vascular lesions. <i>Diagnostic Pathology</i> , 2020, 15, 26.	0.9	12
25	IL-36 $\beta$ drives skin toxicity induced by EGFR/MEK inhibition and commensal <i>Cutibacterium acnes</i> . <i>Journal of Clinical Investigation</i> , 2020, 130, 1417-1430.	3.9	33
26	Scleroderma-like syndrome associated with nivolumab treatment in malignant melanoma. <i>Journal of Dermatology</i> , 2019, 46, e43-e44.	0.6	23
27	Ten-year follow up of longitudinal melanonychia in childhood: A case report. <i>Journal of Dermatology</i> , 2019, 46, e89-e90.	0.6	4
28	DLC1 deficiency and YAP signaling drive endothelial cell contact inhibition of growth and tumorigenesis. <i>Oncogene</i> , 2019, 38, 7046-7059.	2.6	13
29	Interaction of peripheral nerves and mast cells, eosinophils, and basophils in the development of pruritus. <i>Experimental Dermatology</i> , 2019, 28, 1405-1411.	1.4	50
30	Cutaneous p38 mitogen-activated protein kinase activation triggers psoriatic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1036-1049.	1.5	37
31	Prostaglandin E2 (PGE2)-EP2 signaling negatively regulates murine atopic dermatitis-like skin inflammation by suppressing thymic stromal lymphopoietin expression. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1265-1273.e9.	1.5	28
32	Murine neonatal skin mast cells are phenotypically immature and minimally sensitized with transplacentally transferred IgE. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 617-620.e5.	1.5	5
33	Inverse responses of the skin and nail lesions of psoriatic arthritis to an anti-interleukin-17A antibody and an anti-tumor necrosis factor- $\alpha$ antibody. <i>Journal of Dermatology</i> , 2019, 46, e440-e441.	0.6	3
34	Percutaneous sensitization is limited by in situ inhibition of cutaneous dendritic cell migration through skin-resident regulatory T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1343-1353.e8.	1.5	13
35	Variable indoleamine 2,3-dioxygenase expression in acral/mucosal melanoma and its possible link to immunotherapy. <i>Cancer Science</i> , 2019, 110, 3434-3441.	1.7	13
36	Abl family tyrosine kinases govern IgG extravasation in the skin in a murine pemphigus model. <i>Nature Communications</i> , 2019, 10, 4432.	5.8	3

#	ARTICLE	IF	CITATIONS
37	Nail pitting and splinter hemorrhage possibly induced by zolpidem. <i>Journal of Dermatology</i> , 2019, 46, e151-e152.	0.6	1
38	Incidence, features, and prognosis of immune-related adverse events involving the thyroid gland induced by nivolumab. <i>PLoS ONE</i> , 2019, 14, e0216954.	1.1	92
39	Association of Baseline Serum Levels of CXCL5 With the Efficacy of Nivolumab in Advanced Melanoma. <i>Frontiers in Medicine</i> , 2019, 6, 86.	1.2	18
40	<i>Malassezia</i> -derived aryl hydrocarbon receptor ligands enhance the CCL20/Th17/soluble CD163 pathogenic axis in extramammary Paget's disease. <i>Experimental Dermatology</i> , 2019, 28, 933-939.	1.4	17
41	Predictive factors of response to pulse methylprednisolone therapy in patients with alopecia areata: A follow-up study of 105 Japanese patients. <i>Journal of Dermatology</i> , 2019, 46, 522-525.	0.6	13
42	Accumulation of exhausted CD8+ T cells in extramammary Paget's disease. <i>PLoS ONE</i> , 2019, 14, e0211135.	1.1	12
43	Severe bullous pemphigoid in a metastatic lung cancer patient treated with pembrolizumab. <i>Journal of Dermatology</i> , 2019, 46, e232-e233.	0.6	9
44	Predicting marker for early progression in unresectable melanoma treated with nivolumab. <i>International Journal of Clinical Oncology</i> , 2019, 24, 323-327.	1.0	17
45	Successful treatment of metastatic mucosal melanoma with a Del579 <i>KIT</i> mutation by imatinib after treatment of anti-PD-1 antibody. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e92-e93.	1.3	6
46	Improvement of nail lesions in a patient with psoriatic arthritis by switching the treatment from an anti-IL-17A antibody to an anti-tumor necrosis factor- $\alpha$ antibody. <i>Journal of Dermatology</i> , 2019, 46, e158-e160.	0.6	5
47	Response to imatinib in vaginal melanoma with <i>KIT</i> p.Val559Gly mutation previously treated with nivolumab, pembrolizumab and ipilimumab. <i>Journal of Dermatology</i> , 2019, 46, e203-e204.	0.6	10
48	DIHS/DRESS-like eruption possibly induced by amoxicillin during treatment with nivolumab. <i>European Journal of Dermatology</i> , 2019, 29, 228-229.	0.3	6
49	Diffuse hair loss following anti-programmed cell death-1 antibody treatment: a case report with immunohistochemical analysis. <i>European Journal of Dermatology</i> , 2019, 29, 326-327.	0.3	5
50	p.Glu477Lys mutation in keratin 5 is not necessarily mortal in generalized severe epidermolysis bullosa simplex. <i>Journal of Dermatology</i> , 2018, 45, e209-e210.	0.6	2
51	Efficacy and safety of concurrent immunoradiotherapy in patients with metastatic melanoma after progression on nivolumab. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 823-827.	1.1	6
52	Angiolymphoid hyperplasia with eosinophilia: A case of spontaneous partial regression post-biopsy. <i>Journal of Dermatology</i> , 2018, 45, e284-e285.	0.6	2
53	Biomarkers for evaluation of mast cell and basophil activation. <i>Immunological Reviews</i> , 2018, 282, 114-120.	2.8	73
54	Retrospective study on the correlation between $^{18}$ F-fluorodeoxyglucose uptake in positron emission tomography-computer tomography and tumour volume, cytological activity as assessed with Ki-67 and GLUT-1 staining in 10 cases of Merkel cell carcinoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e285-e287.	1.3	5

#	ARTICLE	IF	CITATIONS
55	Generalized Lichen Nitidus Following Anti-PD-1 Antibody Treatment. <i>JAMA Dermatology</i> , 2018, 154, 367.	2.0	12
56	Baseline neutrophil to lymphocyte ratio combined with serum lactate dehydrogenase level associated with outcome of nivolumab immunotherapy in a Japanese advanced melanoma population. <i>British Journal of Dermatology</i> , 2018, 179, 213-215.	1.4	42
57	Decrease of superficial serine and lactate in the stratum corneum due to repetitive frictional trauma. <i>International Journal of Dermatology</i> , 2018, 57, 299-305.	0.5	4
58	Effects of DLC1 Deficiency on Endothelial Cell Contact Growth Inhibition and Angiosarcoma Progression. <i>Journal of the National Cancer Institute</i> , 2018, 110, 390-399.	3.0	13
59	Mild dystrophic epidermolysis bullosa associated with homozygous gene mutation c.6216+5G>T in type VII collagen ultrastructurally suggestive of the decreased number of anchoring fibrils. <i>Journal of Dermatology</i> , 2018, 45, e305-e306.	0.6	1
60	Recent advancement in the mechanism of basophil activation. <i>Journal of Dermatological Science</i> , 2018, 91, 3-8.	1.0	32
61	Interleukin-31 and interleukin-31 receptor: New therapeutic targets for atopic dermatitis. <i>Experimental Dermatology</i> , 2018, 27, 327-331.	1.4	109
62	Retrospective study of advanced melanoma patients treated with ipilimumab after nivolumab: Analysis of 60 Japanese patients. <i>Journal of Dermatological Science</i> , 2018, 89, 60-66.	1.0	52
63	Inhibition of IL-17-committed T cells in a murine psoriasis model by a vitamin D analogue. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 972-981.e10.	1.5	22
64	Total cell necrosis of metastatic malignant melanoma at the regional lymph node in a patient treatment with nivolumab. <i>Journal of Dermatology</i> , 2018, 45, e11-e12.	0.6	1
65	Skin findings of 21st-century movie characters. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e98-e100.	1.3	6
66	Cutaneous angiosarcoma: update on biology and latest treatment. <i>Current Opinion in Oncology</i> , 2018, 30, 107-112.	1.1	76
67	Drastic effect on giant lung metastatic melanoma by sequential administration of nivolumab with ipilimumab/radiation combination therapy. <i>Journal of Dermatology</i> , 2018, 45, e7-e8.	0.6	4
68	TRPA1 channel participates in tacrolimus-induced pruritus in a chronic contact hypersensitivity murine model. <i>Journal of Dermatological Science</i> , 2018, 89, 207-209.	1.0	16
69	Serum levels of soluble CD163 and CXCL5 may be predictive markers for immune-related adverse events in patients with advanced melanoma treated with nivolumab: a pilot study. <i>Oncotarget</i> , 2018, 9, 15542-15551.	0.8	80
70	The epithelial immune microenvironment (EIME) in atopic dermatitis and psoriasis. <i>Nature Immunology</i> , 2018, 19, 1286-1298.	7.0	239
71	Serum Level of Soluble CD163 May Be a Predictive Marker of the Effectiveness of Nivolumab in Patients With Advanced Cutaneous Melanoma. <i>Frontiers in Oncology</i> , 2018, 8, 530.	1.3	27
72	The effect of oral royal jelly administration on skin barrier function: a double-blind randomized placebo-controlled trial. <i>European Journal of Dermatology</i> , 2018, 28, 563-564.	0.3	4

#	ARTICLE	IF	CITATIONS
73	Comments to: skin findings of twenty-first-century movie response. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e425.	1.3	0
74	Killer immunoglobulin-like receptor genotype did not correlate with response to anti-PD-1 antibody treatment in a Japanese cohort. Scientific Reports, 2018, 8, 15962.	1.6	4
75	Skin Barrier Function and Atopic Dermatitis. Current Dermatology Reports, 2018, 7, 209-220.	1.1	7
76	Resolvin E1 attenuates murine psoriatic dermatitis. Scientific Reports, 2018, 8, 11873.	1.6	61
77	A Case of Pityriasis Rubra Pilaris Treated Successfully with the Phosphodiesterase-4 Inhibitor Apremilast. Acta Dermato-Venereologica, 2018, 98, 975-976.	0.6	9
78	Anti-PD-1 and Anti-CTLA-4 Therapies in Cancer: Mechanisms of Action, Efficacy, and Limitations. Frontiers in Oncology, 2018, 8, 86.	1.3	926
79	Three cases of facial erythema with dryness and pruritus in psoriasis patients during treatment with IL-17 inhibitors. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e122-e123.	1.3	10
80	Thromboxane A2 facilitates IL-17A production from $V\beta 4 + \gamma\delta$ T cells and promotes psoriatic dermatitis in mice. Journal of Allergy and Clinical Immunology, 2018, 142, 680-683.e2.	1.5	39
81	Assessment of the methods used to detect HER2-positive advanced extramammary Paget's disease. Medical Oncology, 2018, 35, 92.	1.2	6
82	Photoacoustic imaging system visualizes restoration of peripheral oxygenation in psoriatic lesions. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e449-e451.	1.3	10
83	Epithelial TRAF6 drives IL-17-mediated psoriatic inflammation. JCI Insight, 2018, 3, .	2.3	36
84	Real-time 3D Photoacoustic Visualization System with a Wide Field of View for Imaging Human Limbs. F1000Research, 2018, 7, 1813.	0.8	52
85	Real-time 3D Photoacoustic Visualization System with a Wide Field of View for Imaging Human Limbs. F1000Research, 2018, 7, 1813.	0.8	32
86	No recurrence of nivolumab-induced idiopathic thrombocytopenic purpura in a metastatic melanoma patient switched to ipilimumab. European Journal of Dermatology, 2018, 28, 84-85.	0.3	3
87	A case of possible chemical leukoderma secondary to usage of skin whitening agents. European Journal of Dermatology, 2018, 28, 701-702.	0.3	2
88	Case of pityriasis rubra pilaris with annular pattern as an early manifestation. Journal of Dermatology, 2017, 44, 478-479.	0.6	4
89	Serum level of interleukin-6 is increased in nivolumab-associated psoriasiform dermatitis and tumor necrosis factor- $\alpha$ is a biomarker of nivolumab recativity. Journal of Dermatological Science, 2017, 86, 71-73.	1.0	105
90	Local inflammation exacerbates cutaneous manifestations in a murine autoimmune pemphigus model. Journal of Allergy and Clinical Immunology, 2017, 139, 2026-2028.e5.	1.5	9

#	ARTICLE	IF	CITATIONS
91	Multiple erosive lichen planus preceded by solitary lichen planus after combination therapy with nivolumab and radiation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e382-e384.	1.3	8
92	Acantholytic dyskeratotic acanthoma: a possible skin adverse event of vemurafenib treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e474-e475.	1.3	5
93	Decrease in serum IL-32 level in patients with atopic dermatitis after cyclosporine treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e449-e450.	1.3	9
94	Receptor-interacting protein kinase 3 controls keratinocyte activation in a necroptosis-independent manner and promotes psoriatic dermatitis in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 619-622.e6.	1.5	13
95	Nilotinib-induced panniculitis in a patient with chronic myelogenous leukaemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e418-e419.	1.3	4
96	A case of chilblain lupus erythematosus with lupus erythematosus/lichen planus overlap syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e424-e425.	1.3	4
97	Infiltration of PD-1-positive cells in combination with tumor site PD-L1 expression is a positive prognostic factor in cutaneous angiosarcoma. <i>Oncolmmunology</i> , 2017, 6, e1253657.	2.1	55
98	Three-dimensional evaluation of subclinical extension of extramammary Paget disease: visualization of the histological border and its comparison to the clinical border. <i>British Journal of Dermatology</i> , 2017, 177, 229-237.	1.4	24
99	Linking air pollution to atopic dermatitis. <i>Nature Immunology</i> , 2017, 18, 5-6.	7.0	39
100	High fat diet exacerbates murine psoriatic dermatitis by increasing the number of IL-17-producing $\gamma\delta$ T cells. <i>Scientific Reports</i> , 2017, 7, 14076.	1.6	65
101	Efficacy and safety of retreatment with nivolumab in metastatic melanoma patients previously treated with nivolumab. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 80, 999-1004.	1.1	50
102	HLA-A*26 Is Correlated With Response to Nivolumab in Japanese Melanoma Patients. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2443-2444.	0.3	10
103	Fluctuations in routine blood count might signal severe immune-related adverse events in melanoma patients treated with nivolumab. <i>Journal of Dermatological Science</i> , 2017, 88, 225-231.	1.0	67
104	Case of diffuse panbronchiolitis developed in a patient with epidermodysplasia verruciformis. <i>Journal of Dermatology</i> , 2017, 44, e363-e364.	0.6	0
105	The interplay between genetic and environmental factors in the pathogenesis of atopic dermatitis. <i>Immunological Reviews</i> , 2017, 278, 246-262.	2.8	112
106	The etiopathogenesis of atopic dermatitis: barrier disruption, immunological derangement, and pruritus. <i>Inflammation and Regeneration</i> , 2017, 37, 14.	1.5	104
107	Oral lichen planus associated with candidiasis during secukinumab treatment. <i>Journal of Dermatology</i> , 2017, 44, e60-e61.	0.6	20
108	Adult-onset asthma and periocular xanthogranuloma associated with IgG4-related disease with infiltration of regulatory T cells. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e124-e125.	1.3	6



#	ARTICLE	IF	CITATIONS
109	ADAMTSL5 is upregulated in melanoma tissues in patients with idiopathic psoriasis vulgaris induced by nivolumab. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e100-e101.	1.3	16
110	Dermoscopic changes in malignant melanoma after successful treatment with nivolumab: A case report. <i>Journal of Dermatology</i> , 2017, 44, 547-548.	0.6	2
111	Successful hair regrowth in an acute diffuse form of alopecia areata during oral tacrolimus treatment in a patient with rheumatoid arthritis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e137-e138.	1.3	6
112	Decreased Filaggrin Level May Lead to Sweat Duct Obstruction in Filaggrin Mutant Mice. <i>Journal of Investigative Dermatology</i> , 2017, 137, 248-251.	0.3	9
113	Rapid regression of metastatic brain tumours in a melanoma patient after dabrafenib/trametinib therapy. <i>European Journal of Dermatology</i> , 2017, 27, 548-549.	0.3	0
114	Lichen Planus in Irradiated Skin During Nivolumab Treatment. <i>Acta Dermato-Venereologica</i> , 2017, 97, 391-392.	0.6	18
115	Efficacy of intravenous immunoglobulins for the treatment of mucous membrane pemphigoid-like epidermolysis bullosa acquisita. <i>European Journal of Dermatology</i> , 2017, 27, 563-564.	0.3	3
116	CCR4 and CCR5 expression in a case of subcutaneous panniculitis-like T-cell lymphoma. <i>European Journal of Dermatology</i> , 2017, 27, 414-415.	0.3	4
117	Basophil and M2 macrophage infiltration in lesional skin of eosinophilic granulomatosis with polyangiitis. <i>European Journal of Dermatology</i> , 2017, 27, 552-553.	0.3	1
118	Up-regulation of Activation Markers on Basophils in Patients with Papuloerythroderma. <i>Acta Dermato-Venereologica</i> , 2016, 96, 410-411.	0.6	4
119	Dual CD4/CD8-positive Ichthyosiform Mycosis Fungoides with Lymph Node, Peripheral Blood and Cardiac Involvement: A Case Report. <i>Acta Dermato-Venereologica</i> , 2016, 96, 564-566.	0.6	2
120	Successful treatment with anti-TNF-alpha antibody for localised lipodystrophy. <i>European Journal of Dermatology</i> , 2016, 26, 316-317.	0.3	0
121	Pyoderma gangrenosum of the penis possibly associated with pazopanib treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1222-1223.	1.3	9
122	Diminution of Langerhans cells in keratitis, ichthyosis and deafness (KID) syndrome patient with recalcitrant cutaneous candidiasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e47-e49.	1.3	8
123	MEFV gene mutation in two cases of pyoderma gangrenosum with aseptic arthritis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e183-e184.	1.3	2
124	Case with Brunsting-Perry-like localized subepidermal blister formations and immunoglobulin G antibodies against unidentified basement membrane zone antigen. <i>Journal of Dermatology</i> , 2016, 43, 426-428.	0.6	4
125	A possible primary carcinoid (neuroendocrine) tumour of the skin with multiple metastases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e49-e50.	1.3	0
126	Case of unilateral epidermal nevi without extracutaneous anomalies. <i>Journal of Dermatology</i> , 2016, 43, 1241-1242.	0.6	2



#	ARTICLE	IF	CITATIONS
127	Eosinophilic annular erythema limited on the palms and the soles and possibly associated with thymoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1213-1214.	1.3	13
128	A case of rosacea fulminans staining negative for LL-37. <i>European Journal of Dermatology</i> , 2016, 26, 101-102.	0.3	1
129	Stevens-Johnson syndrome-like erosive dermatitis possibly related to afatinib. <i>European Journal of Dermatology</i> , 2016, 26, 413-414.	0.3	11
130	Exacerbation of depression in a psoriatic arthritis patient possibly induced by secukinumab. <i>European Journal of Dermatology</i> , 2016, 26, 506-507.	0.3	8
131	Vascular endothelial growth factor partially induces pruritus via epidermal hyperinnervation in imiquimod-induced psoriasiform dermatitis in mice. <i>Journal of Dermatological Science</i> , 2016, 83, 148-151.	1.0	12
132	Roles of basophils and mast cells in cutaneous inflammation. <i>Seminars in Immunopathology</i> , 2016, 38, 563-570.	2.8	25
133	Germline NLRP1 Mutations Cause Skin Inflammatory and Cancer Susceptibility Syndromes via Inflammasome Activation. <i>Cell</i> , 2016, 167, 187-202.e17.	13.5	317
134	Peripheral blood Th9 cells are a possible pharmacodynamic biomarker of nivolumab treatment efficacy in metastatic melanoma patients. <i>Oncolmmunology</i> , 2016, 5, e1248327.	2.1	60
135	Tumour hypoxia promotes melanoma growth and metastasis via High Mobility Group Box-1 and M2-like macrophages. <i>Scientific Reports</i> , 2016, 6, 29914.	1.6	99
136	Keratitis&icaron;ichthyosis&icaron;deafness syndrome with recurrent pneumonia but no mucocutaneous infection. <i>Journal of Dermatology</i> , 2016, 43, 1386-1387.	0.6	0
137	Exacerbation of psoriasis vulgaris during nivolumab for oral mucosal melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e89-e91.	1.3	71
138	Novel insights into cutaneous immune systems revealed by in vivo imaging. <i>Allergology International</i> , 2016, 65, 228-234.	1.4	7
139	<sc>CCR</sc>5 and <sc>CXCR</sc>3 expression in a case of subcutaneous panniculitis&icaron;like T&icaron;cell lymphoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1413-1415.	1.3	3
140	Pneumocephalus as a fatal complication of scalp angiosarcoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e40-e42.	1.3	2
141	Novel <i>MEFV</i> variant Q311H in an incomplete Beh&icaron;Set's disease patient with recurrent epididymitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e173-e174.	1.3	1
142	Upregulation of granzyme B and interferon&icaron;3 <sc>mRNA</sc> in responding lesions by treatment with nivolumab for metastatic melanoma: a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e231-e232.	1.3	9
143	Idiopathic thrombocytopenic purpura induced by nivolumab in a metastatic melanoma patient with elevated PD-1 expression on B cells. <i>Annals of Oncology</i> , 2016, 27, 546-547.	0.6	60
144	Mast Cells and Basophils. , 2016, , 131-146.		0

#	ARTICLE	IF	CITATIONS
145	Pathological characterization of pachydermia in pachydermoperiostosis. <i>Journal of Dermatology</i> , 2015, 42, 710-714.	0.6	33
146	Multiple neurological abnormalities, including pontine hemorrhage, multiple sclerosis and aseptic meningitis, during anti-TNF- $\alpha$ therapy in psoriatic arthritis. <i>European Journal of Dermatology</i> , 2015, 25, 487-488.	0.3	14
147	Generalized morphea with preceding severe pain and coexistent early primary biliary cirrhosis. <i>European Journal of Dermatology</i> , 2015, 25, 365-366.	0.3	6
148	External dental fistula caused by denosumab-related osteonecrosis of the jaw. <i>Journal of Dermatology</i> , 2015, 42, 1202-1204.	0.6	3
149	Histological evaluation of a "residual" metastasis after ipilimumab therapy in a patient with advanced melanoma. <i>Journal of Dermatology</i> , 2015, 42, 927-928.	0.6	0
150	Perifollicular elastolysis associated with pseudofolliculitis of Behçet's disease. <i>Journal of Dermatology</i> , 2015, 42, 1017-1018.	0.6	2
151	Disseminated <i>Mycobacterium mantanii</i> Infection with Multiple Purulent Cutaneous Lesions. <i>Acta Dermato-Venereologica</i> , 2015, 95, 1028-1029.	0.6	2
152	Contribution of Basophils to Cutaneous Immune Reactions and Th2-Mediated Allergic Responses. <i>Frontiers in Immunology</i> , 2015, 6, 393.	2.2	15
153	The inflammasome and IL-1 $\beta$ : implications for the treatment of inflammatory diseases. <i>Immunotherapy</i> , 2015, 7, 243-254.	1.0	58
154	A subtle case of tuberous sclerosis complex. <i>Epilepsy &amp; Behavior Case Reports</i> , 2015, 4, 88-90.	1.5	2
155	A Plaque-Type Solitary Reticulohistiocytoma in a Two-Year-Old Boy. <i>Case Reports in Dermatology</i> , 2015, 7, 7-9.	0.3	10
156	Hedgehog Pathway Inhibitors Promote Adaptive Immune Responses in Basal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2015, 21, 1289-1297.	3.2	101
157	Comparison of the Efficacy of Olopatadine and Fexofenadine in Chronic Idiopathic Urticaria Patients: A Crossover Study. <i>Pharmacology</i> , 2015, 95, 32-35.	0.9	3
158	The Janus kinase inhibitor JTE-052 improves skin barrier function through suppressing signal transducer and activator of transcription 3 signaling. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 667-677.e7.	1.5	195
159	Hedgehog signaling in basal cell carcinoma. <i>Journal of Dermatological Science</i> , 2015, 78, 95-100.	1.0	55
160	Response to Lee and Park. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1687.	0.3	0
161	Resolvin E1 inhibits dendritic cell migration in the skin and attenuates contact hypersensitivity responses. <i>Journal of Experimental Medicine</i> , 2015, 212, 1921-1930.	4.2	92
162	Dermal V $\beta$ 34 + $\gamma$ T Cells Possess a Migratory Potency to the Draining Lymph Nodes and Modulate CD8 + T-Cell Activity through TNF- $\alpha$ Production. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1007-1015.	0.3	33

#	ARTICLE	IF	CITATIONS
163	Mast cells and basophils in cutaneous immune responses. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 131-140.	2.7	52
164	Natural Killer T Cells Are Essential for the Development of Contact Hypersensitivity in BALB/c Mice. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2709-2718.	0.3	23
165	Coexistent Skin Lesions of Vitiligo and Psoriasis Vulgaris. Immunohistochemical Analyses for IL-17A-producing Cells and Regulatory T cells. <i>Acta Dermato-Venereologica</i> , 2014, 94, 329-330.	0.6	12
166	The novel <i>SLCO2A1</i> heterozygous missense mutation p.E427K and nonsense mutation p.R603* in a female patient with pachydermoperiostosis with an atypical phenotype. <i>British Journal of Dermatology</i> , 2014, 170, 1187-1189.	1.4	15
167	The Enzyme Cyp26b1 Mediates Inhibition of Mast Cell Activation by Fibroblasts to Maintain Skin-Barrier Homeostasis. <i>Immunity</i> , 2014, 40, 530-541.	6.6	81
168	Possible new therapeutic strategy to regulate atopic dermatitis through upregulating filaggrin expression. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 139-146.e10.	1.5	87
169	Serum granulysin as a possible key marker of the activity of alopecia areata. <i>Journal of Dermatological Science</i> , 2014, 73, 74-79.	1.0	17
170	Perivascular leukocyte clusters are essential for efficient activation of effector T cells in the skin. <i>Nature Immunology</i> , 2014, 15, 1064-1069.	7.0	211
171	IL-17A as an Inducer for Th2 Immune Responses in Murine Atopic Dermatitis Models. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2122-2130.	0.3	137
172	Metastatic melanoma cell lines do not secrete IL-1 $\beta$ but promote IL-1 $\beta$ production from macrophages. <i>Journal of Dermatological Science</i> , 2014, 74, 167-169.	1.0	13
173	Basophils regulate the recruitment of eosinophils in a murine model of irritant contact dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 100-107.e12.	1.5	68
174	The complete type of pachydermoperiostosis: A novel nonsense mutation p.E141* of the <i>SLCO2A1</i> gene. <i>Journal of Dermatological Science</i> , 2014, 75, 193-195.	1.0	23
175	Calcinosis Cutis Long after Rhinoplasty with Silicone. <i>Case Reports in Dermatology</i> , 2014, 6, 288-290.	0.3	2
176	CD39: A new surface marker of mouse regulatory T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 1448-1451.	1.5	39
177	Incomplete POEMS syndrome presenting for years solely with scleredema and hyperpigmentation. <i>Journal of Dermatology</i> , 2013, 40, 77-78.	0.6	1
178	Subcorneal Pustular Dermatitis Exhibiting a High Serum TARC/CCL17 Level. <i>Case Reports in Dermatology</i> , 2013, 5, 38-42.	0.3	5
179	Evaluation of Basophil Infiltration into the Skin Lesions of Tick Bites. <i>Case Reports in Dermatology</i> , 2013, 5, 48-51.	0.3	21
180	Prostaglandin E2 Increase in Pachydermoperiostosis Without 15-hydroprostaglandin Dehydrogenase Mutations. <i>Acta Dermato-Venereologica</i> , 2013, 93, 118-120.	0.6	2

#	ARTICLE	IF	CITATIONS
181	A Case of Churgâ€“Strauss Syndrome: Flow Cytometric Analysis of the Surface Activation Markers of Peripheral Eosinophils. <i>Acta Dermato-Venereologica</i> , 2013, 93, 100-101.	0.6	4
182	Basophils Infiltrate the Skin Lesions in Lepromatous Leprosy. <i>Acta Dermato-Venereologica</i> , 2013, 93, 88-89.	0.6	6
183	No Basophil Infiltration in Alopecia Areata Irrespective of the Intensity of Eosinophil Infiltration. <i>Acta Dermato-Venereologica</i> , 2013, 93, 185-186.	0.6	3
184	Sweet's syndrome presenting as drastically spreading generalized erythema with subcorneal pustulosis in myelodysplastic syndrome. <i>Journal of Dermatology</i> , 2013, 40, 1072-1073.	0.6	5
185	Twelve Months Followâ€“up of Injection of OnabotulinumtoxinA into Vesical Submucosa for Refractory Nonâ€“neurogenic Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013, 5, 55-59.	0.6	0
186	Severe psoriasis vulgaris exhibiting a high serum thymus and activationâ€“regulated chemokine level: Possible association of <sc>T</sc>â€“helper 2 conditions. <i>Journal of Dermatology</i> , 2013, 40, 582-583.	0.6	1
187	Basophils are required for the induction of Th2 immunity to haptens and peptide antigens. <i>Nature Communications</i> , 2013, 4, 1739.	5.8	108
188	Evaluation of the Effectiveness of Antibiotics against Eosinophilic Pustular Folliculitis. <i>Case Reports in Dermatology</i> , 2013, 5, 144-147.	0.3	3
189	Pigmented purpuric dermatitis with high expression levels of serum TARC/CCL17 and epidermal TSLP. <i>European Journal of Dermatology</i> , 2013, 23, 701-702.	0.3	2
190	Sarcoidosis of the scalp presenting as patchy alopecia; analysis of transforming growth factor- $\beta^2$ expression in the affected area by immunostaining. <i>European Journal of Dermatology</i> , 2013, 23, 115-116.	0.3	2
191	Improvement of Anti-TNF- $\alpha$ Antibody-Induced Palmoplantar Pustular Psoriasis Using a 308-nm Excimer Light. <i>Case Reports in Dermatology</i> , 2012, 4, 261-264.	0.3	10
192	<b><i>Clostridium difficile</i></b> Colitis and Neutropenic Fever Associated with Docetaxel Chemotherapy in a Patient with Advanced Extramammary Paget's Disease. <i>Case Reports in Dermatology</i> , 2012, 4, 177-180.	0.3	2
193	Treatment of intractable oral lichen planus with intravenous immunoglobulin therapy. <i>European Journal of Dermatology</i> , 2012, 22, 693-693.	0.3	6
194	Sparganosis mansoni on abdominal skin, mimicking folliculitis and diagnosed by analysis of the mitochondrial cytochrome c oxidase subunit 1 gene, using polymerase chain reaction. <i>European Journal of Dermatology</i> , 2012, 22, 806-807.	0.3	2
195	Langerhans cells are critical in epicutaneous sensitization with protein antigen via thymic stromal lymphopoietin receptor signaling. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 1048-1055.e6.	1.5	216
196	Female pattern hair loss possibly caused by tamoxifen: Androgen receptor expression in the outer root sheath in the affected area. <i>Journal of Dermatology</i> , 2012, 39, 1060-1061.	0.6	5
197	PGD2 induces eotaxin-3 via PPAR $\beta$ from sebocytes: A possible pathogenesis of eosinophilic pustular folliculitis. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 536-543.	1.5	54
198	Identification of mutations in the prostaglandin transporter gene SLCO2A1 and its phenotypeâ€“genotype correlation in Japanese patients with pachydermoperiostosis. <i>Journal of Dermatological Science</i> , 2012, 68, 36-44.	1.0	72

#	ARTICLE	IF	CITATIONS
199	No filaggrin gene mutation in a patient with a combination of atopic dermatitis, alopecia areata and food allergy. <i>European Journal of Dermatology</i> , 2012, 22, 785-786.	0.3	2
200	Improvement of anti-TNF $\alpha$ antibody-induced pustular psoriasis by azathioprine. <i>European Journal of Dermatology</i> , 2012, 22, 565-566.	0.3	2
201	Suspected Nagashima-type palmoplantar keratosis with atypical hyperkeratotic lesions on the ears. <i>European Journal of Dermatology</i> , 2012, 22, 392-393.	0.3	6
202	Extranodal NK/T-cell lymphoma, nasal type, presenting pseudoepitheliomatous hyperplasia mimicking squamous cell carcinoma. <i>European Journal of Dermatology</i> , 2012, 22, 688-689.	0.3	4
203	Comparison of basophil infiltration into the skin between eosinophilic pustular folliculitis and neutrophilic folliculitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 527-529.	1.3	12
204	Narrowband ultraviolet B phototherapy decreased the serum IL-17E level in a patient with psoriasis vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1455-1456.	1.3	4
205	Efficacy of additional methotrexate as a maintenance treatment in a Japanese patient with psoriatic arthritis refractory to infliximab monotherapy. <i>Journal of Dermatology</i> , 2012, 39, 954-955.	0.6	2
206	Case of intractable alopecia type of alopecia areata presumably improved by fexofenadine. <i>Journal of Dermatology</i> , 2012, 39, 1063-1064.	0.6	6
207	Fixed drug eruption induced by cyclophosphamide. <i>European Journal of Dermatology</i> , 2012, 22, 401-402.	0.3	2
208	Enhanced murine contact hypersensitivity by depletion of endogenous regulatory T cells in the sensitization phase. <i>Journal of Dermatological Science</i> , 2011, 61, 144-147.	1.0	26
209	Requirement of Interaction between Mast Cells and Skin Dendritic Cells to Establish Contact Hypersensitivity. <i>PLoS ONE</i> , 2011, 6, e25538.	1.1	119
210	An H1-histamine receptor antagonist decreases serum interleukin-31 levels in patients with atopic dermatitis. <i>British Journal of Dermatology</i> , 2011, 164, 455-456.	1.4	20
211	Narrowband ultraviolet B phototherapy decreased CCR4 <sup>+</sup> CD8 <sup>+</sup> T cells in a patient with palmoplantar pustulosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 495-496.	1.3	4
212	Effects of cyclosporine on pruritus and serum IL-31 levels in patients with atopic dermatitis. <i>European Journal of Dermatology</i> , 2011, 21, 816-817.	0.3	30
213	Rho-mDia1 pathway is required for adhesion, migration, and T-cell stimulation in dendritic cells. <i>Blood</i> , 2010, 116, 5875-5884.	0.6	50
214	Treatment of eosinophilic pustular folliculitis with ciclosporin: suppression of mRNA expression of IL-4 and IL-13. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 1489-1491.	1.3	10
215	Prostaglandin I <sub>2</sub> IP Signaling Promotes Th1 Differentiation in a Mouse Model of Contact Hypersensitivity. <i>Journal of Immunology</i> , 2010, 184, 5595-5603.	0.4	65
216	Activated regulatory T cells are the major T cell type emigrating from the skin during a cutaneous immune response in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 883-893.	3.9	253

#	ARTICLE	IF	CITATIONS
217	Fluctuation of blood and skin plasmacytoid dendritic cells in drug-induced hypersensitivity syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 408-410.	1.5	29
218	Flaky Tail Mouse Denotes Human Atopic Dermatitis in the Steady State and by Topical Application with <i>Dermatophagoides pteronyssinus</i> Extract. <i>American Journal of Pathology</i> , 2010, 176, 2385-2393.	1.9	122
219	Trehalose Dimycolate Elicits Eosinophilic Skin Hypersensitivity in Mycobacteria-Infected Guinea Pigs. <i>Journal of Immunology</i> , 2008, 181, 8528-8533.	0.4	11