

Ali Soliman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1132821/publications.pdf>

Version: 2024-02-01

26
papers

627
citations

623574

14
h-index

580701

25
g-index

27
all docs

27
docs citations

27
times ranked

574
citing authors

#	ARTICLE	IF	CITATIONS
1	Three new organic-walled dinoflagellate cysts from the Upper Cretaceous deposits in the western External Rif, northwestern Morocco: Taxonomy and stratigraphic distribution. Review of Palaeobotany and Palynology, 2021, 288, 104397.	0.8	2
2	The Cretaceous–Paleogene (K/Pg) boundary in the Dababiya Borehole, southern Egypt: An organic-walled dinoflagellate cyst approach. Cretaceous Research, 2019, 98, 230-249.	0.6	13
3	New insights on the morphology and occurrence of the Palaeogene dinoflagellate cyst species <i>Duosphaeridium rugosum</i> and on the taxonomic affinity of the genus <i>Duosphaeridium</i> . Journal of Systematic Palaeontology, 2019, 17, 1519-1531.	0.6	1
4	The dinoflagellate cyst <i>Molassedinium bicornutum</i> gen. et sp. nov. from the Oligocene of the North Alpine Foreland Basin, Austria. Palynology, 2019, 43, 660-668.	0.7	0
5	Pentadinium dababiyaense: A new organic-walled dinoflagellate cyst from the Upper Cretaceous, Dababiya, Egypt. Cretaceous Research, 2019, 93, 188-196.	0.6	2
6	Sphaeripilosa wernerpilleri, a new peridinioid dinoflagellate genus and species from the late Miocene of Lake Pannon, Austria. Review of Palaeobotany and Palynology, 2018, 252, 29-40.	0.8	2
7	A calcite crisis unravelling Early Miocene (Ottangian) stratigraphy in the North Alpine–Carpathian Foreland Basin: a litho- and chemostratigraphic marker for the Rzehakia Lake System. Geologica Carpathica, 2018, 69, 315-334.	0.2	7
8	Facies, palaeogeography and stratigraphy of the lower Miocene Traisen Formation and Wildendürnbach Formation (former ‘Oncophora Beds’) in the Molasse Zone of Lower Austria. Austrian Journal of Earth Sciences, 2018, 111, 75-91.	0.9	5
9	Late Miocene (Tortonian) gonyaulacacean dinoflagellate cysts from the Vienna Basin, Austria. Review of Palaeobotany and Palynology, 2017, 244, 325-346.	0.8	15
10	Hydrocarbon potential and depositional environments of Oligo-Miocene rocks in the Eastern Carpathians (Vrancea Nappe, Romania). Marine and Petroleum Geology, 2015, 68, 269-290.	1.5	23
11	Organofacies and paleoenvironment of the Oligocene Maikop series of Angeharan (eastern Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.9	30
12	Mendicodinium mataschenensis: a new endemic dinoflagellate cyst from the Late Miocene (Tortonian) of Lake Pannon (Austria). Palynology, 2013, 37, 35-47.	0.7	6
13	High-resolution analysis of upper Miocene lake deposits: Evidence for the influence of Gleissberg-band solar forcing. Palaeogeography, Palaeoclimatology, Palaeoecology, 2013, 370, 167-183.	1.0	24
14	Oligocene dinoflagellate cysts from the North Alpine Foreland Basin: new data from the Eggerding Formation (Austria). Geologica Carpathica, 2012, 63, 49-70.	0.2	18
15	Precipitation driven decadal scale decline and recovery of wetlands of Lake Pannon during the Tortonian. Palaeogeography, Palaeoclimatology, Palaeoecology, 2012, 317-318, 1-12.	1.0	29
16	Strong evidence for the influence of solar cycles on a Late Miocene lake system revealed by biotic and abiotic proxies. Palaeogeography, Palaeoclimatology, Palaeoecology, 2012, 329-330, 124-136.	1.0	38
17	Lower and Middle Miocene biostratigraphy, Gulf of Suez, Egypt based on dinoflagellate cysts and calcareous nannofossils. Palynology, 2012, 36, 38-79.	0.7	58
18	Facies development along the tide-influenced shelf of the Burdigalian Seaway: An example from the Ottangian stratotype (Early Miocene, middle Burdigalian). Marine Micropaleontology, 2012, 84-85, 14-36.	0.5	40

#	ARTICLE	IF	CITATIONS
19	Upper Miocene Pannonian sediments from Belgrade (Serbia): new evidence and paleoenvironmental considerations. <i>Geologica Carpathica</i> , 2011, 62, 267-278.	0.2	12
20	Stratigraphic re-evaluation of the stratotype for the regional Ottnangian stage (Central Paratethys). <i>Journal of Stratigraphy</i> , 2010, 35, 107-115.	0.5	35
21	Upwelling conditions in the Early Miocene Central Paratethys Sea. <i>Geologica Carpathica</i> , 2010, 61, 129-145.	0.2	39
22	Oceanographic conditions as a trigger for the formation of an Early Miocene (Aquitanian) Konservat-Lagerstätte in the Central Paratethys Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 292, 425-442.	1.0	20
23	MORPHOLOGY AND DISTRIBUTION OF THE MIOCENE DINOFLAGELLATE CYST OPERCULODINIUM? BORGERHOLTENSE LOUWYE 2001, EMEND.. <i>Palynology</i> , 2009, 33, 73-84.	0.7	1
24	Determining the absolute abundance of dinoflagellate cysts in recent marine sediments: The Lycopodium marker-grain method put to the test. <i>Review of Palaeobotany and Palynology</i> , 2009, 157, 238-252.	0.8	141
25	Centennial- to decadal scale environmental shifts in and around Lake Pannon (Vienna Basin) related to a major Late Miocene lake level rise. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 270, 102-115.	1.0	33
26	Dinoflagellates from the Miocene Rudeis and Kareem formations borehole GS-78-1, Gulf of Suez, Egypt. <i>Journal of African Earth Sciences</i> , 2002, 35, 235-245.	0.9	28