

Jrgen Jeppesen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11328403/jorgen-jeppesen-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

5,189
citations

32
h-index

59
g-index

59
ext. papers

5,881
ext. citations

5.7
avg, IF

4.77
L-index

#	Paper	IF	Citations
57	Soluble Urokinase Plasminogen Activator Receptor Predicts Cardiovascular Events, Kidney Function Decline, and Mortality in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2019 , 42, 1112-1119	14.6	19
56	Association of Office and Ambulatory Blood Pressure With Mortality and Cardiovascular Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 409-420	27.4	136
55	Evidence-based proposal for the number of ambulatory readings required for assessing blood pressure level in research settings: an analysis of the IDACO database. <i>Blood Pressure</i> , 2018 , 27, 341-350 ^{1.7}	1.7	17
54	Prevalence, Treatment, and Control Rates of Conventional and Ambulatory Hypertension Across 10 Populations in 3 Continents. <i>Hypertension</i> , 2017 , 70, 50-58	8.5	49
53	Antihypertensive Medication Postpones the Onset of Glaucoma: Evidence From a Nationwide Study. <i>Hypertension</i> , 2017 , 69, 202-210	8.5	21
52	The Cardiovascular Risk of White-Coat Hypertension. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2033-2043	15.1	96
51	Relationship Between Two Common Lipoprotein Lipase Variants and the Metabolic Syndrome and Its Individual Components. <i>Metabolic Syndrome and Related Disorders</i> , 2016 , 14, 442-448	2.6	1
50	Markers of oxidative stress in obese men with and without hypertension. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016 , 76, 620-625	2	18
49	Network-based analysis of the sphingolipid metabolism in hypertension. <i>Frontiers in Genetics</i> , 2015 , 6, 84	4.5	12
48	The Prevalence and Incidence of Glaucoma in Denmark in a Fifteen Year Period: A Nationwide Study. <i>PLoS ONE</i> , 2015 , 10, e0132048	3.7	36
47	Setting thresholds to varying blood pressure monitoring intervals differentially affects risk estimates associated with white-coat and masked hypertension in the population. <i>Hypertension</i> , 2014 , 64, 935-42	8.5	108
46	Age-specific differences between conventional and ambulatory daytime blood pressure values. <i>Hypertension</i> , 2014 , 64, 1073-9	8.5	60
45	Ambulatory hypertension subtypes and 24-hour systolic and diastolic blood pressure as distinct outcome predictors in 8341 untreated people recruited from 12 populations. <i>Circulation</i> , 2014 , 130, 466-74 ^{16.7}	16.7	58
44	Impact of age and gender on the prevalence and prognostic importance of the metabolic syndrome and its components in Europeans. The MORGAM Prospective Cohort Project. <i>PLoS ONE</i> , 2014 , 9, e107294 ^{3.7}	3.7	75
43	How many measurements are needed to estimate blood pressure variability without loss of prognostic information?. <i>American Journal of Hypertension</i> , 2014 , 27, 46-55	2.3	30
42	Do other cardiovascular risk factors influence the impact of age on the association between blood pressure and mortality? The MORGAM Project. <i>Journal of Hypertension</i> , 2014 , 32, 1025-32; discussion 1033	1.9	6
41	Blood pressure load does not add to ambulatory blood pressure level for cardiovascular risk stratification. <i>Hypertension</i> , 2014 , 63, 925-33	8.5	30

40	CRP and suPAR are differently related to anthropometry and subclinical organ damage. <i>International Journal of Cardiology</i> , 2013 , 167, 781-5	3.2	82
39	Cardiovascular risk prediction in the general population with use of suPAR, CRP, and Framingham Risk Score. <i>International Journal of Cardiology</i> , 2013 , 167, 2904-11	3.2	98
38	Masked hypertension in diabetes mellitus: treatment implications for clinical practice. <i>Hypertension</i> , 2013 , 61, 964-71	8.5	114
37	Response to Masked hypertension in untreated and treated patients with diabetes mellitus: attractive but questionable interpretations and response to Is masked hypertension related to diabetes mellitus?. <i>Hypertension</i> , 2013 , 62, e23-5	8.5	7
36	Risk stratification by 24-hour ambulatory blood pressure and estimated glomerular filtration rate in 5322 subjects from 11 populations. <i>Hypertension</i> , 2013 , 61, 18-26	8.5	17
35	Double product reflects the predictive power of systolic pressure in the general population: evidence from 9,937 participants. <i>American Journal of Hypertension</i> , 2013 , 26, 665-72	2.3	25
34	Fibrillin-1 genotype and risk of prevalent hypertension: a study in two independent populations. <i>Blood Pressure</i> , 2012 , 21, 273-80	1.7	1
33	Impact of age on the importance of systolic and diastolic blood pressures for stroke risk: the MONica, Risk, Genetics, Archiving, and Monograph (MORGAM) Project. <i>Hypertension</i> , 2012 , 60, 1117-23	8.5	65
32	Significance of white-coat hypertension in older persons with isolated systolic hypertension: a meta-analysis using the International Database on Ambulatory Blood Pressure Monitoring in Relation to Cardiovascular Outcomes population. <i>Hypertension</i> , 2012 , 59, 564-71	8.5	146
31	Can ambulatory blood pressure measurements substitute assessment of subclinical cardiovascular damage?. <i>Journal of Hypertension</i> , 2012 , 30, 513-21	1.9	7
30	Thresholds for pulse wave velocity, urine albumin creatinine ratio and left ventricular mass index using SCORE, Framingham and ESH/ESC risk charts. <i>Journal of Hypertension</i> , 2012 , 30, 1928-36	1.9	45
29	Are blood pressure and diabetes additive or synergistic risk factors? Outcome in 8494 subjects randomly recruited from 10 populations. <i>Hypertension Research</i> , 2011 , 34, 714-21	4.7	21
28	Interaction between leptin and leisure-time physical activity and development of hypertension. <i>Blood Pressure</i> , 2011 , 20, 362-9	1.7	12
27	Genetics of the ceramide/sphingosine-1-phosphate rheostat in blood pressure regulation and hypertension. <i>BMC Genetics</i> , 2011 , 12, 44	2.6	28
26	Low-grade chronic inflammation and vascular damage in patients with rheumatoid arthritis: don't forget "metabolic inflammation". <i>Journal of Rheumatology</i> , 2011 , 38, 595-7	4.1	4
25	Ambulatory blood pressure monitoring in 9357 subjects from 11 populations highlights missed opportunities for cardiovascular prevention in women. <i>Hypertension</i> , 2011 , 57, 397-405	8.5	80
24	Prognostic value of reading-to-reading blood pressure variability over 24 hours in 8938 subjects from 11 populations. <i>Hypertension</i> , 2010 , 55, 1049-57	8.5	332
23	Leptin, not adiponectin, predicts hypertension in the Copenhagen City Heart Study. <i>American Journal of Hypertension</i> , 2010 , 23, 327-33	2.3	75

22	Tyrosine hydroxylase polymorphism (C-824T) and hypertension: a population-based study. <i>American Journal of Hypertension</i> , 2010 , 23, 1306-11	2.3	7
21	Risk prediction is improved by adding markers of subclinical organ damage to SCORE. <i>European Heart Journal</i> , 2010 , 31, 883-91	9.5	195
20	Relationship between common lipoprotein lipase gene sequence variants, hyperinsulinemia, and risk of ischemic heart disease: A population-based study. <i>Atherosclerosis</i> , 2010 , 211, 506-11	3.1	9
19	Prognostic value of isolated nocturnal hypertension on ambulatory measurement in 8711 individuals from 10 populations. <i>Journal of Hypertension</i> , 2010 , 28, 2036-45	1.9	263
18	Which markers of subclinical organ damage to measure in individuals with high normal blood pressure?. <i>Journal of Hypertension</i> , 2009 , 27, 1165-71	1.9	22
17	Diagnostic thresholds for ambulatory blood pressure moving lower: a review based on a meta-analysis-clinical implications. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 377-81	2.3	30
16	Prognostic value of ambulatory heart rate revisited in 6928 subjects from 6 populations. <i>Hypertension</i> , 2008 , 52, 229-35	8.5	73
15	C-reactive protein, insulin resistance and risk of cardiovascular disease: a population-based study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 594-8		33
14	Insulin resistance, the metabolic syndrome, and risk of incident cardiovascular disease: a population-based study. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 2112-9	15.1	193
13	Prognostic superiority of daytime ambulatory over conventional blood pressure in four populations: a meta-analysis of 7,030 individuals. <i>Journal of Hypertension</i> , 2007 , 25, 1554-64	1.9	266
12	Cardiovascular outcome in relation to progression to hypertension in the Copenhagen MONICA cohort. <i>American Journal of Hypertension</i> , 2007 , 20, 483-91	2.3	37
11	Prognostic value of aortic pulse wave velocity as index of arterial stiffness in the general population. <i>Circulation</i> , 2006 , 113, 664-70	16.7	1142
10	Metabolic syndrome, low-density lipoprotein cholesterol, and risk of cardiovascular disease: a population-based study. <i>Atherosclerosis</i> , 2006 , 189, 369-74	3.1	43
9	Ambulatory blood pressure monitoring and risk of cardiovascular disease: a population based study. <i>American Journal of Hypertension</i> , 2006 , 19, 243-50	2.3	178
8	Ambulatory arterial stiffness index predicts stroke in a general population. <i>Journal of Hypertension</i> , 2006 , 24, 2247-53	1.9	114
7	Ambulatory blood pressure and mortality: a population-based study. <i>Hypertension</i> , 2005 , 45, 499-504	8.5	245
6	Letter regarding article by Sega et al, "Prognostic value of ambulatory and home blood pressures compared with office blood pressure in the general population". <i>Circulation</i> , 2005 , 112, e244; author reply e245-6	16.7	2
5	High triglycerides/low high-density lipoprotein cholesterol, ischemic electrocardiogram changes, and risk of ischemic heart disease. <i>American Heart Journal</i> , 2003 , 145, 103-8	4.9	29

4	Triglycerides, high-density lipoprotein cholesterol, and risk of ischemic heart disease: a view from the Copenhagen Male Study. <i>Metabolic Syndrome and Related Disorders</i> , 2003 , 1, 33-53	2.6	10
3	Low triglycerides-high high-density lipoprotein cholesterol and risk of ischemic heart disease. <i>Archives of Internal Medicine</i> , 2001 , 161, 361-6		121
2	High triglycerides and low HDL cholesterol and blood pressure and risk of ischemic heart disease. <i>Hypertension</i> , 2000 , 36, 226-32	8.5	62
1	Relation of high TG-low HDL cholesterol and LDL cholesterol to the incidence of ischemic heart disease. An 8-year follow-up in the Copenhagen Male Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 1114-20	9.4	171