

Ahmed R El-Nahas

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1132943/ahmed-r-el-nahas-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

2,738
citations

29
h-index

48
g-index

159
ext. papers

3,176
ext. citations

2.3
avg, IF

4.81
L-index

#	Paper	IF	Citations
126	A prospective multivariate analysis of factors predicting stone disintegration by extracorporeal shock wave lithotripsy: the value of high-resolution noncontrast computed tomography. <i>European Urology</i> , 2007 , 51, 1688-93; discussion 1693-4	10.2	215
125	Post-percutaneous nephrolithotomy extensive hemorrhage: a study of risk factors. <i>Journal of Urology</i> , 2007 , 177, 576-9	2.5	173
124	Bladder tumour staging: comparison of diffusion- and T2-weighted MR imaging. <i>European Radiology</i> , 2009 , 19, 1575-81	8	122
123	Flexible ureterorenoscopy versus extracorporeal shock wave lithotripsy for treatment of lower pole stones of 10-20 mm. <i>BJU International</i> , 2012 , 110, 898-902	5.6	101
122	Colonic perforation during percutaneous nephrolithotomy: study of risk factors. <i>Urology</i> , 2006 , 67, 937-41	4.6	100
121	Outcome of percutaneous nephrolithotomy: effect of body mass index. <i>European Urology</i> , 2007 , 52, 199-204	4.4	82
120	Semirigid ureteroscopy for ureteral stones: a multivariate analysis of unfavorable results. <i>Journal of Urology</i> , 2009 , 181, 1158-62	2.5	76
119	Percutaneous nephrolithotomy in treatment of large stones within horseshoe kidneys. <i>Urology</i> , 2004 , 64, 426-9	1.6	75
118	Predictors of clinical significance of residual fragments after extracorporeal shockwave lithotripsy for renal stones. <i>Journal of Endourology</i> , 2006 , 20, 870-4	2.7	71
117	GreenLight laser (XPS) photoselective vapo-enucleation versus holmium laser enucleation of the prostate for the treatment of symptomatic benign prostatic hyperplasia: a randomized controlled study. <i>Journal of Urology</i> , 2015 , 193, 927-34	2.5	70
116	Detection of residual stones after percutaneous nephrolithotomy: role of nonenhanced spiral computerized tomography. <i>Journal of Urology</i> , 2008 , 179, 198-200; discussion 200	2.5	62
115	Factors affecting stone-free rate and complications of percutaneous nephrolithotomy for treatment of staghorn stone. <i>Urology</i> , 2012 , 79, 1236-41	1.6	61
114	Laparoscopic pyeloplasty: a prospective randomized comparison between the transperitoneal approach and retroperitoneoscopy. <i>Journal of Urology</i> , 2007 , 178, 2020-4; discussion 2024	2.5	61
113	Self-retaining ureteral stents: analysis of factors responsible for patients' discomfort. <i>Journal of Endourology</i> , 2006 , 20, 33-7	2.7	57
112	Renal access by urologist or radiologist for percutaneous nephrolithotomy--is it still an issue?. <i>Journal of Urology</i> , 2007 , 178, 916-20; discussion 920	2.5	56
111	Percutaneous treatment of large upper tract stones after urinary diversion. <i>Urology</i> , 2006 , 68, 500-4	1.6	51
110	Treatment of renal stones in children: a comparison between percutaneous nephrolithotomy and shock wave lithotripsy. <i>Journal of Urology</i> , 2006 , 176, 706-10	2.5	47

109	Clinically insignificant residual fragments: an acceptable term in the computed tomography era?. <i>Urology</i> , 2013 , 81, 723-6	1.6	45
108	Percutaneous Nephrolithotomy vs Retrograde Intrarenal Surgery for Large Renal Stones in Pediatric Patients: A Randomized Controlled Trial. <i>Journal of Urology</i> , 2015 , 194, 1716-20	2.5	39
107	Combination of laparoscopy and nephroscopy for treatment of stones in pelvic ectopic kidneys. <i>Journal of Endourology</i> , 2007 , 21, 1131-6	2.7	38
106	Urinary complications of migrated intrauterine contraceptive device. <i>International Urogynecology Journal</i> , 2008 , 19, 241-5	2	37
105	Kidney stone size and hounsfield units predict successful shockwave lithotripsy in children. <i>Urology</i> , 2013 , 81, 880-4	1.6	35
104	Functional and morphological effects of postpercutaneous nephrolithotomy superselective renal angiographic embolization. <i>Urology</i> , 2008 , 71, 408-12	1.6	34
103	Safety and outcome of rigid ureteroscopy for management of ureteral calculi in children. <i>Journal of Endourology</i> , 2006 , 20, 252-5	2.7	34
102	Prospective, randomized comparison of ureteroscopic endopyelotomy using holmium:YAG laser and balloon catheter. <i>Journal of Urology</i> , 2006 , 175, 614-8; discussion 618	2.5	33
101	Is pre-shock wave lithotripsy stenting necessary for ureteral stones with moderate or severe hydronephrosis?. <i>Journal of Urology</i> , 2006 , 176, 2059-62; discussion 2062	2.5	33
100	Long-term effects of extracorporeal shock wave lithotripsy on renal function: our experience with 156 patients with solitary kidney. <i>Journal of Urology</i> , 2008 , 179, 2229-32	2.5	32
99	Multidetector computed tomography: role in determination of urinary stones composition and disintegration with extracorporeal shock wave lithotripsy--an in vitro study. <i>Urology</i> , 2011 , 77, 286-90	1.6	31
98	Extracorporeal shock wave lithotripsy of upper urinary tract calculi in patients with cystectomy and urinary diversion. <i>Urology</i> , 2005 , 66, 510-3	1.6	31
97	Prospective Assessment of Learning Curve of Holmium Laser Enucleation of the Prostate for Treatment of Benign Prostatic Hyperplasia Using a Multidimensional Approach. <i>Journal of Urology</i> , 2017 , 197, 1099-1107	2.5	29
96	Shock wave lithotripsy versus semirigid ureteroscopy for proximal ureteral calculi (. <i>Urology</i> , 2009 , 73, 1184-7	1.6	28
95	Percutaneous nephrolithotomy for staghorn stones: a randomised trial comparing high-power holmium laser versus ultrasonic lithotripsy. <i>BJU International</i> , 2016 , 118, 307-12	5.6	28
94	A randomized controlled trial comparing alpha blocker (tamsulosin) and anticholinergic (solifenacin) in treatment of ureteral stent-related symptoms. <i>World Journal of Urology</i> , 2016 , 34, 963-8 ⁴		26
93	Transvesical open prostatectomy for benign prostatic hyperplasia in the era of minimally invasive surgery: Perioperative outcomes of a contemporary series. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013 , 11, 362-8	1.7	25
92	Endourological treatment of nonmalignant upper urinary tract complications after urinary diversion. <i>Urology</i> , 2010 , 76, 1302-8	1.6	25

91	Safety and efficacy of supracostal percutaneous nephrolithotomy in pediatric patients. <i>Journal of Urology</i> , 2008 , 180, 676-80	2.5	25
90	Holmium laser enucleation of the prostate for treatment for large-sized benign prostate hyperplasia; is it a realistic endourologic alternative in developing country?. <i>World Journal of Urology</i> , 2016 , 34, 399-405	4	24
89	Impact of case volume on outcomes of ureteroscopy for ureteral stones: the clinical research office of the endourological society ureteroscopy global study. <i>European Urology</i> , 2014 , 66, 1046-51	10.2	24
88	Long-term results of percutaneous nephrolithotomy for treatment of staghorn stones. <i>BJU International</i> , 2011 , 108, 750-4	5.6	24
87	Percutaneous nephrolithotomy for treating staghorn stones: 10 years of experience of a tertiary-care centre. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012 , 10, 324-9	1.7	23
86	Long-term functional outcome of percutaneous nephrolithotomy in solitary kidney. <i>Urology</i> , 2014 , 83, 1011-5	1.6	22
85	Are there long-term effects of extracorporeal shockwave lithotripsy in paediatric patients?. <i>BJU International</i> , 2013 , 111, 666-71	5.6	21
84	Bilateral same-session ureteroscopy for treatment of ureteral calculi: critical analysis of risk factors. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 97-101		21
83	Case report: conservative treatment of liver injury during percutaneous nephrolithotomy. <i>Journal of Endourology</i> , 2008 , 22, 1649-52	2.7	21
82	Role of multiphasic helical computed tomography in planning surgical treatment for pelvi-ureteric junction obstruction. <i>BJU International</i> , 2004 , 94, 582-7	5.6	20
81	Predictors of success after extracorporeal shock wave lithotripsy (ESWL) for renal calculi between 20-30 mm: a multivariate analysis model. <i>Scientific World Journal, The</i> , 2006 , 6, 2388-95	2.2	19
80	Impact of the degree of hydronephrosis on the efficacy of in situ extracorporeal shock-wave lithotripsy for proximal ureteral calculi. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007 , 41, 208-13		18
79	Extracorporeal shock-wave lithotripsy monotherapy of partial staghorn calculi. Prognostic factors and long-term results. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 320-5		17
78	Clinically Insignificant Residual Fragments: Is It an Appropriate Term in Children?. <i>Urology</i> , 2015 , 86, 593-86		16
77	Validation of the Arabic linguistic version of the Ureteral Stent Symptoms Questionnaire. <i>Arab Journal of Urology Arab Association of Urology</i> , 2014 , 12, 290-3	1.7	16
76	Magnetic resonance imaging in the evaluation of pelvi-ureteric junction obstruction: an all-in-one approach. <i>BJU International</i> , 2007 , 99, 641-5	5.6	16
75	Low-Power Vs High-Power Holmium Laser Enucleation of the Prostate: Critical Assessment through Randomized Trial. <i>Urology</i> , 2018 , 121, 58-65	1.6	15
74	Towards optimizing prostate tissue retrieval following holmium laser enucleation of the prostate (HoLEP): Assessment of two morcellators and review of literature. <i>Canadian Urological Association Journal</i> , 2015 , 9, E618-25	1.2	15

73	Extracorporeal shockwave lithotripsy for renal stones in pediatric patients: a multivariate analysis model for estimating the stone-free probability. <i>International Journal of Urology</i> , 2013 , 20, 1205-10	2.3	15
72	Current trends in percutaneous nephrolithotomy: an internet-based survey. <i>Therapeutic Advances in Urology</i> , 2017 , 9, 219-226	3.2	14
71	Prospective controlled assessment of men's sexual function changes following Holmium laser enucleation of the prostate for treatment of benign prostate hyperplasia. <i>International Urology and Nephrology</i> , 2017 , 49, 1741-1749	2.3	13
70	Does degree of hydronephrosis affect success of extracorporeal shock wave lithotripsy for distal ureteral stones?. <i>Urology</i> , 2007 , 69, 431-5	1.6	13
69	Dusting versus fragmentation for renal stones during flexible ureteroscopy. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019 , 17, 138-142	1.7	11
68	Percutaneous nephrolithotomy vs. extracorporeal shockwave lithotripsy for treating a 20-30mm single renal pelvic stone. <i>Arab Journal of Urology Arab Association of Urology</i> , 2015 , 13, 212-6	1.7	11
67	The value of percentage free prostate specific antigen (PSA) in the detection of prostate cancer among patients with intermediate levels of total PSA (4.0-10.0ng/mL) in Nigeria. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012 , 10, 394-400	1.7	11
66	Percutaneous endopyelotomy for secondary ureteropelvic junction obstruction: prognostic factors affecting late recurrence. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 385-90		10
65	Chemoprophylaxis during transrectal prostate needle biopsy: critical analysis through randomized clinical trial. <i>World Journal of Urology</i> , 2018 , 36, 1845-1852	4	9
64	A randomized controlled trial comparing antimicrobial (silver sulfadiazine)-coated ureteral stents with non-coated stents. <i>Scandinavian Journal of Urology</i> , 2018 , 52, 76-80	1.6	9
63	Low-dose unenhanced computed tomography for diagnosing stone disease in obese patients. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012 , 10, 279-83	1.7	9
62	Kidney preservation protocol for management of emphysematous pyelonephritis: Treatment modalities and follow-up. <i>Arab Journal of Urology Arab Association of Urology</i> , 2011 , 9, 185-9	1.7	9
61	What is the best drainage method for a perinephric abscess?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2010 , 36, 29-37	2	9
60	Laparoscopic adrenalectomy: a single-center experience of 43 cases. <i>Journal of Endourology</i> , 2005 , 19, 1170-3	2.7	9
59	Residual stones after percutaneous nephrolithotomy: comparison of intraoperative assessment and postoperative non-contrast computerized tomography. <i>World Journal of Urology</i> , 2017 , 35, 1241-1246	4	8
58	Enhanced Recovery Open vs Laparoscopic Left Donor Nephrectomy: A Randomized Controlled Trial. <i>Urology</i> , 2017 , 110, 98-103	1.6	8
57	Anatomic predictors of formation of lower caliceal calculi: is it the time for three-dimensional computed tomography urography?. <i>Journal of Endourology</i> , 2008 , 22, 2175-9	2.7	8
56	Retrograde endopyelotomy: a comparison between laser and Acucise balloon cutting catheter. <i>Current Urology Reports</i> , 2007 , 8, 122-7	2.9	8

55	A randomized controlled trial evaluating sildenafil citrate in relieving ureteral stent-related symptoms. <i>World Journal of Urology</i> , 2018 , 36, 1877-1881	4	8
54	Studying the Morbidity and Renal Function Outcome of Missed Internal Ureteral Stents: A Matched Pair Analysis. <i>Journal of Endourology</i> , 2015 , 29, 1070-5	2.7	7
53	Stone culture retrieved during percutaneous nephrolithotomy: is it clinically relevant?. <i>Urolithiasis</i> , 2016 , 44, 327-32	3.2	7
52	Would the indwelling internal ureteral stent influence renal function despite relief of benign ureteral obstruction?. <i>Journal of Endourology</i> , 2014 , 28, 243-7	2.7	7
51	Percutaneous nephrolithotomy: keeping the bridge for one night. <i>Urological Research</i> , 2012 , 40, 389-93		7
50	A randomised controlled trial evaluating renal protective effects of selenium with vitamins A, C, E, verapamil, and losartan against extracorporeal shockwave lithotripsy-induced renal injury. <i>BJU International</i> , 2017 , 119, 142-147	5.6	6
49	Can We Predict the Outcome of Oral Dissolution Therapy for Radiolucent Renal Calculi? A Prospective Study. <i>Journal of Urology</i> , 2019 , 201, 350-357	2.5	6
48	Risk factors for formation of steinstrasse after extracorporeal shock wave lithotripsy for pediatric renal calculi: a multivariate analysis model. <i>International Urology and Nephrology</i> , 2015 , 47, 573-7	2.3	5
47	Hospital admission for treatment of complications after extracorporeal shock wave lithotripsy for renal stones: a study of risk factors. <i>Urolithiasis</i> , 2018 , 46, 291-296	3.2	5
46	Prostate tissue retrieval after holmium laser enucleation of the prostate; assessment of non-morcellation approaches. <i>Arab Journal of Urology Arab Association of Urology</i> , 2016 , 14, 147-55	1.7	5
45	Bilharzial pyelitis: a rare cause of secondary ureteropelvic junction obstruction. <i>Journal of Urology</i> , 2003 , 170, 1946-7	2.5	5
44	Single Versus Maintenance Intravesical Chemotherapy for the Prevention of Bladder Recurrence after Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Randomized Clinical Trial. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1108-e1115	3.3	5
43	Validation of the Arabic linguistic version of the 8-item overactive bladder questionnaire (OAB-V8). <i>International Urogynecology Journal</i> , 2019 , 30, 2153-2156	2	4
42	Development and validation of a score for emergency intervention in patients with acute renal colic secondary to ureteric stones. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 236-240 ¹⁻⁷		4
41	Evaluation of acute post-shock wave lithotripsy renal changes by dynamic magnetic resonance imaging: a prospective clinical study. <i>Journal of Urology</i> , 2014 , 192, 1705-9	2.5	4
40	Percutaneous nephrolithotomy versus open surgery for treatment of staghorn stones in pediatric patients. <i>Canadian Urological Association Journal</i> , 2014 , 8, E906-9	1.2	4
39	Injury of the ileum during percutaneous nephrolithotomy in a pediatric patient. <i>Canadian Urological Association Journal</i> , 2014 , 8, E204-6	1.2	4
38	Preoperative risk factors for complications of percutaneous nephrolithotomy. <i>Urolithiasis</i> , 2021 , 49, 153-160	3.6	4

37	Renal fungus ball in a patient with retroperitoneal fibrosis: Unique complication in a rare disease. <i>Mycoses</i> , 2018 , 61, 410-416	5.2	3
36	Management of anterior caliceal stones >15mm. <i>Urolithiasis</i> , 2016 , 44, 377-81	3.2	3
35	Laparoscopic excision of prostatic hydatid cyst: case report and review of literature. <i>Journal of Endourology</i> , 2005 , 19, 290-4	2.7	3
34	Safety and efficacy of a single middle calyx access (MCA) in mini-PCNL. <i>Urolithiasis</i> , 2020 , 48, 541-546	3.2	3
33	Does lithotripsy increase stone recurrence? A comparative study between extracorporeal shockwave lithotripsy and non-fragmenting percutaneous nephrolithotomy. <i>Arab Journal of Urology Arab Association of Urology</i> , 2016 , 14, 108-14	1.7	2
32	PD13-11 ENDOVASCULAR-GIA STAPLER DEVICE MALFUNCTION DURING LAPAROSCOPIC NEPHRECTOMY: A COMPREHENSIVE ANALYSIS OF THE FDA -MANUFACTURER AND USER FACILITY DEVICE EXPERIENCE (MAUDE) DATABASE. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
31	After urgent drainage of an obstructed kidney by internal ureteric stenting; is ureteroscopic stone extraction always needed?. <i>Arab Journal of Urology Arab Association of Urology</i> , 2015 , 13, 258-63	1.7	2
30	Ureteroscopy for Upper Ureteral Stones: Overcoming the Difficulties of the Rigid Approach 2013 , 211-223		2
29	Laparo-endoscopic single-site radical prostatectomy: Feasibility and technique. <i>Arab Journal of Urology Arab Association of Urology</i> , 2011 , 9, 73-7	1.7	2
28	Antibiotic prophylaxis for transrectal ultrasound-guided prostatic biopsies: a comparison of two regimens. <i>African Journal of Urology</i> , 2020 , 26,	1	2
27	Acute kidney injury after percutaneous nephrolithotomy for stones in solitary kidneys. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 165-169	1.6	1
26	: Evaluation of Renal Stone Comminution and Injury by Burst Wave Lithotripsy in a Pig Model by Maxwell et al. (From: Maxwell AD, Wang Y-N, Kreider W, et al. <i>J Endourol</i> 2019;33:787-792; DOI: 10.1089/end.2018.0886). <i>Journal of Endourology</i> , 2019 , 33, 793	2.7	1
25	Right Testicular Infarction Secondary to Spontaneous Testicular Vein Thrombosis in a Child: Case Report and Literature Review. <i>Urology</i> , 2019 , 130, 144-147	1.6	1
24	Reply by the authors. <i>Urology</i> , 2013 , 82, 497	1.6	1
23	PD11-07 CHEMOPROPHYLAXIS DURING TRANSRECTAL PROSTATE NEEDLE BIOPSY: INTERIM ANALYSIS OF RANDOMIZED CLINICAL TRIAL (NCT02423759). <i>Journal of Urology</i> , 2017 , 197,	2.5	1
22	Predicting the resected tissue weight from a digital rectal examination and total prostate specific antigen level before transurethral resection of the prostate. <i>Arab Journal of Urology Arab Association of Urology</i> , 2014 , 12, 256-61	1.7	1
21	Minimally Invasive Treatment of Calculi in Renal Anomalies 2012 , 575-586		1
20	Long-term effects of anatomic nephrolithotomy on selective renal function. <i>Urolithiasis</i> , 2019 , 47, 365-370	3.2	1

19	Comparison of standard- and mini-percutaneous nephrolithotomy for staghorn stones. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021 , 19, 147-151	1.7	1
18	Parecoxib Vs Paracetamol for Treatment of Acute Renal Colic Due to Ureteric Calculi: A Randomized Controlled Trial. <i>Urology</i> , 2021 , 149, 76-80	1.6	0
17	Emergency vs elective ureteroscopy for a single ureteric stone. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 137-140	1.7	0
16	Definition and Unfavorable Risk Factors of Trifecta in Mini-Percutaneous Nephrolithotomy. <i>Journal of Endourology</i> , 2021 , 35, 1140-1145	2.7	0
15	Development and validation of a simple stone score to estimate the probability of residual stones prior to percutaneous nephrolithotomy. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 525-531	2.3	0
14	Difficulties in Laparoscopic Simple Nephrectomy 2018 , 57-72		
13	Reply by the authors. <i>Urology</i> , 2014 , 84, 734	1.6	
12	Reply: To PMID 22924860. <i>BJU International</i> , 2013 , 112, E424-5	5.6	
11	Reply by the authors. <i>Urology</i> , 2013 , 82, 491-2	1.6	
10	Managing Bleeding During Percutaneous Renal Surgery 2013 , 43-53		
9	Percutaneous Nephrolithotomy (PCNL) in the Treatment of Stones Within Horseshoe Kidneys and in Patients with Autosomal Dominant Polycystic Kidney Disease 2013 , 115-121		
8	Reply by the authors. <i>Urology</i> , 2013 , 82, 255-6	1.6	
7	Urgent Urologic Surgery in Patients with Acute Coronary Syndrome. <i>Journal of Biosciences and Medicines</i> , 2022 , 10, 29-32	0.2	
6	Tubeless mini-percutaneous nephrolithotomy for renal stones larger than 20 mm. <i>Indian Journal of Urology</i> , 2021 , 37, 54-58	0.8	
5	Difficulties in Laparoscopic Simple Nephrectomy 2011 , 55-70		
4	Re: Fluoroless endourological surgery for high burden renal and proximal ureteric stones: A safe technique for experienced surgeons. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021 , 19, 445	1.7	
3	Impact of case volume per year on flexible Ureteroscopy practice: an internet based survey. <i>BMC Urology</i> , 2019 , 19, 134	2.2	
2	The health-related quality of life in patients with prostate cancer managed with active surveillance using the Expanded Prostate Cancer Index Composite survey: Systematic review and meta-analysis.. <i>Arab Journal of Urology Arab Association of Urology</i> , 2022 , 20, 61-70	1.7	

- 1 One-stage versus staged ureteroscopy and percutaneous nephrolithotomy for simultaneous ureteral and renal stones. *Current Urology*, **2022**, 16, 15-19 1.7