

Ahmed R El-Nahas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1132943/publications.pdf>

Version: 2024-02-01

149
papers

3,534
citations

136740

32
h-index

161609

54
g-index

159
all docs

159
docs citations

159
times ranked

2349
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Urgent Urologic Surgery in Patients with Acute Coronary Syndrome. Journal of Biosciences and Medicines, 2022, 10, 29-32. | 0.1 | 0 |
| 2 | The health-related quality of life in patients with prostate cancer managed with active surveillance using the Expanded Prostate Cancer Index Composite survey: Systematic review and meta-analysis. Arab Journal of Urology Arab Association of Urology, 2022, 20, 1-10. | 0.7 | 0 |
| 3 | One-stage versus staged ureteroscopy and percutaneous nephrolithotomy for simultaneous ureteral and renal stones. Current Urology, 2022, 16, 15-19. | 0.4 | 0 |
| 4 | Preoperative risk factors for complications of percutaneous nephrolithotomy. Urolithiasis, 2021, 49, 153-160. | 1.2 | 13 |
| 5 | Emergency vs elective ureteroscopy for a single ureteric stone. Arab Journal of Urology Arab Association of Urology, 2021, 19, 137-140. | 0.7 | 2 |
| 6 | Comparison of standard- and mini-percutaneous nephrolithotomy for staghorn stones. Arab Journal of Urology Arab Association of Urology, 2021, 19, 147-151. | 0.7 | 12 |
| 7 | Re: Fluorless endourological surgery for high burden renal and proximal ureteric stones: A safe technique for experienced surgeons. Arab Journal of Urology Arab Association of Urology, 2021, 19, 445-445. | 0.7 | 1 |
| 8 | Paracetamol Vs Paracetamol for Treatment of Acute Renal Colic Due to Ureteric Calculi: A Randomized Controlled Trial. Urology, 2021, 149, 76-80. | 0.5 | 3 |
| 9 | Definition and Unfavorable Risk Factors of Trifecta in Mini-Percutaneous Nephrolithotomy. Journal of Endourology, 2021, 35, 1140-1145. | 1.1 | 10 |
| 10 | Development and validation of a simple stone score to estimate the probability of residual stones prior to percutaneous nephrolithotomy. Minerva Urology and Nephrology, 2021, 73, 525-531. | 1.3 | 5 |
| 11 | Tubeless mini-percutaneous nephrolithotomy for renal stones larger than 20 mm. Indian Journal of Urology, 2021, 37, 54-58. | 0.2 | 1 |
| 12 | Safety and efficacy of a single middle calyx access (MCA) in mini-PCNL. Urolithiasis, 2020, 48, 541-546. | 1.2 | 9 |
| 13 | Development and validation of a score for emergency intervention in patients with acute renal colic secondary to ureteric stones. Arab Journal of Urology Arab Association of Urology, 2020, 18, 236-240. | 0.7 | 6 |
| 14 | Editorial Comment on: Predicting the Postoperative Outcome of Percutaneous Nephrolithotomy with Machine Learning System: Software Validation and Comparative Analysis with Guy's Stone Score and the CROES Nomogram by Aminsharifi et al. (J Endourol 2020;34(6):692-699; DOI: 10.1089/end.2019.0475). Journal of Endourology, 2020, 34, 699-700. | 1.1 | 1 |
| 15 | Antibiotic prophylaxis for transrectal ultrasound-guided prostatic biopsies: a comparison of two regimens. African Journal of Urology, 2020, 26, . | 0.1 | 2 |
| 16 | Editorial Comment on: Evaluation of Renal Stone Comminution and Injury by Burst Wave Lithotripsy in a Pig Model by Maxwell et al. (From: Maxwell AD, Wang Y-N, Kreider W, et al. J Endourol) Tj ETQq0 0 0 rgBT /Overload 10 Tf 50 137 Td (2 | | |
| 17 | Dusting versus fragmentation for renal stones during flexible ureteroscopy. Arab Journal of Urology Arab Association of Urology, 2019, 17, 138-142. | 0.7 | 21 |
| 18 | Validation of the Arabic linguistic version of the 8-item overactive bladder questionnaire (OAB-V8). International Urogynecology Journal, 2019, 30, 2153-2156. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Right Testicular Infarction Secondary to Spontaneous Testicular Vein Thrombosis in a Child: Case Report and Literature Review. <i>Urology</i> , 2019, 130, 144-147. | 0.5 | 1 |
| 20 | Single Versus Maintenance Intravesical Chemotherapy for the Prevention of Bladder Recurrence after Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Randomized Clinical Trial. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e1108-e1115. | 0.9 | 14 |
| 21 | Impact of case volume per year on flexible Ureteroscopy practice: an internet based survey. <i>BMC Urology</i> , 2019, 19, 134. | 0.6 | 1 |
| 22 | Long-term effects of anatomic nephrolithotomy on selective renal function. <i>Urolithiasis</i> , 2019, 47, 365-370. | 1.2 | 1 |
| 23 | Can We Predict the Outcome of Oral Dissolution Therapy for Radiolucent Renal Calculi? A Prospective Study. <i>Journal of Urology</i> , 2019, 201, 350-357. | 0.2 | 16 |
| 24 | Reply by Authors. <i>Journal of Urology</i> , 2019, 202, 826-826. | 0.2 | 0 |
| 25 | Editorial Comment on: Natural History of Conservatively Managed Ureteral Stones: Analysis of 6600 Patients by Yallappa <i>et al.</i> . <i>Journal of Endourology</i> , 2018, 32, 380-380. | 1.1 | 0 |
| 26 | Renal fungus ball in a patient with retroperitoneal fibrosis: Unique complication in a rare disease. <i>Mycoses</i> , 2018, 61, 410-416. | 1.8 | 3 |
| 27 | Difficulties in Laparoscopic Simple Nephrectomy. , 2018, , 57-72. | | 0 |
| 28 | Chemoprophylaxis during transrectal prostate needle biopsy: critical analysis through randomized clinical trial. <i>World Journal of Urology</i> , 2018, 36, 1845-1852. | 1.2 | 14 |
| 29 | Hospital admission for treatment of complications after extracorporeal shock wave lithotripsy for renal stones: a study of risk factors. <i>Urolithiasis</i> , 2018, 46, 291-296. | 1.2 | 7 |
| 30 | A randomized controlled trial comparing antimicrobial (silver sulfadiazine)-coated ureteral stents with non-coated stents. <i>Scandinavian Journal of Urology</i> , 2018, 52, 76-80. | 0.6 | 17 |
| 31 | A randomized controlled trial evaluating sildenafil citrate in relieving ureteral stent-related symptoms. <i>World Journal of Urology</i> , 2018, 36, 1877-1881. | 1.2 | 8 |
| 32 | Low-Power Vs High-Power Holmium Laser Enucleation of the Prostate: Critical Assessment through Randomized Trial. <i>Urology</i> , 2018, 121, 58-65. | 0.5 | 26 |
| 33 | Acute kidney injury after percutaneous nephrolithotomy for stones in solitary kidneys. <i>Scandinavian Journal of Urology</i> , 2017, 51, 165-169. | 0.6 | 5 |
| 34 | Residual stones after percutaneous nephrolithotomy: comparison of intraoperative assessment and postoperative non-contrast computerized tomography. <i>World Journal of Urology</i> , 2017, 35, 1241-1246. | 1.2 | 17 |
| 35 | Current trends in percutaneous nephrolithotomy: an internet-based survey. <i>Therapeutic Advances in Urology</i> , 2017, 9, 219-226. | 0.9 | 29 |
| 36 | Enhanced Recovery Open vs Laparoscopic Left Donor Nephrectomy: A Randomized Controlled Trial. <i>Urology</i> , 2017, 110, 98-103. | 0.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | MP90-02 ORAL DISSOLUTION THERAPY (ODT) FOR LUCENT RENAL CALCULI; CAN WE PREDICT THE OUTCOME?. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 38 | PD11-07 CHEMOPROPHYLAXIS DURING TRANSRECTAL PROSTATE NEEDLE BIOPSY: INTERIM ANALYSIS OF RANDOMIZED CLINICAL TRIAL (NCT02423759). Journal of Urology, 2017, 197, . | 0.2 | 1 |
| 39 | Prospective controlled assessment of men's sexual function changes following Holmium laser enucleation of the prostate for treatment of benign prostate hyperplasia. International Urology and Nephrology, 2017, 49, 1741-1749. | 0.6 | 18 |
| 40 | Prospective Assessment of Learning Curve of Holmium Laser Enucleation of the Prostate for Treatment of Benign Prostatic Hyperplasia Using a Multidimensional Approach. Journal of Urology, 2017, 197, 1099-1107. | 0.2 | 41 |
| 41 | A randomised controlled trial evaluating renal protective effects of selenium with vitamins A, C, E, verapamil, and losartan against extracorporeal shockwave lithotripsy-induced renal injury. BJU International, 2017, 119, 142-147. | 1.3 | 10 |
| 42 | Percutaneous nephrolithotomy for staghorn stones: a randomised trial comparing high-power holmium laser versus ultrasonic lithotripsy. BJU International, 2016, 118, 307-312. | 1.3 | 36 |
| 43 | MP54-01 DYNAMIC CONTRAST ENHANCED MRI (DCE-MRI) FOR EVALUATION OF THE EFFECTS OF RENO-PROTECTIVE DRUGS ON RENAL PERFUSION AFTER SWL. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 44 | <i>Journal of Endourology and Part B: Videourology</i>Our 2015 Reviewers. Journal of Endourology, 2016, 30, 484-488. | 1.1 | 0 |
| 45 | Does lithotripsy increase stone recurrence? A comparative study between extracorporeal shockwave lithotripsy and non-fragmenting percutaneous nephrolithotomy. Arab Journal of Urology Arab Association of Urology, 2016, 14, 108-114. | 0.7 | 7 |
| 46 | Prostate tissue retrieval after holmium laser enucleation of the prostate; assessment of non-morcellation approaches. Arab Journal of Urology Arab Association of Urology, 2016, 14, 147-155. | 0.7 | 6 |
| 47 | Stone culture retrieved during percutaneous nephrolithotomy: is it clinically relevant?. Urolithiasis, 2016, 44, 327-332. | 1.2 | 14 |
| 48 | Management of anterior caliceal stones >15mm. Urolithiasis, 2016, 44, 377-381. | 1.2 | 5 |
| 49 | A randomized controlled trial comparing alpha blocker (tamsulosin) and anticholinergic (solifenacin) in treatment of ureteral stent-related symptoms. World Journal of Urology, 2016, 34, 963-968. | 1.2 | 31 |
| 50 | Holmium laser enucleation of the prostate for treatment for large-sized benign prostate hyperplasia; is it a realistic endourologic alternative in developing country?. World Journal of Urology, 2016, 34, 399-405. | 1.2 | 31 |
| 51 | After urgent drainage of an obstructed kidney by internal ureteric stenting; is ureteroscopic stone extraction always needed?. Arab Journal of Urology Arab Association of Urology, 2015, 13, 258-263. | 0.7 | 4 |
| 52 | MP27-01 A RANDOMIZED CONTROLLED TRIAL COMPARING ALPHA BLOCKER (TAMSULOSIN) AND ANTICHOLINERGIC (SOLIFENACIN) IN TREATMENT OF URETERAL STENT RELATED SYMPTOMS. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 53 | MP30-05 A PROSPECTIVE EVALUATION OF THE SURGEON PERSPECTIVE FOR DETERMINING STONE-FREE STATUS AFTER PERCUTANEOUS NEPHROLITHOTOMY. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 54 | PD5-12 SEXUAL FUNCTION CHANGES FOLLOWING DIFFERENT TRANSURETHRAL PROSTATE SURGERIES: PROSPECTIVE SHAM CONTROLLED STUDY. Journal of Urology, 2015, 193, . | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | MP13-03 TOWARDS OPTIMIZING PROSTATE TISSUE RETRIEVAL AFTER HOLMIUM LASER ENUCLEATION OF THE PROSTATE: PROSPECTIVE ASSESSMENT OF DIFFERENT APPROACHES. <i>Journal of Urology</i> , 2015, 193, . | 0.2 | 0 |
| 56 | MP30-15 PREDICTORS OF HOSPITAL READMISSION AFTER PERCUTANEOUS NEPHROLITHOTOMY: ANALYSIS OF MORE THAN 700 CONSECUTIVE PATIENTS FROM A TERTIARY REFERRAL CENTER. <i>Journal of Urology</i> , 2015, 193, . | 0.2 | 0 |
| 57 | Towards optimizing prostate tissue retrieval following holmium laser enucleation of the prostate (HoLEP): Assessment of two morcellators and review of literature. <i>Canadian Urological Association Journal</i> , 2015, 9, 618. | 0.3 | 21 |
| 58 | Percutaneous nephrolithotomy vs. extracorporeal shockwave lithotripsy for treating a 20â€“30Âmm single renal pelvic stone. <i>Arab Journal of Urology Arab Association of Urology</i> , 2015, 13, 212-216. | 0.7 | 14 |
| 59 | MP30-06 ACUTE KIDNEY INJURY AFTER PERCUTANEOUS NEPHROLITHOTOMY FOR STONES IN A SOLITARY KIDNEY. <i>Journal of Urology</i> , 2015, 193, . | 0.2 | 0 |
| 60 | GreenLightâ„¢ Laser (XPS) Photoselective Vapo-Enucleation versus Holmium Laser Enucleation of the Prostate for the Treatment of Symptomatic Benign Prostatic Hyperplasia: A Randomized Controlled Study. <i>Journal of Urology</i> , 2015, 193, 927-934. | 0.2 | 88 |
| 61 | Clinically Insignificant Residual Fragments: Is It an Appropriate Term in Children?. <i>Urology</i> , 2015, 86, 593-598. | 0.5 | 19 |
| 62 | Percutaneous Nephrolithotomy vs Retrograde Intrarenal Surgery for Large Renal Stones in Pediatric Patients: A Randomized Controlled Trial. <i>Journal of Urology</i> , 2015, 194, 1716-1720. | 0.2 | 57 |
| 63 | Studying the Morbidity and Renal Function Outcome of Missed Internal Ureteral Stents: A Matched Pair Analysis. <i>Journal of Endourology</i> , 2015, 29, 1070-1075. | 1.1 | 12 |
| 64 | Risk factors for formation of steinstrasse after extracorporeal shock wave lithotripsy for pediatric renal calculi: a multivariate analysis model. <i>International Urology and Nephrology</i> , 2015, 47, 573-577. | 0.6 | 10 |
| 65 | Percutaneous nephrolithotomy versus open surgery for treatment of staghorn stones in pediatric patients. <i>Canadian Urological Association Journal</i> , 2014, 8, 906. | 0.3 | 7 |
| 66 | Injury of the ileum during percutaneous nephrolithotomy in a pediatric patient. <i>Canadian Urological Association Journal</i> , 2014, 8, 204. | 0.3 | 5 |
| 67 | Validation of the Arabic linguistic version of the Ureteral Stent Symptoms Questionnaire. <i>Arab Journal of Urology Arab Association of Urology</i> , 2014, 12, 290-293. | 0.7 | 21 |
| 68 | Predicting the resected tissue weight from a digital rectal examination and total prostate specific antigen level before transurethral resection of the prostate. <i>Arab Journal of Urology Arab Association of Urology</i> , 2014, 12, 256-261. | 0.7 | 1 |
| 69 | Would the Indwelling Internal Ureteral Stent Influence Renal Function Despite Relief of Benign Ureteral Obstruction?. <i>Journal of Endourology</i> , 2014, 28, 243-247. | 1.1 | 11 |
| 70 | MP73-06 EVALUATION OF ACUTE POST-SWL RENAL CHANGES AS DETECTED BY DYNAMIC MRI: A PROSPECTIVE CLINICAL STUDY. <i>Journal of Urology</i> , 2014, 191, . | 0.2 | 0 |
| 71 | Long-term Functional Outcome of Percutaneous Nephrolithotomy in Solitary Kidney. <i>Urology</i> , 2014, 83, 1011-1015. | 0.5 | 32 |
| 72 | V9-13 LASER POUCHO-LITHOLAPAXY, A MINIMAL INVASIVE TREATMENT FOR GIANT NEOBLADDER CALCULI. <i>Journal of Urology</i> , 2014, 191, . | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | PD26-05 A RANDOMIZED TRIAL COMPARING GREENLIGHT (XPS) LASER PHOTOSELECTIVE VAPO-ENUCLEATION OF THE PROSTATE (PVEP) VERSUS HOLMIUM LASER ENUCLEATION OF THE PROSTATE (HOLEP) FOR TREATMENT OF BENIGN PROSTATE HYPERPLASIA (BPH). Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 74 | Evaluation of Acute Post-Shock Wave Lithotripsy Renal Changes by Dynamic Magnetic Resonance Imaging: A Prospective Clinical Study. Journal of Urology, 2014, 192, 1705-1709. | 0.2 | 4 |
| 75 | Impact of Case Volume on Outcomes of Ureteroscopy for Ureteral Stones: The Clinical Research Office of the Endourological Society Ureteroscopy Global Study. European Urology, 2014, 66, 1046-1051. | 0.9 | 32 |
| 76 | Reply by the Authors. Urology, 2014, 84, 734. | 0.5 | 0 |
| 77 | MP73-10 AFTER EMERGENT DRAINAGE OF AN OBSTRUCTED KIDNEY BY A DOUBLE J STENT; DOES URETEROSCOPIC STONE EXTRACTION IS ALWAYS NEEDED?. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 78 | PD13-11 ENDOVASCULAR-GIA STAPLER DEVICE MALFUNCTION DURING LAPAROSCOPIC NEPHRECTOMY: A COMPREHENSIVE ANALYSIS OF THE FDA -MANUFACTURER AND USER FACILITY DEVICE EXPERIENCE (MAUDE) DATABASE. Journal of Urology, 2014, 191, . | 0.2 | 3 |
| 79 | Reply. BJU International, 2013, 112, E424-5. | 1.3 | 0 |
| 80 | Reply by the Authors. Urology, 2013, 82, 497. | 0.5 | 1 |
| 81 | Kidney Stone Size and Hounsfield Units Predict Successful Shockwave Lithotripsy in Children. Urology, 2013, 81, 880-884. | 0.5 | 44 |
| 82 | Are there long-term effects of extracorporeal shockwave lithotripsy in paediatric patients?. BJU International, 2013, 111, 666-671. | 1.3 | 27 |
| 83 | Transvesical open prostatectomy for benign prostatic hyperplasia in the era of minimally invasive surgery: Perioperative outcomes of a contemporary series. Arab Journal of Urology Arab Association of Urology, 2013, 11, 362-368. | 0.7 | 34 |
| 84 | Reply by the Authors. Urology, 2013, 82, 491-492. | 0.5 | 0 |
| 85 | Managing Bleeding During Percutaneous Renal Surgery. , 2013, , 43-53. | | 0 |
| 86 | Percutaneous Nephrolithotomy (PCNL) in the Treatment of Stones Within Horseshoe Kidneys and in Patients with Autosomal Dominant Polycystic Kidney Disease. , 2013, , 115-121. | | 0 |
| 87 | Ureteroscopy for Upper Ureteral Stones: Overcoming the Difficulties of the Rigid Approach. , 2013, , 211-223. | | 3 |
| 88 | Clinically Insignificant Residual Fragments: An Acceptable Term in the Computed Tomography Era?. Urology, 2013, 81, 723-726. | 0.5 | 57 |
| 89 | Reply by the Authors. Urology, 2013, 82, 255-256. | 0.5 | 0 |
| 90 | Extracorporeal shockwave lithotripsy for renal stones in pediatric patients: A multivariate analysis model for estimating the stone-free probability. International Journal of Urology, 2013, 20, 1205-1210. | 0.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | 1407 IS ROBOT-ASSISTED RADICAL CYSTECTOMY EFFECTIVE FOR T3 BLADDER CANCER? RESULTS FROM THE INTERNATIONAL ROBOTIC CYSTECTOMY CONSORTIUM. <i>Journal of Urology</i> , 2012, 187, . | 0.2 | 0 |
| 92 | Factors Affecting Stone-free Rate and Complications of Percutaneous Nephrolithotomy for Treatment of Staghorn Stone. <i>Urology</i> , 2012, 79, 1236-1241. | 0.5 | 89 |
| 93 | Low-dose unenhanced computed tomography for diagnosing stone disease in obese patients. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012, 10, 279-283. | 0.7 | 11 |
| 94 | Percutaneous nephrolithotomy for treating staghorn stones: 10 years of experience of a tertiary-care centre. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012, 10, 324-329. | 0.7 | 27 |
| 95 | The value of percentage free prostate specific antigen (PSA) in the detection of prostate cancer among patients with intermediate levels of total PSA (4.0â€“10.0 ng/mL) in Nigeria. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012, 10, 394-400. | 0.7 | 13 |
| 96 | Percutaneous nephrolithotomy: keeping the bridge for one night. <i>Urological Research</i> , 2012, 40, 389-393. | 1.5 | 9 |
| 97 | Flexible ureterorenoscopy versus extracorporeal shock wave lithotripsy for treatment of lower pole stones of 10â€“20â€“mm. <i>BJU International</i> , 2012, 110, 898-902. | 1.3 | 128 |
| 98 | Minimally Invasive Treatment of Calculi in Renal Anomalies. , 2012, , 575-586. | | 1 |
| 99 | Laparo-endoscopic single-site radical prostatectomy: Feasibility and technique. <i>Arab Journal of Urology Arab Association of Urology</i> , 2011, 9, 73-77. | 0.7 | 3 |
| 100 | Kidney preservation protocol for management of emphysematous pyelonephritis: Treatment modalities and follow-up. <i>Arab Journal of Urology Arab Association of Urology</i> , 2011, 9, 185-189. | 0.7 | 14 |
| 101 | Multidetector Computed Tomography: Role in Determination of Urinary Stones Composition and Disintegration With Extracorporeal Shock Wave Lithotripsyâ€”an In Vitro Study. <i>Urology</i> , 2011, 77, 286-290. | 0.5 | 40 |
| 102 | Editorial Comment. <i>Urology</i> , 2011, 78, 420-421. | 0.5 | 0 |
| 103 | Long-term results of percutaneous nephrolithotomy for treatment of staghorn stones. <i>BJU International</i> , 2011, 108, 750-754. | 1.3 | 26 |
| 104 | Bilateral same-session ureteroscopy for treatment of ureteral calculi: Critical analysis of risk factors. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 97-101. | 1.4 | 26 |
| 105 | Difficulties in Laparoscopic Simple Nephrectomy. , 2011, , 55-70. | | 0 |
| 106 | What is the best drainage method for a perinephric abscess?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2010, 36, 29-37. | 0.7 | 13 |
| 107 | Endourological Treatment of Nonmalignant Upper Urinary Tract Complications After Urinary Diversion. <i>Urology</i> , 2010, 76, 1302-1308. | 0.5 | 28 |
| 108 | Bladder tumour staging: comparison of diffusion- and T2-weighted MR imaging. <i>European Radiology</i> , 2009, 19, 1575-1581. | 2.3 | 141 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Shock Wave Lithotripsy Versus Semirigid Ureteroscopy for Proximal Ureteral Calculi (<20 mm): A Comparative Matched-pair Study. <i>Urology</i> , 2009, 73, 1184-1187. | 0.5 | 33 |
| 110 | Semirigid Ureteroscopy for Ureteral Stones: A Multivariate Analysis of Unfavorable Results. <i>Journal of Urology</i> , 2009, 181, 1158-1162. | 0.2 | 89 |
| 111 | SAFETY AND EFFICACY OF EN BLOC CONTROL OF THE RENAL PEDICLE DURING LAPAROSCOPIC NEPHRECTOMY: A SINGLE CENTER EXPERIENCE WITH THE RESULTS OF LONG TERM FOLLOW UP. <i>Journal of Urology</i> , 2009, 181, 276-276. | 0.2 | 0 |
| 112 | DIAGNOSIS AND TREATMENT OF POUCH STONES AFTER RADICAL CYSTECTOMY AND CONTINENT DIVERSION. <i>Journal of Urology</i> , 2009, 181, 287-287. | 0.2 | 0 |
| 113 | Urinary complications of migrated intrauterine contraceptive device. <i>International Urogynecology Journal</i> , 2008, 19, 241-245. | 0.7 | 51 |
| 114 | Safety and Efficacy of Supracostal Percutaneous Nephrolithotomy in Pediatric Patients. <i>Journal of Urology</i> , 2008, 180, 676-680. | 0.2 | 30 |
| 115 | Functional and Morphological Effects of Postpercutaneous Nephrolithotomy Superselective Renal Angiographic Embolization. <i>Urology</i> , 2008, 71, 408-412. | 0.5 | 41 |
| 116 | Long-Term Effects of Extracorporeal Shock Wave Lithotripsy on Renal Function: Our Experience With 156 Patients With Solitary Kidney. <i>Journal of Urology</i> , 2008, 179, 2229-2232. | 0.2 | 39 |
| 117 | Detection of Residual Stones After Percutaneous Nephrolithotomy: Role of Nonenhanced Spiral Computerized Tomography. <i>Journal of Urology</i> , 2008, 179, 198-200. | 0.2 | 69 |
| 118 | Case Report: Conservative Treatment of Liver Injury during Percutaneous Nephrolithotomy. <i>Journal of Endourology</i> , 2008, 22, 1649-1652. | 1.1 | 24 |
| 119 | Anatomic Predictors of Formation of Lower Caliceal Calculi: Is It the Time for Three-Dimensional Computed Tomography Urography?. <i>Journal of Endourology</i> , 2008, 22, 2175-2180. | 1.1 | 9 |
| 120 | Does Degree of Hydronephrosis Affect Success of Extracorporeal Shock Wave Lithotripsy for Distal Ureteral Stones?. <i>Urology</i> , 2007, 69, 431-435. | 0.5 | 15 |
| 121 | Laparoscopic Pyeloplasty: A Prospective Randomized Comparison Between the Transperitoneal Approach and Retroperitoneoscopy. <i>Journal of Urology</i> , 2007, 178, 2020-2024. | 0.2 | 70 |
| 122 | Combination of Laparoscopy and Nephroscopy for Treatment of Stones in Pelvic Ectopic Kidneys. <i>Journal of Endourology</i> , 2007, 21, 1131-1136. | 1.1 | 46 |
| 123 | Impact of the degree of hydronephrosis on the efficacy of in situ extracorporeal shock-wave lithotripsy for proximal ureteral calculi. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 208-213. | 1.4 | 22 |
| 124 | Post-Percutaneous Nephrolithotomy Extensive Hemorrhage: A Study of Risk Factors. <i>Journal of Urology</i> , 2007, 177, 576-579. | 0.2 | 224 |
| 125 | Renal Access by Urologist or Radiologist for Percutaneous Nephrolithotomyâ€”Is it Still an Issue?. <i>Journal of Urology</i> , 2007, 178, 916-920. | 0.2 | 70 |
| 126 | 1452: Post Percutaneous Nephrolithotomy Extensive Hemorrhage: A Study of Risk Factors. <i>Journal of Urology</i> , 2007, 177, 479-480. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | 1314: Impact of the Degree of Hydronephrosis on the Efficacy of in Situ Extracorporeal Shock Wave Lithotripsy for Proximal Ureteral Calculi: A Prospective Randomized Study. <i>Journal of Urology</i> , 2007, 177, 432-432. | 0.2 | 0 |
| 128 | Magnetic resonance imaging in the evaluation of pelvi-ureteric junction obstruction: an all-in-one approach. <i>BJU International</i> , 2007, 99, 641-645. | 1.3 | 18 |
| 129 | A Prospective Multivariate Analysis of Factors Predicting Stone Disintegration by Extracorporeal Shock Wave Lithotripsy: The Value of High-Resolution Noncontrast Computed Tomography. <i>European Urology</i> , 2007, 51, 1688-1694. | 0.9 | 270 |
| 130 | Outcome of Percutaneous Nephrolithotomy: Effect of Body Mass Index. <i>European Urology</i> , 2007, 52, 199-205. | 0.9 | 99 |
| 131 | Retrograde endopyelotomy: A comparison between laser and acucise balloon cutting catheter. <i>Current Urology Reports</i> , 2007, 8, 122-127. | 1.0 | 11 |
| 132 | 1311: A Prospective Multivariate Analysis of Factors Predicting Stone Disintegration by Extracorporeal Shock Wave Lithotripsy (SWL): Value of High Resolution Noncontrast Computed Tomography (NCCT). <i>Journal of Urology</i> , 2007, 177, 431-431. | 0.2 | 0 |
| 133 | Prospective, Randomized Comparison of Ureteroscopic Endopyelotomy Using Holmium:YAG Laser and Balloon Catheter. <i>Journal of Urology</i> , 2006, 175, 614-618. | 0.2 | 36 |
| 134 | Percutaneous endopyelotomy for secondary ureteropelvic junction obstruction: Prognostic factors affecting late recurrence. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 385-390. | 1.4 | 13 |
| 135 | Extracorporeal shock-wave lithotripsy monotherapy of partial staghorn calculi. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 320-325. | 1.4 | 21 |
| 136 | Self-Retaining Ureteral Stents: Analysis of Factors Responsible For Patients' Discomfort. <i>Journal of Endourology</i> , 2006, 20, 33-37. | 1.1 | 66 |
| 137 | Treatment of Renal Stones in Children: A Comparison Between Percutaneous Nephrolithotomy and Shock Wave Lithotripsy. <i>Journal of Urology</i> , 2006, 176, 706-710. | 0.2 | 56 |
| 138 | Safety and Outcome of Rigid Ureteroscopy for Management of Ureteral Calculi in Children. <i>Journal of Endourology</i> , 2006, 20, 252-255. | 1.1 | 40 |
| 139 | Predictors of Clinical Significance of Residual Fragments after Extracorporeal Shockwave Lithotripsy for Renal Stones. <i>Journal of Endourology</i> , 2006, 20, 870-874. | 1.1 | 89 |
| 140 | Is Pre-Shock Wave Lithotripsy Stenting Necessary for Ureteral Stones With Moderate or Severe Hydronephrosis?. <i>Journal of Urology</i> , 2006, 176, 2059-2062. | 0.2 | 39 |
| 141 | Colonic perforation during percutaneous nephrolithotomy: Study of risk factors. <i>Urology</i> , 2006, 67, 937-941. | 0.5 | 118 |
| 142 | Percutaneous treatment of large upper tract stones after urinary diversion. <i>Urology</i> , 2006, 68, 500-504. | 0.5 | 61 |
| 143 | Predictors of Success after Extracorporeal Shock Wave Lithotripsy (ESWL) for Renal Calculi Between 20â€³30 mm: A Multivariate Analysis Model. <i>Scientific World Journal, The</i> , 2006, 6, 2388-2395. | 0.8 | 27 |
| 144 | Laparoscopic Adrenalectomy: A Single-Center Experience of 43 Cases. <i>Journal of Endourology</i> , 2005, 19, 1170-1173. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Laparoscopic Excision of Prostatic Hydatid Cyst: Case Report and Review of Literature. Journal of Endourology, 2005, 19, 290-294. | 1.1 | 6 |
| 146 | Extracorporeal shock wave lithotripsy of upper urinary tract calculi in patients with cystectomy and urinary diversion. Urology, 2005, 66, 510-513. | 0.5 | 38 |
| 147 | Role of multiphasic helical computed tomography in planning surgical treatment for pelvi-ureteric junction obstruction. BJU International, 2004, 94, 582-587. | 1.3 | 23 |
| 148 | Percutaneous nephrolithotomy in treatment of large stones within horseshoe kidneys. Urology, 2004, 64, 426-429. | 0.5 | 87 |
| 149 | Bilharzial Pyelitis: A Rare Cause of Secondary Ureteropelvic Junction Obstruction. Journal of Urology, 2003, 170, 1946-1947. | 0.2 | 6 |