Tatjana Schütz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11329477/publications.pdf

Version: 2024-02-01

23 papers 2,440 citations

430874 18 h-index 642732 23 g-index

25 all docs

25 docs citations

25 times ranked

2702 citing authors

#	Article	IF	Citations
1	Endoscopic Bariatric Treatment with Duodenal-Jejunal Bypass Liner Improves Non-invasive Markers of Non-alcoholic Steatohepatitis. Obesity Surgery, 2022, 32, 2495-2503.	2.1	6
2	ESPEN practical guideline: Clinical nutrition in liver disease. Clinical Nutrition, 2020, 39, 3533-3562.	5.0	170
3	Adiposity Related Brain Plasticity Induced by Bariatric Surgery. Frontiers in Human Neuroscience, 2019, 13, 290.	2.0	6
4	ESPEN guideline on clinical nutrition in liver disease. Clinical Nutrition, 2019, 38, 485-521.	5.0	387
5	Roux-en-Y gastric bypass surgery progressively alters radiologic measures of hypothalamic inflammation in obese patients. JCI Insight, 2019, 4, .	5.0	12
6	Gastric-bypass surgery induced widespread neural plasticity of the obese human brain. NeuroImage, 2018, 172, 853-863.	4.2	30
7	Age and gender specific estimation of visceral adipose tissue amounts from radiological images in morbidly obese patients. Scientific Reports, 2016, 6, 22261.	3.3	19
8	To eat or not to eat? Indicators for reduced food intake in 91,245 patients hospitalized on nutritionDays 2006–2014 in 56 countries worldwide: a descriptive analysis. American Journal of Clinical Nutrition, 2016, 104, 1393-1402.	4.7	56
9	Predictive accuracy of single―and multiâ€slice MRI for the estimation of total visceral adipose tissue in overweight to severely obese patients. NMR in Biomedicine, 2015, 28, 583-590.	2.8	43
10	Evaluation of Transient Elastography, Acoustic Radiation Force Impulse Imaging (ARFI), and Enhanced Liver Function (ELF) Score for Detection of Fibrosis in Morbidly Obese Patients. PLoS ONE, 2015, 10, e0141649.	2.5	47
11	Outcome models in clinical studies: Implications for designing and evaluating trials in clinical nutrition. Clinical Nutrition, 2013, 32, 650-657.	5.0	23
12	Software for automated MRIâ€based quantification of abdominal fat and preliminary evaluation in morbidly obese patients. Journal of Magnetic Resonance Imaging, 2013, 37, 1144-1150.	3.4	41
13	Care problems and nursing interventions related to oral intake in German Nursing homes and hospitals: A descriptive mulitcentre study. International Journal of Nursing Studies, 2012, 49, 378-385.	5.6	24
14	Weight gain in long-term survivors of kidney or liver transplantationâ€"Another paradigm of sarcopenic obesity?. Nutrition, 2012, 28, 378-383.	2.4	71
15	Branched-chain amino acids in liver disease: new aspects of long known phenomena. Current Opinion in Clinical Nutrition and Metabolic Care, 2011, 14, 61-66.	2.5	22
16	ESPEN–Guidelines–Parenteral–Hepatology. Clinical Nutrition, 2011, 30, 132-132.	5.0	0
17	How nutritional risk is assessed and managed in European hospitals: A survey of 21,007 patients findings from the 2007–2008 cross-sectional nutritionDay survey. Clinical Nutrition, 2010, 29, 552-559.	5.0	228
18	ESPEN Guidelines on Parenteral Nutrition: Hepatology. Clinical Nutrition, 2009, 28, 436-444.	5.0	222

#	Article	IF	CITATION
19	The German hospital malnutrition study. Clinical Nutrition, 2006, 25, 563-572.	5.0	604
20	The Subjective Global Assessment reliably identifies malnutrition-related muscle dysfunction. Clinical Nutrition, 2005, 24, 143-150.	5.0	124
21	Clinical practice of nutrition in acute liver failure?a European survey. Clinical Nutrition, 2004, 23, 975-982.	5.0	55
22	Weight gain after transjugular intrahepatic portosystemic shunt is associated with improvement in body composition in malnourished patients with cirrhosis and hypermetabolism. Journal of Hepatology, 2004, 40, 228-233.	3.7	114
23	Prevalence of Malnutrition in Hospitalized Medical Patients: Impact of Underlying Disease. Digestive Diseases, 2003, 21, 245-251.	1.9	129