

J R Depaulo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11329587/publications.pdf>

Version: 2024-02-01

45
papers

4,094
citations

126858

33
h-index

254106

43
g-index

46
all docs

46
docs citations

46
times ranked

3527
citing authors

#	ARTICLE	IF	CITATIONS
1	Family-based association study of 76 candidate genes in bipolar disorder: BDNF is a potential risk locus. <i>Molecular Psychiatry</i> , 2002, 7, 579-593.	4.1	541
2	Evidence for linkage of bipolar disorder to chromosome 18 with a parent-of-origin effect. <i>American Journal of Human Genetics</i> , 1995, 57, 1384-94.	2.6	289
3	Genome-wide association study of recurrent early-onset major depressive disorder. <i>Molecular Psychiatry</i> , 2011, 16, 193-201.	4.1	243
4	Anticipation in bipolar affective disorder. <i>American Journal of Human Genetics</i> , 1993, 53, 385-90.	2.6	186
5	Patterns of maternal transmission in bipolar affective disorder. <i>American Journal of Human Genetics</i> , 1995, 56, 1277-86.	2.6	174
6	Influence of clinical subtype, sex, and lineality on age at onset of major affective disorder in a family sample. <i>American Journal of Psychiatry</i> , 1994, 151, 210-215.	4.0	173
7	Psychiatric disturbances in neurological patients: Detection, recognition, and Hospital Course. <i>Annals of Neurology</i> , 1978, 4, 225-228.	2.8	150
8	Initial genome scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 1, 6, 8, 10, and 12. <i>American Journal of Medical Genetics Part A</i> , 1997, 74, 247-253.	2.4	145
9	Lateral ventricular enlargement associated with persistent unemployment and negative symptoms in both schizophrenia and bipolar disorder. <i>Psychiatry Research</i> , 1984, 12, 1-9.	1.7	140
10	The Familial Aggregation of Psychotic Symptoms in Bipolar Disorder Pedigrees. <i>American Journal of Psychiatry</i> , 2001, 158, 1258-1264.	4.0	138
11	Initial Genome Scan of the NIMH Genetics Initiative Bipolar Pedigrees: Chromosomes 4, 7, 9, 18, 19, 20, and 21q. , 1997, 74, 254-262.		133
12	Findings in an independent sample support an association between bipolar affective disorder and the G72/G30 locus on chromosome 13q33. <i>Molecular Psychiatry</i> , 2004, 9, 87-92.	4.1	125
13	Co-morbid anxiety disorders in bipolar disorder and major depression: familial aggregation and clinical characteristics of co-morbid panic disorder, social phobia, specific phobia and obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2012, 42, 1449-1459.	2.7	112
14	Attempted Suicide and Alcoholism in Bipolar Disorder: Clinical and Familial Relationships. <i>American Journal of Psychiatry</i> , 2000, 157, 2048-2050.	4.0	104
15	Bipolar II: the most common bipolar phenotype?. <i>American Journal of Psychiatry</i> , 1993, 150, 901-903.	4.0	101
16	Linkage of Bipolar Affective Disorder to Chromosome 18 Markers in a New Pedigree Series. <i>American Journal of Human Genetics</i> , 1997, 61, 1397-1404.	2.6	101
17	Psychiatric screening on a neurological ward. <i>Psychological Medicine</i> , 1980, 10, 125-132.	2.7	97
18	Panic disorder with familial bipolar disorder. <i>Biological Psychiatry</i> , 1997, 42, 90-95.	0.7	97

#	ARTICLE	IF	CITATIONS
19	A Novel, Heritable, Expanding CTG Repeat in an Intron of the SEF2-1 Gene on Chromosome 18q21.1. <i>Human Molecular Genetics</i> , 1997, 6, 1855-1863.	1.4	96
20	Linkage of Bipolar Disorder to Chromosome 18q and the Validity of Bipolar II Disorder. <i>Archives of General Psychiatry</i> , 2001, 58, 1025-1031.	13.8	91
21	Clinical correlates of lateral ventricular enlargement in bipolar affective disorder. <i>American Journal of Psychiatry</i> , 1984, 141, 253-256.	4.0	83
22	Full-Genome Scan for Linkage in 50 Families Segregating the Bipolar Affective Disease Phenotype. <i>American Journal of Human Genetics</i> , 2000, 66, 205-215.	2.6	77
23	Bipolar disorder and panic disorder in families: an analysis of chromosome 18 data. <i>American Journal of Psychiatry</i> , 1998, 155, 829-31.	4.0	74
24	Mitochondrial DNA Sequence Diversity in Bipolar Affective Disorder. <i>American Journal of Psychiatry</i> , 2000, 157, 1058-1064.	4.0	71
25	Searching high and low: a review of the genetics of bipolar disorder. <i>Bipolar Disorders</i> , 2000, 2, 8-26.	1.1	66
26	Sex-specific association of the reelin gene with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 549-553.	1.1	55
27	NEDD4L on human chromosome 18q21 has multiple forms of transcripts and is a homologue of the mouse Nedd4-2 gene. <i>European Journal of Human Genetics</i> , 2001, 9, 922-930.	1.4	52
28	GENETICS OF MANIC DEPRESSIVE ILLNESS. <i>Annual Review of Neuroscience</i> , 1997, 20, 355-373.	5.0	46
29	Bipolar II Affective Disorder in Eating Disorder Inpatients. <i>Journal of Nervous and Mental Disease</i> , 1992, 180, 719-722.	0.5	43
30	cDNA cloning of a human homologue of the <i>Caenorhabditis elegans</i> cell fate-determining gene <i>mab-21</i> : expression, chromosomal localization and analysis of a highly polymorphic (CAG) _n trinucleotide repeat. <i>Human Molecular Genetics</i> , 1996, 5, 607-616.	1.4	43
31	Assessment of lineality in bipolar I linkage studies. <i>American Journal of Psychiatry</i> , 1992, 149, 1660-1665.	4.0	41
32	Linkage of bipolar affective disorder on chromosome 8q24: follow-up and parametric analysis. <i>Molecular Psychiatry</i> , 2004, 9, 191-196.	4.1	38
33	Genome-wide linkage scan of 98 bipolar pedigrees and analysis of clinical covariates. <i>Molecular Psychiatry</i> , 2007, 12, 630-639.	4.1	34
34	Initial genomic scan of the NIMH genetics initiative bipolar pedigrees: chromosomes 3, 5, 15, 16, 17, and 22. <i>American Journal of Medical Genetics Part A</i> , 1997, 74, 238-46.	2.4	33
35	Initial genome screen for bipolar disorder in the NIMH genetics initiative pedigrees: chromosomes 2, 11, 13, 14, and X. <i>American Journal of Medical Genetics Part A</i> , 1997, 74, 263-9.	2.4	20
36	Bipolar II disorder in six sisters. <i>Journal of Affective Disorders</i> , 1990, 19, 259-264.	2.0	17

#	ARTICLE	IF	CITATIONS
37	Quantitative analysis of leukocyte mitochondrial DNA deletion in affective disorders. <i>Biological Psychiatry</i> , 1997, 42, 311-316.	0.7	14
38	Allelic distribution of CTG18.1 in Caucasian populations: association studies in bipolar disorder, schizophrenia, and ataxia. <i>Molecular Psychiatry</i> , 2000, 5, 439-442.	4.1	12
39	Therapeutic and Genetic Prospects of an Atypical Affective Disorder. <i>Journal of Clinical Psychopharmacology</i> , 1987, 7, 50S.	0.7	11
40	Novel CAG/CTG repeat expansion mutations do not contribute to the genetic risk for most cases of bipolar disorder or schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2004, 124B, 15-19.	2.4	9
41	Genetic analysis of the (CTG) _n NOTCH4 polymorphism in 65 multiplex bipolar pedigrees. <i>Psychiatric Genetics</i> , 2002, 12, 43-47.	0.6	7
42	A tree-based model for allele-sharing-based linkage analysis in human complex diseases. <i>Genetic Epidemiology</i> , 2006, 30, 155-169.	0.6	6
43	The new genetics of bipolar affective disorder: clinical implications. <i>Clinical Chemistry</i> , 1989, 35, B28-32.	1.5	5
44	Recent developments in the genetics of bipolar disorder. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1996, 61, 783-9.	2.0	1
45	Findings in an independent sample support an association between bipolar affective disorder and the G72/G30 locus on chromosome 13q33. <i>Molecular Psychiatry</i> , 2004, 9, 5-5.	4.1	0