Kshudiram Naskar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11330296/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Coccinia grandis (L.) Voigt Leaf Extract Exhibits Antileishmanial Effect Through Pro-inflammatory Response: An In Vitro Study. Current Microbiology, 2017, 74, 59-67.	2.2	8
2	Protective inflammatory response against visceral leishmaniasis with potato tuber extract: A new approach of successful therapy. Biomedicine and Pharmacotherapy, 2016, 83, 1295-1302.	5.6	13
3	Antimony-Resistant <i>Leishmania donovani</i> Exploits miR-466i To Deactivate Host MyD88 for Regulating IL-10/IL-12 Levels during Early Hours of Infection. Journal of Immunology, 2015, 195, 2731-2742.	0.8	50
4	Class II MHC/Peptide Interaction in <i>Leishmania donovani</i> Infection: Implications in Vaccine Design. Journal of Immunology, 2014, 192, 5873-5880.	0.8	14
5	TLR mediated GSK3Î ² activation suppresses CREB mediated IL-10 production to induce a protective immune response against murine visceral leishmaniasis. Biochimie, 2014, 107, 235-246.	2.6	15
6	Imipramine Exploits Histone Deacetylase 11 To Increase the IL-12/IL-10 Ratio in Macrophages Infected with Antimony-Resistant <i>Leishmania donovani</i> and Clears Organ Parasites in Experimental Infection. Journal of Immunology, 2014, 193, 4083-4094.	0.8	45
7	Heterologous priming–boosting with DNA and vaccinia virus expressing kinetoplastid membrane protein-11 induces potent cellular immune response and confers protection against infection with antimony resistant and sensitive strains of Leishmania (Leishmania) donovani. Vaccine, 2013, 31, 1905-1915	3.8	35
8	Antimony-resistant but not antimony-sensitive <i>Leishmania donovani</i> up-regulates host IL-10 to overexpress multidrug-resistant protein 1. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E575-82.	7.1	79
9	Imipramine Is an Orally Active Drug against Both Antimony Sensitive and Resistant Leishmania donovani Clinical Isolates in Experimental Infection. PLoS Neglected Tropical Diseases, 2012, 6, e1987.	3.0	42
10	Asiaticoside induces tumour-necrosis-factor-α-mediated nitric oxide production to cure experimental visceral leishmaniasis caused by antimony-susceptible and -resistant Leishmania donovani strains. Journal of Antimicrobial Chemotherapy, 2012, 67, 910-920.	3.0	18
11	Hyperlipidemia offers protection against Leishmania donovani infection: role of membrane cholesterol. Journal of Lipid Research, 2012, 53, 2560-2572.	4.2	50
12	Characterisation of antimony-resistant Leishmania donovani isolates: Biochemical and biophysical studies and interaction with host cells. International Journal for Parasitology, 2011, 41, 1311-1321.	3.1	77
13	Designing Therapies against Experimental Visceral Leishmaniasis by Modulating the Membrane Fluidity of Antigen-Presenting Cells. Infection and Immunity, 2009, 77, 2330-2342.	2.2	36
14	Sub-optimal dose of Sodium Antimony Gluconate (SAG)-diperoxovanadate combination clears organ parasites from BALB/c mice infected with antimony resistant Leishmania donovani by expanding antileishmanial T-cell repertoire and increasing IFN-Î ³ to IL-10 ratio. Experimental Parasitology, 2009, 122, 145-154.	1.2	38
15	Complete protection against experimental visceral leishmaniasis with complete soluble antigen from attenuated <i>Leishmania donovani</i> promastigotes involves Th1â€immunity and downâ€regulation of ILâ€10. European Journal of Immunology, 2009, 39, 2146-2160.	2.9	28
16	KMP-11 DNA immunization significantly protects against L. donovani infection but requires exogenous IL-12 as an adjuvant for comparable protection against L. major. Vaccine, 2009, 27, 1306-1316.	3.8	55
17	Hybrid Cell Vaccination Resolves <i>Leishmania donovani</i> Infection by Eliciting a Strong CD8 ⁺ Cytotoxic T-Lymphocyte Response with Concomitant Suppression of Interleukin-10 (IL-10) but Not IL-4 or IL-13. Infection and Immunity, 2007, 75, 5956-5966.	2.2	35
18	Kinetoplastid Membrane Protein-11 DNA Vaccination Induces Complete Protection against Both Pentavalent Antimonial-Sensitive and -Resistant Strains of <i>Leishmania donovani</i> That Correlates with Inducible Nitric Oxide Synthase Activity and IL-4 Generation: Evidence for Mixed Th1- and Th2-Like Responses in Visceral Leishmaniasis. Journal of Immunology, 2005, 174, 7160-7171.	0.8	232

#	Article	IF	CITATIONS
19	Direct enzyme-linked immunosorbent assay: A simple immunoassay usingleishmania donovani promastigote for diagnosis of kala-azar. Journal of Clinical Laboratory Analysis, 1991, 5, 299-301.	2.1	3
20	Evaluation of direct agglutination test (dat) and elisa for serodiagnosis of visceral leishmaniasis in india. Journal of Clinical Laboratory Analysis, 1991, 5, 303-306.	2.1	18
21	Leishmania donovani: A Chemically Defined Medium Suitable for Cultivation and Cloning of Promastigotes and Transformation of Amastigotes to Promastigotes. Journal of Protozoology, 1990, 37, 277-279.	0.8	38