

Matthew W Kelley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1133491/publications.pdf>

Version: 2024-02-01

35
papers

2,645
citations

279798

23
h-index

395702

33
g-index

38
all docs

38
docs citations

38
times ranked

2320
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification and characterization of key long non-coding RNAs in the mouse cochlea. <i>RNA Biology</i> , 2021, 18, 1160-1169.	3.1	4
2	gEAR: Gene Expression Analysis Resource portal for community-driven, multi-omic data exploration. <i>Nature Methods</i> , 2021, 18, 843-844.	19.0	100
3	Assessment of auditory and vestibular damage in a mouse model after single and triple blast exposures. <i>Hearing Research</i> , 2021, 407, 108292.	2.0	6
4	Spectrum of genes for inherited hearing loss in the Israeli Jewish population, including the novel human deafness gene <i>ATOH1</i> . <i>Clinical Genetics</i> , 2020, 98, 353-364.	2.0	15
5	YAP Mediates Hair Cell Regeneration in Balance Organs of Chickens, But LATS Kinases Suppress Its Activity in Mice. <i>Journal of Neuroscience</i> , 2020, 40, 3915-3932.	3.6	24
6	Characterization of the development of the mouse cochlear epithelium at the single cell level. <i>Nature Communications</i> , 2020, 11, 2389.	12.8	241
7	Blast-induced hearing impairment in rats is associated with structural and molecular changes of the inner ear. <i>Scientific Reports</i> , 2020, 10, 10652.	3.3	11
8	Single Cell Sequencing of the Pineal Gland: The Next Chapter. <i>Frontiers in Endocrinology</i> , 2019, 10, 590.	3.5	8
9	Helios is a key transcriptional regulator of outer hair cell maturation. <i>Nature</i> , 2018, 563, 696-700.	27.8	90
10	Single-cell RNA sequencing of the mammalian pineal gland identifies two pinealocyte subtypes and cell type-specific daily patterns of gene expression. <i>PLoS ONE</i> , 2018, 13, e0205883.	2.5	38
11	Molecular architecture underlying fluid absorption by the developing inner ear. <i>ELife</i> , 2017, 6, .	6.0	43
12	Role of Neuropilin-1/Semaphorin-3A signaling in the functional and morphological integrity of the cochlea. <i>PLoS Genetics</i> , 2017, 13, e1007048.	3.5	16
13	Cell migration, intercalation, and growth regulates mammalian cochlear extension. <i>Development (Cambridge)</i> , 2017, 144, 3766-3776.	2.5	39
14	Ciliary proteins Bbs8 and Ift20 promote planar cell polarity in the cochlea. <i>Development (Cambridge)</i> , 2015, 142, 555-566.	2.5	63
15	Single-cell RNA-Seq resolves cellular complexity in sensory organs from the neonatal inner ear. <i>Nature Communications</i> , 2015, 6, 8557.	12.8	247
16	Neuropilin-2/Semaphorin-3F-mediated repulsion promotes inner hair cell innervation by spiral ganglion neurons. <i>ELife</i> , 2015, 4, .	6.0	53
17	Expression of insulin-like growth factor binding proteins during mouse cochlear development. <i>Developmental Dynamics</i> , 2013, 242, 1210-1221.	1.8	16
18	Making connections in the inner ear: Recent insights into the development of spiral ganglion neurons and their connectivity with sensory hair cells. <i>Seminars in Cell and Developmental Biology</i> , 2013, 24, 460-469.	5.0	71

#	ARTICLE	IF	CITATIONS
19	The Atoh1-lineage gives rise to hair cells and supporting cells within the mammalian cochlea. <i>Developmental Biology</i> , 2013, 376, 86-98.	2.0	118
20	Molecular Mechanisms of Inner Ear Development. <i>Cold Spring Harbor Perspectives in Biology</i> , 2012, 4, a008409-a008409.	5.5	171
21	Development of tonotopy in the auditory periphery. <i>Hearing Research</i> , 2011, 276, 2-15.	2.0	85
22	Insulin-Like Growth Factor Signaling Regulates the Timing of Sensory Cell Differentiation in the Mouse Cochlea. <i>Journal of Neuroscience</i> , 2011, 31, 18104-18118.	3.6	61
23	Regulation of cell fate and patterning in the developing mammalian cochlea. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2009, 17, 381-387.	1.8	30
24	Leading Wnt down a PCP Path: Cthrc1 Acts as a Coreceptor in the Wnt-PCP Pathway. <i>Developmental Cell</i> , 2008, 15, 7-8.	7.0	16
25	Hedgehog Signaling Regulates Sensory Cell Formation and Auditory Function in Mice and Humans. <i>Journal of Neuroscience</i> , 2008, 28, 7350-7358.	3.6	103
26	Sox2 signaling in prosensory domain specification and subsequent hair cell differentiation in the developing cochlea. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18396-18401.	7.1	313
27	Cellular commitment and differentiation in the organ of Corti. <i>International Journal of Developmental Biology</i> , 2007, 51, 571-583.	0.6	89
28	Lhx3, a LIM domain transcription factor, is regulated by Pou4f3 in the auditory but not in the vestibular system. <i>European Journal of Neuroscience</i> , 2007, 25, 999-1005.	2.6	60
29	Regulation of cell fate in the sensory epithelia of the inner ear. <i>Nature Reviews Neuroscience</i> , 2006, 7, 837-849.	10.2	290
30	Hair cell development: Commitment through differentiation. <i>Brain Research</i> , 2006, 1091, 172-185.	2.2	42
31	Cell Adhesion Molecules during Inner Ear and Hair Cell Development, Including Notch and Its Ligands. <i>Current Topics in Developmental Biology</i> , 2003, 57, 321-356.	2.2	38
32	Analysis of Nuclear Receptor Function in the Mouse Auditory System. <i>Methods in Enzymology</i> , 2003, 364, 426-448.	1.0	0
33	Fibroblast Growth Factor Signaling Regulates Pillar Cell Development in the Organ of Corti. <i>Journal of Neuroscience</i> , 2002, 22, 9368-9377.	3.6	117
34	Determination and Commitment of Mechanosensory Hair Cells. <i>Scientific World Journal</i> , The, 2002, 2, 1079-1094.	2.1	8
35	Cochlear Development; New Tools and Approaches. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	3.7	7