

Ho-Hsiung Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1134949/ho-hsiung-lin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

2,963
citations

31
h-index

48
g-index

154
ext. papers

3,351
ext. citations

3.9
avg, IF

4.88
L-index

#	Paper	IF	Citations
146	Predictors of cure and overactive bladder syndrome after a mid-urethral sling procedure in women with stress urinary incontinence.. <i>Maturitas</i> , 2022 , 156, 18-24	5	0
145	Factors affecting clinical outcomes in women with non-gastric gastrointestinal stromal tumors.. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022 , 61, 306-311	1.6	
144	Cumulative incidence of urinary incontinence and associated factors during pregnancy and after childbirth: a cohort study. <i>International Urogynecology Journal</i> , 2021 , 1	2	1
143	Prevalence and predictors of nocturnal polyuria in females with overactive bladder syndrome. <i>World Journal of Urology</i> , 2021 , 1	4	0
142	Risk factors for stress and urge urinary incontinence during pregnancy and the first year postpartum: a prospective longitudinal study. <i>International Urogynecology Journal</i> , 2021 , 32, 2455-2464	2	2
141	Robotic or laparoscopic treatment of cesarean scar defects or cesarean scar pregnancies with a uterine sound guidance. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021 , 60, 821-826	1.6	0
140	Comparison of vascularization and overall perfusion of the bladder wall between women with and without overactive bladder syndrome. <i>Scientific Reports</i> , 2020 , 10, 7549	4.9	0
139	Predictors of an improvement in the severity of concomitant urodynamic stress incontinence after transvaginal mesh surgery for pelvic organ prolapse. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 917-924	3.2	2
138	Clinical and Urodynamic Predictors of the Q-Tip Test in Women With Lower Urinary Tract Symptoms. <i>International Neurourology Journal</i> , 2020 , 24, 52-58	2.6	4
137	Disastrous delayed postpartum hemorrhage after 3 days of Shenghua decoction treatment. <i>Tzu Chi Medical Journal</i> , 2020 , 32, 298-300	1.1	
136	Comparison of the vault prolapse rate after vaginal hysterectomy with or without residual uterine ligament ligations: A retrospective cohort study. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 805-812	3.2	4
135	Prevalence of detrusor underactivity and bladder outlet obstruction in women with cystocele and changes in voiding function after cystocele repair. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 1764-1771	3.2	1
134	Test-retest reliability of the 20-min pad test with infusion of strong-desired volume in the bladder for female urodynamic stress incontinence. <i>Scientific Reports</i> , 2020 , 10, 18472	4.9	0
133	Predictors of Survival in Women with High-Risk Endometrial Cancer and Comparisons of Sandwich versus Concurrent Adjuvant Chemotherapy and Radiotherapy. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
132	Comparison of clinical outcomes between tailored transvaginal mesh surgery and native tissue repair for pelvic organ prolapse. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 1623-1632	3.2	5
131	Impairment of urethral coitus due to mid-urethral sling in a woman with vaginal agenesis. <i>International Urogynecology Journal</i> , 2019 , 30, 1383-1385	2	1
130	The probability of re-treatment after discontinuation of a 3-month versus a 6-month course of solifenacin for female overactive bladder: A prospective randomized controlled study. <i>Maturitas</i> , 2019 , 126, 11-17	5	1

129	Predictors of Lymphoceles in Women Who Underwent Laparotomic Retroperitoneal Lymph Node Dissection for Early Gynecologic Cancer: A Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
128	Manual versus Pump Infusion of Distending Media for Hysteroscopic Procedures: A Randomized Controlled Trial. <i>Scientific Reports</i> , 2019 , 9, 14943	4.9	2
127	Urodynamic and Bladder Diary Factors Predict Overactive Bladder-wet in Women: A Comparison With Overactive Bladder-dry. <i>International Neurourology Journal</i> , 2019 , 23, 69-74	2.6	10
126	Predictors of subsequent pregnancy in women who underwent laparoscopic cornuostomy or laparoscopic wedge resection for interstitial pregnancy. <i>Journal of the Chinese Medical Association</i> , 2019 , 82, 138-142	2.8	8
125	Factors Predicting Persistent Ectopic Pregnancy After Laparoscopic Salpingostomy or Salpingotomy for Tubal Pregnancy: A Retrospective Cohort Study. <i>Journal of Minimally Invasive Gynecology</i> , 2019 , 26, 1036-1043	2.2	4
124	Medical treatment of female overactive bladder syndrome and treatment-related effects. <i>Journal of the Formosan Medical Association</i> , 2018 , 117, 871-878	3.2	7
123	Sexual dysfunction predicts depressive symptoms during the first 2 years postpartum. <i>Women and Birth</i> , 2018 , 31, e403-e411	3.3	6
122	Treatment Outcome of Overactive Bladder Patients Receiving Antimuscarinic Therapy for More than One Year. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 21-26	1.9	2
121	Comparisons of the Clinical Outcomes and Urodynamic Effects of Mirabegron versus Tolterodine Treatment for Female Overactive Bladder Syndrome: A Subgroup Analysis of a Controlled, Randomised, Prospective Study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 215-220	1.9	4
120	Risk factors for coexistence of cervical elongation in uterine prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 229, 94-97	2.4	7
119	Successful treatment of maternal listeria monocytogenes bacteremia in the first trimester of pregnancy: A case report and literature review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2018 , 57, 462-463	1.6	5
118	Impact of the mid-urethral sling for stress urinary incontinence on female sexual function and their partners' sexual activity. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2018 , 57, 853-857	1.6	5
117	Comparison of robotic assisted laparoscopic myomectomy with barbed sutures and traditional laparoscopic myomectomy with barbed sutures. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2018 , 57, 709-712	1.6	4
116	Spontaneous transvaginal ileum evisceration: a case report. <i>International Urogynecology Journal</i> , 2017 , 28, 1107-1108	2	
115	Successful treatment of gestational trophoblastic neoplasia in the uterine cornus with laparoscopic cornuostomy and postoperative methotrexate injection. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017 , 56, 261-263	1.6	4
114	The impact of situation-background-assessment-recommendation (SBAR) on safety attitudes in the obstetrics department. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017 , 56, 171-174	1.6	17
113	Optimizing Laparoscopically Extracorporeal Knot Tying Using a Novel Pusher Device. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2017 , 27, e31-e35	1.3	2
112	Urodynamic prognostic factors for large post-void residual urine volume after intravesical injection of onabotulinumtoxinA for overactive bladder. <i>Scientific Reports</i> , 2017 , 7, 43753	4.9	10

111	Tolterodine treatment of women with overactive bladder syndrome: Comparison of night-time and daytime dosing for nocturia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 1719-1725	1.9	3
110	Videourodynamic Studies of Women with Voiding Dysfunction. <i>Scientific Reports</i> , 2017 , 7, 6845	4.9	33
109	Frequent nocturia episodes, a suboptimal response to treatment, and small bladder capacity predict the need for persistent antimuscarinic therapy or re-treatment after discontinuation of antimuscarinics in female overactive bladder. <i>Menopause</i> , 2017 , 24, 100-104	2.5	5
108	Effects of laser procedure for female urodynamic stress incontinence on pad weight, urodynamics, and sexual function. <i>International Urogynecology Journal</i> , 2017 , 28, 469-476	2	53
107	GALNT6 expression enhances aggressive phenotypes of ovarian cancer cells by regulating EGFR activity. <i>Oncotarget</i> , 2017 , 8, 42588-42601	3.3	23
106	MUC20 promotes aggressive phenotypes of epithelial ovarian cancer cells via activation of the integrin β pathway. <i>Gynecologic Oncology</i> , 2016 , 140, 131-7	4.9	24
105	Factors Associated with Therapeutic Efficacy of Intravesical OnabotulinumtoxinA Injection for Overactive Bladder Syndrome. <i>PLoS ONE</i> , 2016 , 11, e0147137	3.7	20
104	Clinical and urodynamic effects of baclofen in women with functional bladder outlet obstruction: Preliminary report. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 560-5	1.9	14
103	Impact of clinical audits on cesarean section rate. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016 , 55, 530-3	1.6	8
102	Safety and efficacy of manual syringe infusion of distending media for hysteroscopic procedures: a case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 191, 112-5 ^{2.4}	2.4	3
101	Results of a randomized, double-blind, placebo-controlled study of mirabegron in a Taiwanese population with overactive bladder and comparison with other clinical trials. <i>Urological Science</i> , 2015 , 26, 41-48	0.3	3
100	Factors influencing the abortion interval of second trimester pregnancy termination using misoprostol. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015 , 54, 408-11	1.6	4
99	Integrating laparoscopic intracorporeal suturing and knot tying into a single procedure using a novel knotting device. <i>Journal of the American College of Surgeons</i> , 2015 , 220, e1-5	4.4	13
98	Clinical Outcomes and Urodynamic Effects of Tailored Transvaginal Mesh Surgery for Pelvic Organ Prolapse. <i>BioMed Research International</i> , 2015 , 2015, 191258	3	7
97	Gastrointestinal stromal tumor mimicking ovarian malignancy in a woman with type I neurofibromatosis. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015 , 54, 330-1	1.6	5
96	Duration of Antimuscarinic Administration for Treatment of Overactive Bladder Before Which One Can Assess Efficacy: An Analysis of Predictive Factors. <i>International Neurourology Journal</i> , 2015 , 19, 171-7 ^{2.6}	2.6	11
95	A repeated measures study of changes in health-related quality of life during pregnancy and the relationship with obstetric factors. <i>Journal of Advanced Nursing</i> , 2014 , 70, 2245-56	3.1	31
94	Autonomic dysfunction and arterial stiffness in female overactive bladder patients and antimuscarinics related effects. <i>Maturitas</i> , 2014 , 79, 65-9	5	15

93	Psychometric assessment of female overactive bladder syndrome and antimuscarinics-related effects. <i>Maturitas</i> , 2014 , 79, 428-34	5	11
92	Utilizing preoperative 20-minute pad testing with vaginal gauze packing for indicating concomitant midurethral sling during cystocele repair. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 172, 127-30	2.4	15
91	Factors associated with a better therapeutic effect of solifenacin in patients with overactive bladder syndrome. <i>Neurourology and Urodynamics</i> , 2014 , 33, 331-4	2.3	14
90	Association of mode of delivery with urinary incontinence and changes in urinary incontinence over the first year postpartum. <i>Obstetrics and Gynecology</i> , 2014 , 123, 568-577	4.9	23
89	MUC20 overexpression predicts poor prognosis and enhances EGF-induced malignant phenotypes via activation of the EGFR-STAT3 pathway in endometrial cancer. <i>Gynecologic Oncology</i> , 2013 , 128, 560-7	4.9	28
88	International Prostate Symptom Score for assessing lower urinary tract dysfunction in women. <i>International Urogynecology Journal</i> , 2013 , 24, 263-7	2	41
87	Borderline mucinous ovarian tumor presenting as pseudo-Meigs syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 434-6	1.9	1
86	Factors associated with fecal incontinence in women with lower urinary tract symptoms. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 250-5	1.9	5
85	Robot-assisted laparoscopic removal of an unseparated non-communicating rudimentary uterine horn. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 168, 237-8	2.4	1
84	Comparison of robot-assisted laparoscopic myomectomy and traditional laparoscopic myomectomy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 1024-9	1.9	19
83	Non HPV-related cervical squamous cell carcinoma with unusual histologic characteristics mimicking a giant immature condyloma: a case report. <i>Journal of Clinical Pathology</i> , 2013 , 66, 823-5	3.9	3
82	Evaluation of bladder diary parameters based on correlation with the volume at strong desire to void in filling cystometry. <i>PLoS ONE</i> , 2013 , 8, e69946	3.7	13
81	Doppler ureteric jet in urogenital prolapse. <i>International Urogynecology Journal</i> , 2012 , 23, 49-56	2	1
80	Laparoscopic intracorporeal knot tying using a novel device. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 872-6	5.2	4
79	Exercise adherence to pelvic floor muscle strengthening is not a significant predictor of symptom reduction for women with urinary incontinence. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1795-800	2.8	14
78	The role of serum C-reactive protein in women with lower urinary tract symptoms. <i>International Urogynecology Journal</i> , 2012 , 23, 935-40	2	31
77	Severe intra-abdominal bleeding from neglected omental implantation of ectopic tissue after methotrexate treatment for persistent ectopic pregnancy. <i>Fertility and Sterility</i> , 2011 , 95, 2435.e1-3	4.8	7
76	Transvaginal cystocele repair using pursestring technique reinforced with custom-tailored two-armed mesh. <i>Urology</i> , 2011 , 78, 1275-80	1.6	10

75	Efficacy, Safety and Tolerability of Fesoterodine in Asian Patients with Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2011 , 3, 43-50	1.9	17
74	Changes in urodynamic parameters after tolterodine treatment for female overactive bladder syndrome with or without voiding dysfunction. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 436-41	1.9	5
73	Comparisons of urodynamic effects, therapeutic efficacy and safety of solifenacin versus tolterodine for female overactive bladder syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1084-91	1.9	26
72	A Taiwanese version of the International Consultation on Incontinence Questionnaire--Urinary Incontinence Short Form for pregnant women: instrument validation. <i>Journal of Clinical Nursing</i> , 2011 , 20, 714-22	3.2	11
71	Comparison of overall sexual function, sexual intercourse/activity, sexual satisfaction, and sexual desire during the three trimesters of pregnancy and assessment of their determinants. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2859-67	1.1	30
70	Comparison of the effects of episiotomy and no episiotomy on pain, urinary incontinence, and sexual function 3 months postpartum: a prospective follow-up study. <i>International Journal of Nursing Studies</i> , 2011 , 48, 409-18	5.8	58
69	Effect of pelvic-floor muscle strengthening on bladder neck mobility: a clinical trial. <i>Physical Therapy</i> , 2011 , 91, 1030-8	3.3	25
68	Solifenacin and tolterodine are equally effective in the treatment of overactive bladder symptoms. <i>Journal of the Formosan Medical Association</i> , 2010 , 109, 702-8	3.2	17
67	An alternative intervention for urinary incontinence: retraining diaphragmatic, deep abdominal and pelvic floor muscle coordinated function. <i>Manual Therapy</i> , 2010 , 15, 273-9		65
66	Sexual function in women 3 days and 6 weeks after childbirth: a prospective longitudinal study using the Taiwan version of the Female Sexual Function Index. <i>Journal of Sexual Medicine</i> , 2010 , 7, 3946-56	1.1	20
65	Phase II trial of carboplatin and distearoylphosphatidylcholine pegylated liposomal doxorubicin (Lipo-Dox) in recurrent platinum-sensitive ovarian cancer following front-line therapy with paclitaxel and platinum. <i>Gynecologic Oncology</i> , 2009 , 112, 35-9	4.9	15
64	Developing and validating a Taiwan version of the female sexual function index for pregnant women. <i>Journal of Sexual Medicine</i> , 2009 , 6, 1609-1616	1.1	48
63	Risk factors affecting cure after mid-urethral tape procedure for female urodynamic stress incontinence: comparison of retropubic and transobturator routes. <i>Urology</i> , 2009 , 73, 981-6	1.6	33
62	Bone metastasis as the initial presentation in one case of ovarian cancer with two components of endometrioid adenocarcinoma and adenosarcoma. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2009 , 48, 298-301	1.6	12
61	Twenty-minute pad test: comparison of infusion of 250 ml of water with strong-desire amount in the bladder in women with stress urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008 , 136, 121-5	2.4	18
60	Cytokine regulation networks in the cancer microenvironment. <i>Frontiers in Bioscience - Landmark</i> , 2008 , 13, 6255-68	2.8	66
59	Sequential assessment of urodynamic findings before and after transobturator tape procedure for female urodynamic stress incontinence. <i>International Urogynecology Journal</i> , 2008 , 19, 627-32	2	15
58	Sequential comparisons of postoperative urodynamic changes between retropubic and transobturator midurethral tape procedures. <i>World Journal of Urology</i> , 2008 , 26, 643-8	4	16

57	Folic acid prevents neural tube defects: international comparison of awareness among obstetricians/gynecologists and urologists. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007 , 33, 63-7		3
56	Immune concept of human papillomaviruses and related antigens in local cancer milieu of human cervical neoplasia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007 , 33, 103-13		34
55	Comparison of recurrence rates after anterior colporrhaphy for cystocele using three different surgical techniques. <i>Gynecologic and Obstetric Investigation</i> , 2007 , 63, 214-21	2.5	6
54	Comparison of 20-minute pad test versus 1-hour pad test in women with stress urinary incontinence. <i>Urology</i> , 2006 , 68, 764-8	1.6	31
53	Hepatitis B post-partum e antigen clearance in hepatitis B carrier mothers: Correlation with viral characteristics. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 605-9	4	48
52	Giant Cervical Polyps: Report of two Cases and Literature Review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2005 , 44, 65-68	1.6	2
51	Integration of high-risk human papillomavirus DNA correlates with HLA genotype aberration and reduced HLA class I molecule expression in human cervical carcinoma. <i>Clinical Immunology</i> , 2005 , 115, 295-301	9	16
50	Up-regulation of inhibitory natural killer receptors CD94/NKG2A with suppressed intracellular perforin expression of tumor-infiltrating CD8+ T lymphocytes in human cervical carcinoma. <i>Cancer Research</i> , 2005 , 65, 2921-9	10.1	86
49	Sequential assessment of urodynamic findings before and after tension-free vaginal tape (TVT) operation for female genuine stress incontinence. <i>European Urology</i> , 2004 , 45, 362-6; discussion 366	10.2	19
48	Impact of radical hysterectomy for cervical cancer on urodynamic findings. <i>International Urogynecology Journal</i> , 2004 , 15, 418-21; discussion 421	2	16
47	Comparisons of urodynamic characteristics between female patients with overactive bladder and overactive bladder plus stress urinary incontinence. <i>Urology</i> , 2004 , 64, 945-9	1.6	18
46	Perinatal Transmission of Hepatitis Viruses: The Possible Mechanisms. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2004 , 43, 1-4	1.6	4
45	Secular trend of age-specific prevalence of hepatitis B surface and e antigenemia in pregnant women in Taiwan. <i>Journal of Medical Virology</i> , 2003 , 69, 466-70	19.7	41
44	Urodynamically age-specific prevalence of urinary incontinence in women with urinary symptoms. <i>Neurourology and Urodynamics</i> , 2003 , 22, 29-32	2.3	13
43	Increased expression and activation of gelatinolytic matrix metalloproteinases is associated with the progression and recurrence of human cervical cancer. <i>Cancer Research</i> , 2003 , 63, 6537-42	10.1	71
42	Early acquisition of TT virus in infants: possible minor role of maternal transmission. <i>Journal of Medical Virology</i> , 2002 , 66, 285-90	19.7	21
41	Importance of urodynamic study before radical hysterectomy for cervical cancer. <i>Gynecologic Oncology</i> , 2001 , 81, 270-2	4.9	97
40	Mother-to-child HCV transmission. <i>Lancet, The</i> , 2001 , 357, 142-3	40	3

39	Effectiveness of second- and third-generation immunoassays for the detection of hepatitis C virus infection in pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2000 , 26, 265-70		3
38	Hepatitis C virus load during pregnancy and puerperium. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000 , 107, 1503-6	3.7	18
37	Comparison of treatment outcomes for imipramine for female genuine stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999 , 106, 1089-92	3.7	47
36	Hepatitis B surface antigenemia at birth: a long-term follow-up study. <i>Journal of Pediatrics</i> , 1998 , 133, 374-7	3.6	97
35	Antibodies to E2 protein of hepatitis G virus in children: different responses according to age at infection. <i>Journal of Pediatrics</i> , 1998 , 133, 382-5	3.6	19
34	Evolution of hepatitis C virus quasispecies in mothers and infants infected through mother-to-infant transmission. <i>Journal of Hepatology</i> , 1997 , 26, 967-74	13.4	35
33	Adenomyosis in the broad ligament and tamoxifen: report of a case. <i>Journal of Obstetrics and Gynaecology Research</i> , 1997 , 23, 69-73		6
32	The potential of serum levels of soluble tumour necrosis factor receptor I as a biochemical marker in cervical cancer. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997 , 104, 1314-9	3.7	2
31	Comparison of endometrial changes among symptomatic tamoxifen-treated and nontreated premenopausal and postmenopausal breast cancer patients. <i>Gynecologic Oncology</i> , 1997 , 66, 233-7	4.9	106
30	Least microtransfusion from mother to fetus in elective cesarean delivery. <i>Obstetrics and Gynecology</i> , 1996 , 87, 244-8	4.9	47
29	Risk factors for recurrence in patients with stage IB, IIA, and IIB cervical carcinoma after radical hysterectomy and postoperative pelvic irradiation. <i>Obstetrics and Gynecology</i> , 1996 , 88, 274-9	4.9	32
28	Mechanism of vertical transmission of hepatitis G. <i>Lancet, The</i> , 1996 , 347, 1116	4.0	20
27	The role of transplacental hepatitis B core antibody in the mother-to-infant transmission of hepatitis B virus. <i>Journal of Hepatology</i> , 1996 , 24, 674-9	13.4	22
26	Serotyping of hepatitis C virus in chronic type C hepatitis in Taiwan: correlation with genotypes. <i>Journal of Gastroenterology</i> , 1996 , 31, 224-7	6.9	18
25	Paget's disease of the vulva: report of five cases. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996 , 75, 946-9	3.8	1
24	Is total abdominal hysterectomy with bilateral salpingo-oophorectomy adequate for new FIGO stage I endometrial carcinoma?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1995 , 102, 148-52	3.7	8
23	Successful conservative management of placenta percreta with rectal involvement in a primigravida. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995 , 74, 839-41	3.8	20
22	Leiomyosarcoma of the broad ligament: a case report and literature review. <i>Gynecologic Oncology</i> , 1995 , 56, 85-9	4.9	12

21	Prevalence, genotypes and antibody titer of hepatitis C virus in pregnant women in Taiwan. <i>Journal of Obstetrics and Gynaecology (Tokyo, Japan)</i> , 1995 , 21, 557-62		4
20	. <i>Journal of Pediatrics</i> , 1995 , 127, 671	3.6	1
19	Absence of infection in breast-fed infants born to hepatitis C virus-infected mothers. <i>Journal of Pediatrics</i> , 1995 , 126, 589-91	3.6	148
18	Hepatitis C virus infection in pregnant women: detection by different anti-HCV immunoassays and serum HCV-RNA. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994 , 20, 13-8		2
17	Age-specific prevalence of hepatitis B surface and e antigenemia in pregnant women in Taiwan. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994 , 20, 141-5		5
16	Ultrasound diagnosis of rudimentary uterine horn pregnancy in fourteen weeks of gestation: a case report. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994 , 20, 279-82		7
15	Possible role of high-titer maternal viremia in perinatal transmission of hepatitis C virus. <i>Journal of Infectious Diseases</i> , 1994 , 169, 638-41	7	134
14	Temporal profile of hepatitis C virus antibody and genome in infants born to mothers infected with hepatitis C virus but without human immunodeficiency virus coinfection. <i>Journal of Hepatology</i> , 1994 , 20, 641-5	13.4	37
13	Long term clinical and virologic outcome of primary hepatitis C virus infection in children: a prospective study. <i>Pediatric Infectious Disease Journal</i> , 1994 , 13, 769-73	3.4	33
12	Hepatitis B virus in the colostrum of HBeAg-positive carrier mothers. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1993 , 17, 207-10	2.8	30
11	Comparison of Three Different Immunoassays and PCR for the Detection of Hepatitis C Virus Infection in Pregnant Women in Taiwan. <i>Vox Sanguinis</i> , 1993 , 65, 117-121	3.1	11
10	Comparison of three different immunoassays and PCR for the detection of hepatitis C virus infection in pregnant women in Taiwan. <i>Vox Sanguinis</i> , 1993 , 65, 117-21	3.1	8
9	Cellular immune response to HBcAg in mother-to-infant transmission of hepatitis B virus. <i>Hepatology</i> , 1992 , 15, 770-6	11.2	114
8	Low prevalence of hepatitis C virus and infrequent perinatal or spouse infections in pregnant women in Taiwan. <i>Journal of Medical Virology</i> , 1991 , 35, 237-40	19.7	24
7	HBsAg in placentas. <i>American Journal of Obstetrics and Gynecology</i> , 1990 , 162, 1361	6.4	
6	Tubal cyst following tubal sterilization: a delayed complication. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1989 , 15, 271-6		
5	Amniotic rupture sequence: report of five cases. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1989 , 15, 343-50		4
4	Postpartum subsidence of hepatitis B viral replication in HBeAg-positive carrier mothers. <i>Journal of Medical Virology</i> , 1989 , 29, 1-6	19.7	51

- 3 A hormone-producing thecoma of broad ligament. *Acta Obstetricia Et Gynecologica Scandinavica*, **1987**, 66, 725-7 3.8 11
- 2 Transplacental leakage of HBeAg-positive maternal blood as the most likely route in causing intrauterine infection with hepatitis B virus. *Journal of Pediatrics*, **1987**, 111, 877-81 3.6 116
- 1 Intrauterine transmission of hepatitis B virus is closely related to placental leakage. *Journal of Medical Virology*, **1987**, 21, 1-6 19.7 43