

Stanley H Weitzman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11349918/publications.pdf>

Version: 2024-02-01

18

papers

942

citations

623734

14

h-index

794594

19

g-index

19

all docs

19

docs citations

19

times ranked

390

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The so-called cheirodontin fishes of Central America with descriptions of two new species (Pisces:) Tj ETQq1 1 0.784314 rgBT /Overlock 1.5 251 | | |
| 2 | Relationships among major lineages of characid fishes (Teleostei: Ostariophysi: Characiformes), based on molecular sequence data. Molecular Phylogenetics and Evolution, 2010, 54, 498-511. | 2.7 | 140 |
| 3 | Internal fertilization, testis and sperm morphology in glandulocaudinae fishes (Teleostei: Characidae:) Tj ETQq1 1 0.784314 rgBT /Overlock 1.2 84 | | |
| 4 | Xenobrycon phylogeny and putative pheromone pumps in glandulocaudine fishes (Teleostei,) Tj ETQq0 0 0 rgBT /Overlock 1.5 10 Tf 50 6 | | |
| 5 | Systematics of the neotropical fish subfamily Glandulocaudinae (Teleostei: Characiformes:) Tj ETQq1 1 0.784314 rgBT /Overlock 1.0 50 | | |
| 6 | Morphology and histology of the male reproductive system in two species of internally inseminating South American catfishes, <i>Trachelyopterus lucenai</i> and <i>T. galeatus</i> (Teleostei: Auchenipteridae). Journal of Morphology, 2000, 246, 131-141. | 1.2 | 48 |
| 7 | Novel Gill-Derived Gland in the Male Swordtail Characin, <i>Corynopoma riisei</i> (Teleostei: Characidae:) Tj ETQq1 1 0.784314 rgBT /Overlock 1.3 40 | | |
| 8 | A new genus and species of characid fish from the Amazon basin: the recognition of a relictual lineage of characid fishes (Ostariophysi: Cheirodontinae: Cheirodontini). Neotropical Ichthyology, 2008, 6, 663-678. | 1.0 | 39 |
| 9 | Insemination in Eight Species of Cheirodentine Fishes (Teleostei: Characidae: Cheirodentine). Copeia, 1997, 1997, 433. | 1.3 | 37 |
| 10 | Sperm and spermatozeugma ultrastructure in the inseminating species <i>Tyttocharax cochui</i> , <i>T. tambopatensis</i> , and <i>Scopaeocharax rhinodus</i> (Pisces: Teleostei: Characidae: Glandulocaudinae:) Tj ETQq0 0 0 rgBT /Overlock 1.0 Tf 50 37 | | |
| 11 | Gill-derived glands in glandulocaudine fishes (teleostei: Characidae: Glandulocaudinae). Journal of Morphology, 2002, 253, 187-195. | 1.2 | 21 |
| 12 | Reproductive morphology of <i>Brittanichthys axelrodi</i> (Teleostei: Characidae), a miniature inseminating fish from South America. Journal of Morphology, 2007, 268, 23-32. | 1.2 | 19 |
| 13 | Intromittent Organ in the Genus <i>Monotocheirodon</i> (Characiformes: Characidae). Copeia, 2006, 2006, 529-534. | 1.3 | 14 |
| 14 | Comparison of spermiogenesis in the externally fertilizing <i>Hemigrammus erythrozonus</i> and the inseminating <i>Corynopoma riisei</i> (Teleostei: Characiformes: Characidae). Neotropical Ichthyology, 2007, 5, 457-470. | 1.0 | 10 |
| 15 | A systematic review of diapoma (teleostei: characiformes: characidae: stevardiinae: diapomini) with descriptions of two new species from southern Brazil. Papéis Avulsos De Zoologia, 2011, 51, 59-82. | 0.4 | 9 |
| 16 | Sperm ultrastructure in the inseminating <i>Macropsobrycon uruguayanae</i> (Teleostei: Characidae:) Tj ETQq0 0 0 rgBT /Overlock 1.2 6 | | |
| 17 | Sperm and Spermatozeugma Structure in <i>Xenobrycon</i> (Teleostei: Characidae: Stevardiinae:) Tj ETQq1 1 0.784314 rgBT /Overlock 1.3 6 | | |
| 18 | Hyphessobrycon melanopleurus uruguayensis Messner, 1962, an available name and a senior synonym of <i>Cyanocharax macropinna</i> Malabarba & Weitzman, 2003 (Ostariophysi: Characidae). Neotropical Ichthyology, 2004, 2, 99-102. | 1.0 | 1 |