

Stanley H Weitzman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11349918/publications.pdf>

Version: 2024-02-01

18
papers

942
citations

623734

14
h-index

794594

19
g-index

19
all docs

19
docs citations

19
times ranked

390
citing authors

#	ARTICLE	IF	CITATIONS
1	A systematic review of diapoma (teleostei: characiformes: characidae: stevardiinae: diapomini) with descriptions of two new species from southern Brazil. Papeis Avulsos De Zoologia, 2011, 51, 59-82.	0.4	9
2	Relationships among major lineages of characid fishes (Teleostei: Ostariophysi: Characiformes), based on molecular sequence data. Molecular Phylogenetics and Evolution, 2010, 54, 498-511.	2.7	140
3	Systematics of the neotropical fish subfamily Glandulocaudinae (Teleostei: Characiformes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.0	50
4	Sperm ultrastructure in the inseminating <i>Macropsobrycon uruguayanae</i> (Teleostei: Characidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.2	6
5	Sperm and Spermatozeugma Structure in Xenobrycon (Teleostei: Characidae: Stevardiinae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.3	6
6	A new genus and species of characid fish from the Amazon basin: the recognition of a relictual lineage of characid fishes (Ostariophysi: Cheirodontinae: Cheirodontini). Neotropical Ichthyology, 2008, 6, 663-678.	1.0	39
7	Comparison of spermiogenesis in the externally fertilizing Hemigrammus erythrozonus and the inseminating Corynopoma riisei (Teleostei: Characiformes: Characidae). Neotropical Ichthyology, 2007, 5, 457-470.	1.0	10
8	Reproductive morphology of Brittanichthys axelrodi (Teleostei: Characidae), a miniature inseminating fish from South America. Journal of Morphology, 2007, 268, 23-32.	1.2	19
9	Intromittent Organ in the Genus Monotocheirodon (Characiformes: Characidae). Copeia, 2006, 2006, 529-534.	1.3	14
10	Sperm and spermatozeugma ultrastructure in the inseminating species Tyttocharax cochui, T. tambopatensis, and Scopaeocharax rhinodus (Pisces: Teleostei: Characidae: Glandulocaudinae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 37	1.2	13
11	Hypessobrycon melanopleurus uruguayensis Messner, 1962, an available name and a senior synonym of Cyanocharax macropinna Malabarba & Weitzman, 2003 (Ostariophysi: Characidae). Neotropical Ichthyology, 2004, 2, 99-102.	1.0	1
12	Gill-derived glands in glandulocaudine fishes (teleostei: Characidae: Glandulocaudinae). Journal of Morphology, 2002, 253, 187-195.	1.2	21
13	Morphology and histology of the male reproductive system in two species of internally inseminating South American catfishes, Trachelyopterus lucenai and T. galeatus (Teleostei: Auchenipteridae). Journal of Morphology, 2000, 246, 131-141.	1.2	48
14	Insemination in Eight Species of Cheirodontine Fishes (Teleostei: Characidae: Cheirodontinae). Copeia, 1997, 1997, 433.	1.3	37
15	Novel Gill-Derived Gland in the Male Swordtail Characin, Corynopoma riisei (Teleostei: Characidae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.3	40
16	Internal fertilization, testis and sperm morphology in glandulocaudinae fishes (Teleostei: Characidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.2	84
17	Xenobryconin phylogeny and putative pheromone pumps in glandulocaudine fishes (Teleostei,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.5	76
18	The so-called cheirodontin fishes of Central America with descriptions of two new species (Pisces: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.5	251