

Pedro R Olivares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1135138/publications.pdf>

Version: 2024-02-01

63
papers

3,790
citations

236925

25
h-index

138484

58
g-index

76
all docs

76
docs citations

76
times ranked

6771
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 56-87. | 10.2 | 1,064 |
| 2 | Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1775-1812. | 13.7 | 740 |
| 3 | Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. <i>Quality of Life Research</i> , 2010, 19, 887-897. | 3.1 | 325 |
| 4 | The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i3-i11. | 2.4 | 185 |
| 5 | Balance training reduces fear of falling and improves dynamic balance and isometric strength in institutionalised older people: a randomised trial. <i>Journal of Physiotherapy</i> , 2012, 58, 97-104. | 1.7 | 110 |
| 6 | Prevalence of overweight and obesity in non-institutionalized people aged 65 or over from Spain: the elderly EXERNET multi-centre study. <i>Obesity Reviews</i> , 2011, 12, 583-592. | 6.5 | 86 |
| 7 | Normative values of EQ-5D-5L: in a Spanish representative population sample from Spanish Health Survey, 2011. <i>Quality of Life Research</i> , 2016, 25, 1313-1321. | 3.1 | 70 |
| 8 | Fitness and health-related quality of life dimensions in community-dwelling middle aged and older adults. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 117. | 2.4 | 64 |
| 9 | Using Whole-Body Vibration Training in Patients Affected with Common Neurological Diseases: A Systematic Literature Review. <i>Journal of Alternative and Complementary Medicine</i> , 2012, 18, 29-41. | 2.1 | 64 |
| 10 | Sitting time increases the overweight and obesity risk independently of walking time in elderly people from Spain. <i>Maturitas</i> , 2012, 73, 337-343. | 2.4 | 58 |
| 11 | Test-Retest reliability of Biodex Balance SD on physically active old people. <i>Journal of Human Sport and Exercise</i> , 2011, 6, 444-451. | 0.4 | 57 |
| 12 | Can adult weights be used to value child health states? Testing the influence of perspective in valuing EQ-5D-Y. <i>Quality of Life Research</i> , 2015, 24, 2519-2539. | 3.1 | 54 |
| 13 | Physical activity, screen time and subjective well-being among children. <i>International Journal of Clinical and Health Psychology</i> , 2020, 20, 126-134. | 5.1 | 51 |
| 14 | The Relative Age Effect and Its Influence on Academic Performance. <i>PLoS ONE</i> , 2015, 10, e0141895. | 2.5 | 46 |
| 15 | Differences Between High vs. Low Performance Chess Players in Heart Rate Variability During Chess Problems. <i>Frontiers in Psychology</i> , 2019, 10, 409. | 2.1 | 46 |
| 16 | Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26. | 2.4 | 44 |
| 17 | The Spanish version of the ‘‘eStarT Back Screening Tool’’ (SBST) in different subgroups. <i>Atencion Primaria</i> , 2011, 43, 356-361. | 1.4 | 43 |
| 18 | Tilt vibratory exercise and the dynamic balance in fibromyalgia: A randomized controlled trial. <i>Arthritis Care and Research</i> , 2010, 62, 1072-1078. | 3.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Fear of Falling in Women with Fibromyalgia and Its Relation with Number of Falls and Balance Performance. <i>BioMed Research International</i> , 2015, 2015, 1-8. | 1.9 | 32 |
| 20 | Normative Fitness Performance Scores of Community-Dwelling Older Adults in Spain. <i>Journal of Aging and Physical Activity</i> , 2012, 20, 106-126. | 1.0 | 31 |
| 21 | Tilting Whole Body Vibration Improves Quality of Life in Women with Fibromyalgia: A Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2011, 17, 723-728. | 2.1 | 30 |
| 22 | Validity of the International Fitness Scale "IFIS" in older adults. <i>Experimental Gerontology</i> , 2017, 95, 77-81. | 2.8 | 29 |
| 23 | Test-Retest Reliability of Isometric and Isokinetic Knee Extension and Flexion in Patients With Fibromyalgia: Evaluation of the Smallest Real Difference. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1646-1651. | 0.9 | 27 |
| 24 | Physical Growth, Biological Age, and Nutritional Transitions of Adolescents Living at Moderate Altitudes in Peru. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 12082-12094. | 2.6 | 27 |
| 25 | Effects of Whole-Body Vibration Therapy in Patients with Fibromyalgia: A Systematic Literature Review. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-11. | 1.2 | 26 |
| 26 | Influence of parents and physical education teachers in adolescent physical activity. <i>International Journal of Clinical and Health Psychology</i> , 2015, 15, 113-120. | 5.1 | 26 |
| 27 | Reliability of the Timed Up and Go Test in Fibromyalgia. <i>Rehabilitation Nursing</i> , 2018, 43, 35-39. | 0.5 | 21 |
| 28 | Harmonization Process and Reliability Assessment of Anthropometric Measurements in the Elderly EXERNET Multi-Centre Study. <i>PLoS ONE</i> , 2012, 7, e41752. | 2.5 | 19 |
| 29 | Using a dry electrode EEG device during balance tasks in healthy young-adult males: Test-retest reliability analysis. <i>Somatosensory & Motor Research</i> , 2015, 32, 219-226. | 0.9 | 19 |
| 30 | NORMATIVE VALUES OF EQ-5D-5L FOR DIABETES PATIENTS FROM SPAIN. <i>Nutricion Hospitalaria</i> , 2015, 32, 1595-602. | 0.3 | 18 |
| 31 | Spanish version of the Talent Development Environment Questionnaire for sport: Cultural adaptation and initial validation. <i>PLoS ONE</i> , 2017, 12, e0177721. | 2.5 | 16 |
| 32 | Applicability and Test-Retest Reliability of Isokinetic Shoulder Abduction and Adduction in Women Fibromyalgia Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 444-450. | 0.9 | 15 |
| 33 | Changes in HRQoL after 12 months of exercise linked to primary care are associated with fitness effects in older adults. <i>European Journal of Public Health</i> , 2015, 25, 873-879. | 0.3 | 15 |
| 34 | Fitness as mediator between weight status and dimensions of health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 155. | 2.4 | 15 |
| 35 | GANODERMA LUCIDUM IMPROVES PHYSICAL FITNESS IN WOMEN WITH FIBROMYALGIA. <i>Nutricion Hospitalaria</i> , 2015, 32, 2126-35. | 0.3 | 15 |
| 36 | "Fibromyalgia and quality of life: mapping the revised fibromyalgia impact questionnaire to the preference-based instruments". <i>Health and Quality of Life Outcomes</i> , 2017, 15, 114. | 2.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Effects of an exercise program linked to primary care on depression in elderly: fitness as mediator of the improvement. <i>Quality of Life Research</i> , 2020, 29, 1239-1246. | 3.1 | 12 |
| 38 | Does anthropometric and fitness parameters mediate the effect of exercise on the HRQoL of overweight and obese children/adolescents?. <i>Quality of Life Research</i> , 2018, 27, 2305-2312. | 3.1 | 11 |
| 39 | Role for Physical Fitness in the Association between Age and Cognitive Function in Older Adults: A Mediation Analysis of the SABE Colombia Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 751. | 2.6 | 11 |
| 40 | Associations between different components of fitness and fatness with academic performance in Chilean youths. <i>PeerJ</i> , 2016, 4, e2560. | 2.0 | 11 |
| 41 | Validity and Reliability of the WIMUTM Inertial Device for the Assessment of Joint Angulations. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 193. | 2.6 | 9 |
| 42 | Impact of Fibromyalgia in the Sit-to-stand Sit Performance Compared With Healthy Controls. <i>PM and R</i> , 2017, 9, 588-595. | 1.6 | 8 |
| 43 | Results From Uruguay's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018, 15, S425-S426. | 2.0 | 8 |
| 44 | Aplicación del cuestionario EQ-5D-5L en pacientes que padecen incontinencia urinaria. <i>Actas Urológicas Españolas</i> , 2016, 40, 457-462. | 0.7 | 7 |
| 45 | Acute Effects of Block Jumps in Female Volleyball Players: The Role of Performance Level. <i>Sports</i> , 2017, 5, 30. | 1.7 | 7 |
| 46 | Efectos del entrenamiento acuático y posterior desentrenamiento sobre la percepción e intensidad del dolor y el número de puntos sensibles de mujeres con fibromialgia. <i>Apunts Medicine De L'Esport</i> , 2007, 42, 76-81. | 0.5 | 6 |
| 47 | Stair negotiation in women with fibromyalgia. <i>Medicine (United States)</i> , 2017, 96, e8364. | 1.0 | 6 |
| 48 | Chilean population norms derived from the health-related quality of Life SF-6D. <i>European Journal of Health Economics</i> , 2018, 19, 675-686. | 2.8 | 6 |
| 49 | Comparison of the Psychometric Properties of the EQ-5D-3L-Y and EQ-5D-5L-Y Instruments in Spanish Children and Adolescents. <i>Value in Health</i> , 2021, 24, 1799-1806. | 0.3 | 6 |
| 50 | Performance of women with fibromyalgia in walking up stairs while carrying a load. <i>PeerJ</i> , 2016, 4, e1656. | 2.0 | 6 |
| 51 | Fiabilidad test-retest del umbral de sensibilidad a la vibración periférica en los pacientes con dolor crónico de espalda baja. <i>Rehabilitacion</i> , 2013, 47, 82-89. | 0.4 | 5 |
| 52 | Fitness as a Mediator of the Enhancement of Quality of Life after a 6-Months Exercise Program. <i>Research Quarterly for Exercise and Sport</i> , 2020, 91, 24-33. | 1.4 | 5 |
| 53 | Descriptive Epidemiology of Uruguayan Adults' Leisure Time Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1387. | 2.6 | 4 |
| 54 | Factors contributing to the quality of the junior-to-senior transition in Greek athletes. <i>International Journal of Sport and Exercise Psychology</i> , 0, , 1-18. | 2.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Estimation of Pubertal Growth Spurt Parameters in Children and Adolescents Living at Moderate Altitude in Colombia. <i>Frontiers in Endocrinology</i> , 2021, 12, 718292. | 3.5 | 4 |
| 56 | Criterion-Referenced Fitness Standards Associated with Maintaining Functional Capacity in Chilean Older Adults. <i>Rejuvenation Research</i> , 2017, 20, 484-491. | 1.8 | 3 |
| 57 | The Effect of Social Isolation on Physical Activity during the COVID-19 Pandemic in France. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5070. | 2.6 | 3 |
| 58 | Fiabilidad de un test isométrico de rodilla en mujeres con fibromialgia mediante test-retest de 12 semanas. <i>Revista Colombiana De Reumatología</i> , 2014, 21, 70-75. | 0.1 | 2 |
| 59 | Fit Patterns, Drug Consumption, and Polypharmacy in Older Adults: The EXERNET Multi-Center Study. <i>Nutrients</i> , 2021, 13, 2872. | 4.1 | 1 |
| 60 | Fiabilidad de la prueba Fall Risk de la plataforma Biodex Balance System® en las personas mayores institucionalizadas con miedo a caerse mediante test-retest de 12 semanas. <i>Rehabilitacion</i> , 2013, 47, 64-70. | 0.4 | 0 |
| 61 | Tilt vibratory exercise improves pain, strength and somatosensory function in patients with fibromyalgia: A randomized controlled trial. <i>Journal of Nursing Education and Practice</i> , 2013, 4, . | 0.2 | 0 |
| 62 | Fiabilidad de un test de dinamometría manual en pacientes con dolor de espalda baja mediante test-retest de 12 semanas: estudio piloto. <i>Fisioterapia</i> , 2016, 38, 136-141. | 0.2 | 0 |
| 63 | Traducción y adaptación cultural del cuestionario exercise fear avoidance scale para su uso en adultos mayores chilenos. <i>Revista De Salud Publica</i> , 2019, 21, 1-6. | 0.1 | 0 |