

Pedro R Olivares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1135138/publications.pdf>

Version: 2024-02-01

63
papers

3,790
citations

236925

25
h-index

138484

58
g-index

76
all docs

76
docs citations

76
times ranked

6771
citing authors

#	ARTICLE	IF	CITATIONS
1	Role for Physical Fitness in the Association between Age and Cognitive Function in Older Adults: A Mediation Analysis of the SABE Colombia Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 751.	2.6	11
2	The Effect of Social Isolation on Physical Activity during the COVID-19 Pandemic in France. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5070.	2.6	3
3	Fat Fit Patterns, Drug Consumption, and Polypharmacy in Older Adults: The EXERNET Multi-Center Study. <i>Nutrients</i> , 2021, 13, 2872.	4.1	1
4	Estimation of Pubertal Growth Spurt Parameters in Children and Adolescents Living at Moderate Altitude in Colombia. <i>Frontiers in Endocrinology</i> , 2021, 12, 718292.	3.5	4
5	Comparison of the Psychometric Properties of the EQ-5D-3L-Y and EQ-5D-5L-Y Instruments in Spanish Children and Adolescents. <i>Value in Health</i> , 2021, 24, 1799-1806.	0.3	6
6	Fitness as a Mediator of the Enhancement of Quality of Life after a 6-Months Exercise Program. <i>Research Quarterly for Exercise and Sport</i> , 2020, 91, 24-33.	1.4	5
7	Validity and Reliability of the WIMUTM Inertial Device for the Assessment of Joint Angulations. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 193.	2.6	9
8	Effects of an exercise program linked to primary care on depression in elderly: fitness as mediator of the improvement. <i>Quality of Life Research</i> , 2020, 29, 1239-1246.	3.1	12
9	The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i3-i11.	2.4	185
10	Physical activity, screen time and subjective well-being among children. <i>International Journal of Clinical and Health Psychology</i> , 2020, 20, 126-134.	5.1	51
11	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	2.4	44
12	Differences Between High vs. Low Performance Chess Players in Heart Rate Variability During Chess Problems. <i>Frontiers in Psychology</i> , 2019, 10, 409.	2.1	46
13	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 56-87.	10.2	1,064
14	Traducción y adaptación cultural del cuestionario exercise fear avoidance scale para su uso en adultos mayores chilenos. <i>Revista De Salud Publica</i> , 2019, 21, 1-6.	0.1	0
15	Reliability of the Timed Up and Go Test in Fibromyalgia. <i>Rehabilitation Nursing</i> , 2018, 43, 35-39.	0.5	21
16	Chilean population norms derived from the health-related quality of Life SF-6D. <i>European Journal of Health Economics</i> , 2018, 19, 675-686.	2.8	6
17	Results From Uruguay's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018, 15, S425-S426.	2.0	8
18	Descriptive Epidemiology of Uruguayan Adults' Leisure Time Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1387.	2.6	4

#	ARTICLE	IF	CITATIONS
19	Fitness as mediator between weight status and dimensions of health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 155.	2.4	15
20	Does anthropometric and fitness parameters mediate the effect of exercise on the HRQoL of overweight and obese children/adolescents?. <i>Quality of Life Research</i> , 2018, 27, 2305-2312.	3.1	11
21	Impact of Fibromyalgia in the Sit-to-Stand Sit Performance Compared With Healthy Controls. <i>PM and R</i> , 2017, 9, 588-595.	1.6	8
22	Validity of the International Fitness Scale (IFIS) in older adults. <i>Experimental Gerontology</i> , 2017, 95, 77-81.	2.8	29
23	Criterion-Referenced Fitness Standards Associated with Maintaining Functional Capacity in Chilean Older Adults. <i>Rejuvenation Research</i> , 2017, 20, 484-491.	1.8	3
24	Fibromyalgia and quality of life: mapping the revised fibromyalgia impact questionnaire to the preference-based instruments. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 114.	2.4	13
25	Stair negotiation in women with fibromyalgia. <i>Medicine (United States)</i> , 2017, 96, e8364.	1.0	6
26	Acute Effects of Block Jumps in Female Volleyball Players: The Role of Performance Level. <i>Sports</i> , 2017, 5, 30.	1.7	7
27	Spanish version of the Talent Development Environment Questionnaire for sport: Cultural adaptation and initial validation. <i>PLoS ONE</i> , 2017, 12, e0177721.	2.5	16
28	Fiabilidad de un test de dinamometr�a manual en pacientes con dolor de espalda baja mediante test-retest de 12 semanas: estudio piloto. <i>Fisioterapia</i> , 2016, 38, 136-141.	0.2	0
29	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1775-1812.	13.7	740
30	Aplicaci3n del cuestionario EQ-5D-5L en pacientes que padecen incontinencia urinaria. <i>Actas Urol3gicas Espa�olas</i> , 2016, 40, 457-462.	0.7	7
31	Normative values of EQ-5D-5L: in a Spanish representative population sample from Spanish Health Survey, 2011. <i>Quality of Life Research</i> , 2016, 25, 1313-1321.	3.1	70
32	Performance of women with fibromyalgia in walking up stairs while carrying a load. <i>PeerJ</i> , 2016, 4, e1656.	2.0	6
33	Associations between different components of fitness and fatness with academic performance in Chilean youths. <i>PeerJ</i> , 2016, 4, e2560.	2.0	11
34	Physical Growth, Biological Age, and Nutritional Transitions of Adolescents Living at Moderate Altitudes in Peru. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 12082-12094.	2.6	27
35	The Relative Age Effect and Its Influence on Academic Performance. <i>PLoS ONE</i> , 2015, 10, e0141895.	2.5	46
36	Effects of Whole-Body Vibration Therapy in Patients with Fibromyalgia: A Systematic Literature Review. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-11.	1.2	26

#	ARTICLE	IF	CITATIONS
37	Fear of Falling in Women with Fibromyalgia and Its Relation with Number of Falls and Balance Performance. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	32
38	Changes in HRQoL after 12 months of exercise linked to primary care are associated with fitness effects in older adults. <i>European Journal of Public Health</i> , 2015, 25, 873-879.	0.3	15
39	Influence of parents and physical education teachers in adolescent physical activity. <i>International Journal of Clinical and Health Psychology</i> , 2015, 15, 113-120.	5.1	26
40	Using a dry electrode EEG device during balance tasks in healthy young-adult males: Test-retest reliability analysis. <i>Somatosensory & Motor Research</i> , 2015, 32, 219-226.	0.9	19
41	Can adult weights be used to value child health states? Testing the influence of perspective in valuing EQ-5D-Y. <i>Quality of Life Research</i> , 2015, 24, 2519-2539.	3.1	54
42	NORMATIVE VALUES OF EQ-5D-5L FOR DIABETES PATIENTS FROM SPAIN. <i>Nutricion Hospitalaria</i> , 2015, 32, 1595-602.	0.3	18
43	GANODERMA LUCIDUM IMPROVES PHYSICAL FITNESS IN WOMEN WITH FIBROMYALGIA. <i>Nutricion Hospitalaria</i> , 2015, 32, 2126-35.	0.3	15
44	Fiabilidad de un test isométrico de rodilla en mujeres con fibromialgia mediante test-retest de 12 semanas. <i>Revista Colombiana De Reumatología</i> , 2014, 21, 70-75.	0.1	2
45	Fiabilidad de la prueba Fall Risk de la plataforma Biodex Balance System® en las personas mayores institucionalizadas con miedo a caerse mediante test-retest de 12 semanas. <i>Rehabilitacion</i> , 2013, 47, 64-70.	0.4	0
46	Fiabilidad test-retest del umbral de sensibilidad a la vibración periférica en los pacientes con dolor crónico de espalda baja. <i>Rehabilitacion</i> , 2013, 47, 82-89.	0.4	5
47	Applicability and Test-Retest Reliability of Isokinetic Shoulder Abduction and Adduction in Women Fibromyalgia Patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 444-450.	0.9	15
48	Tilt vibratory exercise improves pain, strength and somatosensory function in patients with fibromyalgia: A randomized controlled trial. <i>Journal of Nursing Education and Practice</i> , 2013, 4, .	0.2	0
49	Normative Fitness Performance Scores of Community-Dwelling Older Adults in Spain. <i>Journal of Aging and Physical Activity</i> , 2012, 20, 106-126.	1.0	31
50	Using Whole-Body Vibration Training in Patients Affected with Common Neurological Diseases: A Systematic Literature Review. <i>Journal of Alternative and Complementary Medicine</i> , 2012, 18, 29-41.	2.1	64
51	Balance training reduces fear of falling and improves dynamic balance and isometric strength in institutionalised older people: a randomised trial. <i>Journal of Physiotherapy</i> , 2012, 58, 97-104.	1.7	110
52	Sitting time increases the overweight and obesity risk independently of walking time in elderly people from Spain. <i>Maturitas</i> , 2012, 73, 337-343.	2.4	58
53	Harmonization Process and Reliability Assessment of Anthropometric Measurements in the Elderly EXERNET Multi-Centre Study. <i>PLoS ONE</i> , 2012, 7, e41752.	2.5	19
54	Test-Retest Reliability of Isometric and Isokinetic Knee Extension and Flexion in Patients With Fibromyalgia: Evaluation of the Smallest Real Difference. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1646-1651.	0.9	27

#	ARTICLE	IF	CITATIONS
55	Prevalence of overweight and obesity in non-institutionalized people aged 65 or over from Spain: the elderly EXERNET multi-centre study. <i>Obesity Reviews</i> , 2011, 12, 583-592.	6.5	86
56	Fitness and health-related quality of life dimensions in community-dwelling middle aged and older adults. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 117.	2.4	64
57	The Spanish version of the "StarT Back Screening Tool" (SBST) in different subgroups. <i>Atencion Primaria</i> , 2011, 43, 356-361.	1.4	43
58	Tilting Whole Body Vibration Improves Quality of Life in Women with Fibromyalgia: A Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2011, 17, 723-728.	2.1	30
59	Test-Retest reliability of Biodex Balance SD on physically active old people. <i>Journal of Human Sport and Exercise</i> , 2011, 6, 444-451.	0.4	57
60	Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. <i>Quality of Life Research</i> , 2010, 19, 887-897.	3.1	325
61	Tilt vibratory exercise and the dynamic balance in fibromyalgia: A randomized controlled trial. <i>Arthritis Care and Research</i> , 2010, 62, 1072-1078.	3.4	38
62	Efectos del entrenamiento acuático y posterior desentrenamiento sobre la percepción e intensidad del dolor y el número de puntos sensibles de mujeres con fibromialgia. <i>Apunts Medicine De L'Esport</i> , 2007, 42, 76-81.	0.5	6
63	Factors contributing to the quality of the junior-to-senior transition in Greek athletes. <i>International Journal of Sport and Exercise Psychology</i> , 0, , 1-18.	2.1	4