

# Pascal Magnussen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1135475/publications.pdf>

Version: 2024-02-01

72  
papers

1,723  
citations

257450

24  
h-index

345221

36  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2212  
citing authors

#	ARTICLE	IF	CITATIONS
1	A qualitative assessment of the health systems factors influencing the prevention of malaria in pregnancy using intermittent preventive treatment and insecticide-treated nets in Ghana. <i>Malaria Journal</i> , 2022, 21, 136.	2.3	3
2	Trial Design for a Diagnostic Accuracy Study of a Point-of-Care Test for the Detection of <i>Taenia solium</i> Taeniosis and (Neuro)Cysticercosis in Community Settings of Highly Endemic, Resource-Poor Areas in Zambia: Challenges and Rationale. <i>Diagnostics</i> , 2021, 11, 1138.	2.6	8
3	Trial Design of a Prospective Multicenter Diagnostic Accuracy Study of a Point-of-Care Test for the Detection of <i>Taenia solium</i> Taeniosis and Neurocysticercosis in Hospital-Based Settings in Tanzania. <i>Diagnostics</i> , 2021, 11, 1528.	2.6	4
4	An ethnographic study of how health system, socio-cultural and individual factors influence uptake of intermittent preventive treatment of malaria in pregnancy with sulfadoxine-pyrimethamine in a Ghanaian context. <i>PLoS ONE</i> , 2021, 16, e0257666.	2.5	8
5	Assessing health system factors affecting access and delivery of IPTp-SP and ITN to pregnant women attending ANC clinics in Ghana. <i>BMC Health Services Research</i> , 2021, 21, 1056.	2.2	3
6	Challenges Encountered When Evaluating an Antibody-Detecting Point-of-Care Test for Taeniosis in an Endemic Community in Zambia: A Prospective Diagnostic Accuracy Study. <i>Diagnostics</i> , 2021, 11, 2039.	2.6	0
7	Participation of Ghanaian pregnant women in an antimalarial drug trial: willingness, experiences and perceptions. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2021, 115, 714-719.	1.8	3
8	Evaluation of an Antibody Detecting Point of Care Test for Diagnosis of <i>Taenia solium</i> Cysticercosis in a Zambian Rural Community: A Prospective Diagnostic Accuracy Study. <i>Diagnostics</i> , 2021, 11, 2121.	2.6	3
9	The effect of temperature and time on the viability of <i>Taenia solium</i> metacestodes in pork. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 21, 100436.	0.5	3
10	Managing intermittent preventive treatment of malaria in pregnancy challenges: an ethnographic study of two Ghanaian administrative regions. <i>Malaria Journal</i> , 2020, 19, 347.	2.3	4
11	Treatment of Sick Children Seeking Care in the Private Health Sector in Uganda: A Cluster Randomized Trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 102, 658-666.	1.4	5
12	Changes in Morbidity, Physical Fitness, and Perceived Quality of Life among Schoolchildren following Four Years of Different Mass Drug Administration Strategies against <i>Schistosoma mansoni</i> Infection in Mwanza Region, Northwestern Tanzania. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 102, 100-105.	1.4	3
13	Lessons Learned in Conducting Mass Drug Administration for Schistosomiasis Control and Measuring Coverage in an Operational Research Setting. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 103, 105-113.	1.4	23
14	Impact of Different Mass Drug Administration Strategies for Gaining and Sustaining Control of <i>Schistosoma mansoni</i> and <i>Schistosoma haematobium</i> Infection in Africa. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 103, 14-23.	1.4	42
15	SCORE Studies on the Impact of Drug Treatment on Morbidity due to <i>Schistosoma mansoni</i> and <i>Schistosoma haematobium</i> Infection. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 103, 30-35.	1.4	12
16	Management of Childhood Infections in Poorly Planned Urban Settlements in Kampala and Wakiso Districts of Uganda. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 103, 1681-1690.	1.4	2
17	Stepwise approach for the control and eventual elimination of <i>Taenia solium</i> as a public health problem. <i>BMC Infectious Diseases</i> , 2019, 19, 182.	2.9	17
18	Health system, socio-cultural, economic, environmental and individual factors influencing bed net use in the prevention of malaria in pregnancy in two Ghanaian regions. <i>Malaria Journal</i> , 2019, 18, 363.	2.3	29

#	ARTICLE	IF	CITATIONS
19	Persistent Hotspots in Schistosomiasis Consortium for Operational Research and Evaluation Studies for Gaining and Sustaining Control of Schistosomiasis after Four Years of Mass Drug Administration of Praziquantel. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 617-627.	1.4	48
20	Five-Year Impact of Different Multi-Year Mass Drug Administration Strategies on Childhood <i>Schistosoma mansoni</i> Associated Morbidity: A Combined Analysis from the Schistosomiasis Consortium for Operational Research and Evaluation Cohort Studies in the Lake Victoria Regions of Kenya and Tanzania. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 1336-1344.	1.4	14
21	Treatment practices of households and antibiotic dispensing in medicine outlets in developing countries: The case of Ghana. <i>Research in Social and Administrative Pharmacy</i> , 2018, 14, 1180-1188.	3.0	18
22	Assessment of the societal cost of <i>Taenia solium</i> in AngÃ³nia district, Mozambique. <i>BMC Infectious Diseases</i> , 2018, 18, 127.	2.9	26
23	Caregiversâ€™ compliance with referral advice: evidence from two studies introducing mRDTs into community case management of malaria in Uganda. <i>BMC Health Services Research</i> , 2018, 18, 317.	2.2	12
24	Molecular Markers of <i>Plasmodium falciparum</i> Drug Resistance in Parasitemic Pregnant Women in the Middle Forest Belt of Ghana. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 98, 1714-1717.	1.4	11
25	Comparison of the Impact of Different Mass Drug Administration Strategies on Infection with <i>Schistosoma mansoni</i> in Mwanza Region, Tanzaniaâ€”A Cluster-Randomized Controlled Trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 99, 1573-1579.	1.4	19
26	Neurocysticercosis in a rural population with extensive pig production in AngÃ³nia district, Tete Province, Mozambique. <i>Acta Tropica</i> , 2017, 165, 155-160.	2.0	19
27	Effect of repeated mass drug administration with praziquantel and track and treat of taeniosis cases on the prevalence of taeniosis in <i>Taenia solium</i> endemic rural communities of Tanzania. <i>Acta Tropica</i> , 2017, 165, 246-251.	2.0	33
28	Are we ready for <i>Taenia solium</i> cysticercosis elimination in sub-Saharan Africa?. <i>Parasitology</i> , 2017, 144, 59-64.	1.5	31
29	Improving prescribing practices with rapid diagnostic tests (RDTs): synthesis of 10 studies to explore reasons for variation in malaria RDT uptake and adherence. <i>BMJ Open</i> , 2017, 7, e012973.	1.9	40
30	Cost-effectiveness analysis of malaria rapid diagnostic tests for appropriate treatment of malaria at the community level in Uganda. <i>Health Policy and Planning</i> , 2017, 32, 676-689.	2.7	20
31	Dihydroartemisininâ€”piperaquine versus artesunateâ€”modiaquine for treatment of malaria infection in pregnancy in Ghana: an openâ€”label, randomised, nonâ€”inferiority trial. <i>Tropical Medicine and International Health</i> , 2017, 22, 1043-1052.	2.3	16
32	POTENTIAL CONTRIBUTION OF ADULT POPULATIONS TO THE MAINTENANCE OF SCHISTOSOMIASIS AND SOIL-TRANSMITTED HELMINTH INFECTIONS IN THE SIAVONGA AND MAZABUKA DISTRICTS OF ZAMBIA. <i>Journal of Biosocial Science</i> , 2017, 49, 265-275.	1.2	17
33	Referral of children seeking care at private health facilities in Uganda. <i>Malaria Journal</i> , 2017, 16, 76.	2.3	13
34	Introducing rapid tests for malaria into the retail sector: what are the unintended consequences?. <i>BMJ Global Health</i> , 2017, 2, e000067.	4.7	19
35	Comparison of the capacity between public and private health facilities to manage under-five children with febrile illnesses in Uganda. <i>Malaria Journal</i> , 2017, 16, 183.	2.3	21
36	Impact of introduction of rapid diagnostic tests for malaria on antibiotic prescribing: analysis of observational and randomised studies in public and private healthcare settings. <i>BMJ: British Medical Journal</i> , 2017, 356, j1054.	2.3	89

#	ARTICLE	IF	CITATIONS
37	Randomised controlled trial of two sequential artemisinin-based combination therapy regimens to treat uncomplicated falciparum malaria in African children: a protocol to investigate safety, efficacy and adherence. <i>BMJ Global Health</i> , 2017, 2, e000371.	4.7	23
38	Cost-effectiveness analysis of introducing malaria diagnostic testing in drug shops: A cluster-randomised trial in Uganda. <i>PLoS ONE</i> , 2017, 12, e0189758.	2.5	10
39	Rapid clearance of <i>Schistosoma mansoni</i> circulating cathodic antigen after treatment shown by urine strip tests in a Ugandan fishing community – Relevance for monitoring treatment efficacy and re-infection. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0006054.	3.0	18
40	Epidemiology of taeniosis/cysticercosis in Europe, a systematic review: Western Europe. <i>Parasites and Vectors</i> , 2017, 10, 349.	2.5	61
41	Protocol and baseline data for a multi-year cohort study of the effects of different mass drug treatment approaches on functional morbidities from schistosomiasis in four African countries. <i>BMC Infectious Diseases</i> , 2017, 17, 652.	2.9	14
42	Defining Persistent Hotspots: Areas That Fail to Decrease Meaningfully in Prevalence after Multiple Years of Mass Drug Administration with Praziquantel for Control of Schistosomiasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 97, 1810-1817.	1.4	85
43	Cost effectiveness of intermittent screening followed by treatment versus intermittent preventive treatment during pregnancy in West Africa: analysis and modelling of results from a non-inferiority trial. <i>Malaria Journal</i> , 2016, 15, 493.	2.3	10
44	CystiSim – An Agent-Based Model for <i>Taenia solium</i> Transmission and Control. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0005184.	3.0	43
45	Referral Patterns of Community Health Workers Diagnosing and Treating Malaria: Cluster-Randomized Trials in Two Areas of High- and Low-Malaria Transmission in Southwestern Uganda. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 1398-1408.	1.4	6
46	Appropriate targeting of artemisinin-based combination therapy by community health workers using malaria rapid diagnostic tests: findings from randomized trials in two contrasting areas of high and low malaria transmission in southwestern Uganda. <i>Tropical Medicine and International Health</i> , 2016, 21, 1157-1170.	2.3	20
47	Impact of combined intermittent preventive treatment of malaria and helminths on anaemia, sustained attention, and recall in Northern Ghanaian schoolchildren. <i>Global Health Action</i> , 2016, 9, 32197.	1.9	16
48	Community health workers adherence to referral guidelines: evidence from studies introducing RDTs in two malaria transmission settings in Uganda. <i>Malaria Journal</i> , 2016, 15, 568.	2.3	11
49	Examining Intervention Design: Lessons from the Development of Eight Related Malaria Health Care Intervention Studies. <i>Health Systems and Reform</i> , 2016, 2, 373-388.	1.2	6
50	Effect of National Schistosomiasis Control Programme on <i>Taenia solium</i> taeniosis and porcine cysticercosis in rural communities of Tanzania. <i>Parasite Epidemiology and Control</i> , 2016, 1, 245-251.	1.8	28
51	Prescription for antibiotics at drug shops and strategies to improve quality of care and patient safety: a cross-sectional survey in the private sector in Uganda. <i>BMJ Open</i> , 2016, 6, e010632.	1.9	47
52	Assessing the potential of rural and urban private facilities in implementing child health interventions in Mukono district, central Uganda – a cross sectional study. <i>BMC Health Services Research</i> , 2016, 16, 268.	2.2	11
53	Non-falciparum malaria infections in pregnant women in West Africa. <i>Malaria Journal</i> , 2016, 15, 53.	2.3	29
54	Treatment and prevention of malaria in pregnancy in the private health sector in Uganda: implications for patient safety. <i>Malaria Journal</i> , 2016, 15, 212.	2.3	2

#	ARTICLE	IF	CITATIONS
55	The Performance of a Rapid Diagnostic Test in Detecting Malaria Infection in Pregnant Women and the Impact of Missed Infections. <i>Clinical Infectious Diseases</i> , 2016, 62, 837-844.	5.8	32
56	A retrospective audit of antibiotic prescriptions in primary health-care facilities in Eastern Region, Ghana. <i>Health Policy and Planning</i> , 2016, 31, 250-258.	2.7	57
57	Impact of Sulfadoxine-Pyrimethamine Resistance on Effectiveness of Intermittent Preventive Therapy for Malaria in Pregnancy at Clearing Infections and Preventing Low Birth Weight. <i>Clinical Infectious Diseases</i> , 2016, 62, 323-333.	5.8	119
58	Infection with <i>Schistosoma mansoni</i> has an Effect on Quality of Life, but not on Physical Fitness in Schoolchildren in Mwanza Region, North-Western Tanzania: A Cross-Sectional Study. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0005257.	3.0	10
59	<i>Taenia solium</i> taeniosis/cysticercosis and the co-distribution with schistosomiasis in Africa. <i>Parasites and Vectors</i> , 2015, 8, 323.	2.5	49
60	Introducing rapid diagnostic tests for malaria into registered drug shops in Uganda: lessons learned and policy implications. <i>Malaria Journal</i> , 2015, 14, 448.	2.3	16
61	A Cluster Randomised Trial Introducing Rapid Diagnostic Tests into Registered Drug Shops in Uganda: Impact on Appropriate Treatment of Malaria. <i>PLoS ONE</i> , 2015, 10, e0129545.	2.5	62
62	“It puts life in us and we feel big”: shifts in the local health care system during the introduction of rapid diagnostic tests for malaria into drug shops in Uganda. <i>Critical Public Health</i> , 2015, 25, 48-62.	2.4	33
63	Prevalence of <i>Plasmodium falciparum</i> Resistance Markers to Sulfadoxine-Pyrimethamine among Pregnant Women Receiving Intermittent Preventive Treatment for Malaria in Uganda. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 5475-5482.	3.2	30
64	The impact of anthelmintic treatment intervention on malaria infection and anaemia in school and preschool children in Magu district, Tanzania: an open label randomised intervention trial. <i>BMC Infectious Diseases</i> , 2015, 15, 136.	2.9	22
65	<i>Schistosoma mansoni</i> Infection Along the Coast of Lake Victoria in Mwanza Region, Tanzania. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 92, 1240-1244.	1.4	26
66	Feedstuff and poor latrines may put pigs at risk of cysticercosis – A case-control study. <i>Veterinary Parasitology</i> , 2015, 214, 187-191.	1.8	26
67	Health Facility Utilisation Changes during the Introduction of Community Case Management of Malaria in South Western Uganda: An Interrupted Time Series Approach. <i>PLoS ONE</i> , 2015, 10, e0137448.	2.5	12
68	Temporal fluctuations in the sero-prevalence of <i>Taenia solium</i> cysticercosis in pigs in Mbeya Region, Tanzania. <i>Parasites and Vectors</i> , 2014, 7, 574.	2.5	36
69	The Vicious Worm: a computer-based <i>Taenia solium</i> education tool. <i>Trends in Parasitology</i> , 2014, 30, 372-374.	3.3	35
70	Parasitic Infections among Children under Five Years in Senegal: Prevalence and Effect on Anaemia and Nutritional Status. <i>ISRN Parasitology</i> , 2013, 2013, 1-6.	0.6	19
71	Antibiotic use among patients with febrile illness in a low malaria endemicity setting in Uganda. <i>Malaria Journal</i> , 2011, 10, 377.	2.3	41
72	Nosocomial Pneumonia in an Intensive Care Unit in a Danish University Hospital: Incidence, Mortality and Etiology. <i>Scandinavian Journal of Infectious Diseases</i> , 1992, 24, 65-70.	1.5	20