

Keiichi Ohata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11355841/publications.pdf>

Version: 2024-02-01

22
papers

1,323
citations

840776

11
h-index

677142

22
g-index

22
all docs

22
docs citations

22
times ranked

2278
citing authors

#	ARTICLE	IF	CITATIONS
1	DNA released from dying host cells mediates aluminum adjuvant activity. <i>Nature Medicine</i> , 2011, 17, 996-1002.	30.7	482
2	Silica Crystals and Aluminum Salts Regulate the Production of Prostaglandin in Macrophages via NALP3 Inflammasome-Independent Mechanisms. <i>Immunity</i> , 2011, 34, 514-526.	14.3	199
3	Immunogenicity of Whole-Parasite Vaccines against <i>Plasmodium falciparum</i> Involves Malarial Hemozoin and Host TLR9. <i>Cell Host and Microbe</i> , 2010, 7, 50-61.	11.0	135
4	TLR9 and STING agonists synergistically induce innate and adaptive type-1 IFN. <i>European Journal of Immunology</i> , 2015, 45, 1159-1169.	2.9	111
5	Inhaled Fine Particles Induce Alveolar Macrophage Death and Interleukin-1 β Release to Promote Inducible Bronchus-Associated Lymphoid Tissue Formation. <i>Immunity</i> , 2016, 45, 1299-1310.	14.3	110
6	Hydroxypropyl- β -Cyclodextrin Spikes Local Inflammation That Induces Th2 Cell and T Follicular Helper Cell Responses to the Coadministered Antigen. <i>Journal of Immunology</i> , 2015, 194, 2673-2682.	0.8	64
7	Lipocalin 2 Bolsters Innate and Adaptive Immune Responses to Blood-Stage Malaria Infection by Reinforcing Host Iron Metabolism. <i>Cell Host and Microbe</i> , 2012, 12, 705-716.	11.0	50
8	The Malarial Metabolite Hemozoin and Its Potential Use as a Vaccine Adjuvant. <i>Allergy International</i> , 2010, 59, 115-124.	3.3	47
9	The Chemotherapeutic Agent DMXAA as a Unique IRF3-Dependent Type-2 Vaccine Adjuvant. <i>PLoS ONE</i> , 2013, 8, e60038.	2.5	24
10	Renoprotective effect of GLP-1 receptor agonist, liraglutide, in early-phase diabetic kidney disease in spontaneously diabetic Torii fatty rats. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 365-375.	1.6	16
11	Serum Liver-Type Fatty Acid-Binding Protein Is a Possible Prognostic Factor in Human Chronic Liver Diseases From Chronic Hepatitis to Liver Cirrhosis and Hepatocellular Carcinoma. <i>Hepatology Communications</i> , 2019, 3, 825-837.	4.3	12
12	Renoprotective effect of the xanthine oxidoreductase inhibitor Topiroxostat under decreased angiotensin II type 1a receptor expression. <i>European Journal of Pharmacology</i> , 2017, 815, 88-97.	3.5	11
13	Utility of urinary tubular markers for monitoring chronic tubulointerstitial injury after ischemia-reperfusion. <i>Nephrology</i> , 2018, 23, 308-316.	1.6	11
14	Urinary Level of Liver-Type Fatty Acid Binding Protein Reflects the Degree of Tubulointerstitial Damage in Polycystic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1716-1729.	2.0	11
15	The Possibility of Urinary Liver-Type Fatty Acid-Binding Protein as a Biomarker of Renal Hypoxia in Spontaneously Diabetic Torii Fatty Rats. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1476-1492.	2.0	8
16	Relationship between Urinary Liver-Type Fatty Acid-Binding Protein (L-FABP) and Sarcopenia in Spontaneously Diabetic Torii Fatty Rats. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-14.	2.3	8
17	Renoprotective effects of voluntary running exercise training on aldosterone-induced renal injury in human L-FABP chromosomal transgenic mice. <i>Hypertension Research</i> , 2019, 42, 1518-1527.	2.7	6
18	Renal expression and urinary excretion of liver-type fatty acid-binding protein in cats with renal disease. <i>Journal of Veterinary Internal Medicine</i> , 2020, 34, 761-769.	1.6	6

#	ARTICLE	IF	CITATIONS
19	Effect of GLP-1 receptor agonist, liraglutide, on muscle in spontaneously diabetic torii fatty rats. <i>Molecular and Cellular Endocrinology</i> , 2022, 539, 111472.	3.2	6
20	Endurance Exercise Training-Attenuated Diabetic Kidney Disease with Muscle Weakness in Spontaneously Diabetic Torii Fatty Rats. <i>Kidney and Blood Pressure Research</i> , 2022, 47, 203-218.	2.0	4
21	Preliminary study of urinary excretion of liver-type fatty acid-binding protein in a cat model of chronic kidney disease. <i>Canadian Journal of Veterinary Research</i> , 2021, 85, 156-160.	0.2	1
22	Effects of excessive sodium chloride loading in the spontaneously diabetic torii (SDT) fatty rats, a preclinical model of type 2 diabetes mellitus. <i>Journal of Toxicological Sciences</i> , 2021, 46, 589-599.	1.5	1