

Guy R Newsham

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11361258/guy-r-newsham-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

1,841
citations

16
h-index

22
g-index

22
ext. papers

2,077
ext. citations

5.7
avg, IF

4.96
L-index

#	Paper	IF	Citations
22	Do LEED-certified buildings save energy? Yes, but <i>Energy and Buildings</i> , 2009 , 41, 897-905	7	382
21	Windows, view, and office characteristics predict physical and psychological discomfort. <i>Journal of Environmental Psychology</i> , 2010 , 30, 533-541	6.7	263
20	The effect of utility time-varying pricing and load control strategies on residential summer peak electricity use: A review. <i>Energy Policy</i> , 2010 , 38, 3289-3296	7.2	245
19	A model of satisfaction with open-plan office conditions: COPE field findings. <i>Journal of Environmental Psychology</i> , 2007 , 27, 177-189	6.7	190
18	Do Green Buildings have better indoor environments? New evidence. <i>Building Research and Information</i> , 2013 , 41, 415-434	4.3	117
17	Energy Saving Lighting Control Systems for Open-Plan Offices: A Field Study. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , 2007 , 4, 7-29	3.5	96
16	Effects of office environment on employee satisfaction: a new analysis. <i>Building Research and Information</i> , 2016 , 44, 34-50	4.3	81
15	Disaggregating categories of electrical energy end-use from whole-house hourly data. <i>Energy and Buildings</i> , 2012 , 50, 93-102	7	74
14	Linking Lighting Appraisals to Work Behaviors. <i>Environment and Behavior</i> , 2013 , 45, 198-214	5.6	61
13	Preferred Chromaticity of Color-Tunable LED Lighting. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , 2014 , 10, 101-115	3.5	60
12	Opportunistic occupancy-count estimation using sensor fusion: A case study. <i>Building and Environment</i> , 2019 , 159, 106154	6.5	53
11	EXERCISED CONTROL, LIGHTING CHOICES, AND ENERGY USE: AN OFFICE SIMULATION EXPERIMENT. <i>Journal of Environmental Psychology</i> , 2000 , 20, 219-237	6.7	53
10	A comparison of four methods to evaluate the effect of a utility residential air-conditioner load control program on peak electricity use. <i>Energy Policy</i> , 2011 , 39, 6376-6389	7.2	42
9	Testing the accuracy of low-cost data streams for determining single-person office occupancy and their use for energy reduction of building services. <i>Energy and Buildings</i> , 2017 , 135, 137-147	7	30
8	A model of residential energy end-use in Canada: Using conditional demand analysis to suggest policy options for community energy planners. <i>Energy Policy</i> , 2013 , 59, 133-142	7.2	24
7	Potential energy savings from high-resolution sensor controls for LED lighting. <i>Energy and Buildings</i> , 2018 , 158, 43-53	7	18
6	Clustering and motif identification for occupancy-centric control of an air handling unit. <i>Energy and Buildings</i> , 2020 , 223, 110179	7	14

5	Effect of green building certification on organizational productivity metrics. <i>Building Research and Information</i> , 2018 , 46, 755-766	4.3	11
4	Zero peak housing: Exploring the possibility of eliminating electrical draws from houses during periods of high demand on the electrical grid. <i>Building and Environment</i> , 2012 , 58, 103-113	6.5	9
3	The Potential for Demand-Responsive Lighting in Non-daylit Offices. <i>LEUKOS - Journal of Illuminating Engineering Society of North America</i> , 2006 , 3, 105-120	3.5	9
2	The zero-peak house: Full-scale experiments and demonstration. <i>Energy and Buildings</i> , 2013 , 64, 483-492		5
1	Comparing better building design and operation to other corporate strategies for improving organizational productivity: a review and synthesis. <i>Intelligent Buildings International</i> , 2019 , 1-20	1.7	4