

# Shou-Wei Yin

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1136247/shou-wei-yin-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69  
papers

3,300  
citations

34  
h-index

56  
g-index

69  
ext. papers

4,119  
ext. citations

6.8  
avg, IF

5.6  
L-index

#	Paper	IF	Citations
69	CO-responsive Pickering emulsions stabilized by soft protein particles for interfacial biocatalysis.. <i>Chemical Science</i> , <b>2022</b> , 13, 2884-2890	9.4	3
68	Ethyl cellulose-chitosan complex particles stabilized W/O Pickering emulsion as a recyclable bio-catalytic microreactor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 639, 128375	5.1	0
67	An eco-friendly zein nanoparticle as robust cosmetic ingredient ameliorates skin photoaging. <i>Industrial Crops and Products</i> , <b>2022</b> , 177, 114521	5.9	1
66	Bioaccessibility and intracellular antioxidant activity of phloretin embodied by gliadin/sodium carboxymethyl cellulose nanoparticles. <i>Food Hydrocolloids</i> , <b>2022</b> , 122, 107076	10.6	11
65	Pickering Emulsions Simultaneously Stabilized by Starch Nanocrystals and Zein Nanoparticles: Fabrication, Characterization, and Application. <i>Langmuir</i> , <b>2021</b> , 37, 8577-8584	4	5
64	Edible high internal phase Pickering emulsion with double-emulsion morphology. <i>Food Hydrocolloids</i> , <b>2021</b> , 111, 106405	10.6	25
63	Growth of Au nanoparticles on phosphorylated zein protein particles for use as biomimetic catalysts for cascade reactions at the oil-water interface. <i>Chemical Science</i> , <b>2021</b> , 12, 3885-3889	9.4	6
62	Facile and Robust Route for Preparing Pickering High Internal Phase Emulsions Stabilized by Bare Zein Particles. <i>ACS Food Science &amp; Technology</i> , <b>2021</b> , 1, 1481-1491		2
61	Bioavailability of quercetin in zein-based colloidal particles-stabilized Pickering emulsions investigated by the in vitro digestion coupled with Caco-2 cell monolayer model. <i>Food Chemistry</i> , <b>2021</b> , 360, 130152	8.5	7
60	Sodium caseinate as a particulate emulsifier for making indefinitely recycled pH-responsive emulsions. <i>Chemical Science</i> , <b>2020</b> , 11, 3797-3803	9.4	20
59	Facile preparation of zein nanoparticles with tunable surface hydrophobicity and excellent colloidal stability. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2020</b> , 591, 124554	5.1	14
58	Inverse Pickering Emulsion Stabilized by Binary Particles with Contrasting Characteristics and Functionality for Interfacial Biocatalysis. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 4989-4997	9.5	40
57	Hofmeister Effect-Assistant Fabrication of All-Natural Protein-based Porous Materials Templated from Pickering Emulsions. <i>Journal of Agricultural and Food Chemistry</i> , <b>2020</b> , 68, 11261-11272	5.7	4
56	Fabrication and characterization of Pickering High Internal Phase Emulsions (HIPEs) stabilized by chitosan-caseinophosphopeptides nanocomplexes as oral delivery vehicles. <i>Food Hydrocolloids</i> , <b>2019</b> , 93, 34-45	10.6	84
55	Fabrication and Characterization of Novel Water-Insoluble Protein Porous Materials Derived from Pickering High Internal-Phase Emulsions Stabilized by Gliadin-Chitosan-Complex Particles. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 3423-3431	5.7	51
54	Protein-Based Pickering High Internal Phase Emulsions as Nutraceutical Vehicles of and the Template for Advanced Materials: A Perspective Paper. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 9719-9726	5.7	41
53	Lactobacillus reuteri improves gut barrier function and affects diurnal variation of the gut microbiota in mice fed a high-fat diet. <i>Food and Function</i> , <b>2019</b> , 10, 4705-4715	6.1	20

52	Development of Pickering Emulsions Stabilized by Gliadin/Proanthocyanidins Hybrid Particles (GPHPs) and the Fate of Lipid Oxidation and Digestion. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 1461-1471	5.7	61
51	Development of antioxidant gliadin particle stabilized Pickering high internal phase emulsions (HIPEs) as oral delivery systems and the in vitro digestion fate. <i>Food and Function</i> , <b>2018</b> , 9, 959-970	6.1	71
50	Development and characterization of novel antimicrobial bilayer films based on Polylactic acid (PLA)/Pickering emulsions. <i>Carbohydrate Polymers</i> , <b>2018</b> , 181, 727-735	10.3	54
49	Surface modification improves fabrication of pickering high internal phase emulsions stabilized by cellulose nanocrystals. <i>Food Hydrocolloids</i> , <b>2018</b> , 75, 125-130	10.6	139
48	Development and characterisation of polylactic acid/gliadin bilayer/trilayer films as carriers of thymol. <i>International Journal of Food Science and Technology</i> , <b>2018</b> , 53, 608-618	3.8	6
47	Cellular Uptake and Intracellular Antioxidant Activity of Zein/Chitosan Nanoparticles Incorporated with Quercetin. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 12783-12793	5.7	46
46	Fabrication of Zein/Pectin Hybrid Particle-Stabilized Pickering High Internal Phase Emulsions with Robust and Ordered Interface Architecture. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 11113-11123	5.7	114
45	Hierarchical high internal phase emulsions and transparent oleogels stabilized by quillaja saponin-coated nanodroplets for color performance. <i>Food and Function</i> , <b>2017</b> , 8, 823-831	6.1	24
44	Zein/tannic acid complex nanoparticles-stabilised emulsion as a novel delivery system for controlled release of curcumin. <i>International Journal of Food Science and Technology</i> , <b>2017</b> , 52, 1221-1228	3.8	34
43	Development of stable Pickering emulsions/oil powders and Pickering HIPEs stabilized by gliadin/chitosan complex particles. <i>Food and Function</i> , <b>2017</b> , 8, 2220-2230	6.1	77
42	Development of antioxidant Pickering high internal phase emulsions (HIPEs) stabilized by protein/polysaccharide hybrid particles as potential alternative for PHOs. <i>Food Chemistry</i> , <b>2017</b> , 231, 122-130	8.5	153
41	Responsive Emulsion Gels with Tunable Properties Formed by Self-Assembled Nanofibrils of Natural Saponin Glycyrrhizic Acid for Oil Structuring. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 2394-2405	5.7	51
40	Development and Characterization of Multifunctional Gelatin-Lysozyme Films Via the Oligomeric Proanthocyanidins (OPCs) Crosslinking Approach. <i>Food Biophysics</i> , <b>2017</b> , 12, 451-461	3.2	6
39	Microfluidization initiated cross-linking of gliadin particles for structured algal oil emulsions. <i>Food Hydrocolloids</i> , <b>2017</b> , 73, 153-161	10.6	34
38	Tunable assembly of hydrophobic protein nanoparticle at fluid interfaces with tannic acid. <i>Food Hydrocolloids</i> , <b>2017</b> , 63, 364-371	10.6	17
37	Thermoresponsive structured emulsions based on the fibrillar self-assembly of natural saponin glycyrrhizic acid. <i>Food and Function</i> , <b>2017</b> , 8, 75-85	6.1	45
36	Tunable volatile release from organogel-emulsions based on the self-assembly of $\beta$ -sitosterol and $\beta$ -oryzanol. <i>Food Chemistry</i> , <b>2017</b> , 221, 1491-1498	8.5	24
35	Development and characterization of novel chitosan emulsion films via pickering emulsions incorporation approach. <i>Food Hydrocolloids</i> , <b>2016</b> , 52, 253-264	10.6	43

34	Wheat gluten based percolating emulsion gels as simple strategy for structuring liquid oil. <i>Food Hydrocolloids</i> , <b>2016</b> , 61, 747-755	10.6	41
33	Fabrication and characterization of Pickering emulsions and oil gels stabilized by highly charged zein/chitosan complex particles (ZCCPs). <i>Food Chemistry</i> , <b>2016</b> , 213, 462-469	8.5	111
32	Modulation of the surface properties of protein particles by a surfactant for stabilizing foams. <i>RSC Advances</i> , <b>2016</b> , 6, 66018-66026	3.7	19
31	Fabrication and characterization of novel Pickering emulsions and Pickering high internal emulsions stabilized by gliadin colloidal particles. <i>Food Hydrocolloids</i> , <b>2016</b> , 61, 300-310	10.6	158
30	Prevention of retinoic acid-induced osteoporosis in mice by isoflavone-enriched soy protein. <i>Journal of the Science of Food and Agriculture</i> , <b>2016</b> , 96, 331-8	4.3	14
29	The influence of heat treatment on acid-tolerant emulsions prepared from acid soluble soy protein and soy soluble polysaccharide complexes. <i>Food Research International</i> , <b>2016</b> , 89, 211-218	7	22
28	Pickering Emulsion Gels Prepared by Hydrogen-Bonded Zein/Tannic Acid Complex Colloidal Particles. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 7405-14	5.7	224
27	Effect of Monascus aged vinegar on isoflavone conversion in soy germ by soaking treatment. <i>Food Chemistry</i> , <b>2015</b> , 186, 256-64	8.5	7
26	Fabrication and characterization of antioxidant pickering emulsions stabilized by zein/chitosan complex particles (ZCPs). <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 2514-24	5.7	180
25	Continuous preparation of zein colloidal particles by Flash NanoPrecipitation (FNP). <i>Journal of Food Engineering</i> , <b>2014</b> , 127, 103-110	6	40
24	Preparation and characterization of kidney bean protein isolate (KPI)ϒchitosan (CH) composite films prepared by ultrasonic pretreatment. <i>Food Hydrocolloids</i> , <b>2014</b> , 36, 60-69	10.6	29
23	Protein-based pickering emulsion and oil gel prepared by complexes of zein colloidal particles and stearate. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 2672-8	5.7	139
22	Surface modification of sodium caseinate films by zein coatings. <i>Food Hydrocolloids</i> , <b>2014</b> , 36, 1-8	10.6	28
21	Genipin-crosslinked gelatin films as controlled releasing carriers of lysozyme. <i>Food Research International</i> , <b>2013</b> , 51, 321-324	7	39
20	Development of novel zein-sodium caseinate nanoparticle (ZP)-stabilized emulsion films for improved water barrier properties via emulsion/solvent evaporation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2013</b> , 61, 11089-97	5.7	28
19	Preparation of water-soluble antimicrobial zein nanoparticles by a modified antisolvent approach and their characterization. <i>Journal of Food Engineering</i> , <b>2013</b> , 119, 343-352	6	67
18	Fabrication and characterization of kidney bean ( <i>Phaseolus vulgaris</i> L.) protein isolateϒchitosan composite films at acidic pH. <i>Food Hydrocolloids</i> , <b>2013</b> , 31, 237-247	10.6	35
17	Computed microtomography and mechanical property analysis of soy protein porous hydrogel prepared by homogenizing and microbial transglutaminase cross-linking. <i>Food Hydrocolloids</i> , <b>2013</b> , 31, 220-226	10.6	46

16	Fabrication and characterization of novel antimicrobial films derived from thymol-loaded zein-sodium caseinate (SC) nanoparticles. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 11592-600	5.7	124
15	Characterization of gelatin-based edible films incorporated with olive oil. <i>Food Research International</i> , <b>2012</b> , 49, 572-579	7	123
14	Effect of homogenization conditions on properties of gelatin/olive oil composite films. <i>Journal of Food Engineering</i> , <b>2012</b> , 113, 136-142	6	30
13	Surface charge and conformational properties of phaseolin, the major globulin in red kidney bean ( <i>Phaseolus vulgaris</i> L): effect of pH. <i>International Journal of Food Science and Technology</i> , <b>2011</b> , 46, 1628-1635	3.8	15
12	Comparison of Flavor Volatiles and Some Functional Properties of Different Soy Protein Products. <i>JAACS, Journal of the American Oil Chemists Society</i> , <b>2011</b> , 88, 1621-1631	1.8	20
11	Conformational and thermal properties of phaseolin, the major storage protein of red kidney bean ( <i>Phaseolus vulgaris</i> L.). <i>Journal of the Science of Food and Agriculture</i> , <b>2011</b> , 91, 94-9	4.3	14
10	Wettability, surface microstructure and mechanical properties of films based on phosphorus oxychloride-treated zein. <i>Journal of the Science of Food and Agriculture</i> , <b>2011</b> , 91, 1222-9	4.3	20
9	Physicochemical and structural characterisation of protein isolate, globulin and albumin from soapnut seeds ( <i>Sapindus mukorossi</i> Gaertn.). <i>Food Chemistry</i> , <b>2011</b> , 128, 420-6	8.5	27
8	Conformational study of red kidney bean ( <i>Phaseolus vulgaris</i> L.) protein isolate (KPI) by tryptophan fluorescence and differential scanning calorimetry. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 241-8	5.7	18
7	The relationships between physicochemical properties and conformational features of succinylated and acetylated kidney bean ( <i>Phaseolus vulgaris</i> L.) protein isolates. <i>Food Research International</i> , <b>2010</b> , 43, 730-738	7	58
6	Functional and conformational properties of phaseolin ( <i>Phaseolus vulgaris</i> L.) and kidney bean protein isolate: a comparative study. <i>Journal of the Science of Food and Agriculture</i> , <b>2010</b> , 90, 599-607	4.3	37
5	Functional and structural properties and in vitro digestibility of acylated hemp ( <i>Cannabis sativa</i> L.) protein isolates. <i>International Journal of Food Science and Technology</i> , <b>2009</b> , 44, 2653-2661	3.8	24
4	Effects of acylation on the functional properties and in vitro trypsin digestibility of red kidney bean ( <i>Phaseolus vulgaris</i> L.) protein isolate. <i>Journal of Food Science</i> , <b>2009</b> , 74, E488-94	3.4	15
3	Properties of cast films of vicilin-rich protein isolates from <i>Phaseolus</i> legumes: Influence of heat curing. <i>LWT - Food Science and Technology</i> , <b>2009</b> , 42, 1659-1666	5.4	29
2	Functional properties and in vitro trypsin digestibility of red kidney bean ( <i>Phaseolus vulgaris</i> L.) protein isolate: Effect of high-pressure treatment. <i>Food Chemistry</i> , <b>2008</b> , 110, 938-45	8.5	135
1	Properties of cast films from hemp ( <i>Cannabis sativa</i> L.) and soy protein isolates. A comparative study. <i>Journal of Agricultural and Food Chemistry</i> , <b>2007</b> , 55, 7399-404	5.7	51