

Andreas Bick

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11364913/publications.pdf>

Version: 2024-02-01

25
papers

305
citations

840776

11
h-index

888059

17
g-index

25
all docs

25
docs citations

25
times ranked

265
citing authors

#	ARTICLE	IF	CITATIONS
1	Fanworms: Yesterday, Today and Tomorrow. <i>Diversity</i> , 2021, 13, 130.	1.7	14
2	Natural history collections recapitulate 200 years of faunal change. <i>Royal Society Open Science</i> , 2021, 8, 201983.	2.4	8
3	Coming and going – Historical distributions of the European oyster <i>Ostrea edulis</i> Linnaeus, 1758 and the introduced slipper limpet <i>Crepidula fornicata</i> Linnaeus, 1758 in the North Sea. <i>PLoS ONE</i> , 2019, 14, e0224249.	2.5	11
4	Description of a new species of Sabellidae (Polychaeta, Annelida) from fresh and brackish waters in Europe, with some remarks on the branchial crown of <i>Laonome</i> . <i>Zootaxa</i> , 2018, 4483, 349.	0.5	11
5	Redescription of <i>P. dorsipapillatus</i> (von Marenzeller, 1893) and additional comments on the other species in the genus <i>Pholoides</i> Pruvot, 1895 (Polychaeta: Sigalionidae). <i>Zootaxa</i> , 2018, 4450, 91.	0.5	0
6	Arctic <i>Pholoe</i> (Polychaeta: Pholoidae): when integrative taxonomy helps to sort out barcodes. <i>Zoological Journal of the Linnean Society</i> , 2016, , .	2.3	6
7	Histological and ultrastructural reconstruction of ventral epidermal glands of <i>Spio</i> (Polychaeta,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.8	4
8	Modelling habitat range and seasonality of a new, non-indigenous polychaete <i>Laonome</i> sp. (Sabellida,) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.6	12
9	Spionidae (Polychaeta: Canalipalpata: Spionida) from seamounts in the NE Atlantic	0.5	28
10	Parapodial glandular organs in <i>Spiophanes</i> (Polychaeta: Spionidae) – studies on their functional anatomy and ultrastructure. <i>Journal of Morphology</i> , 2012, 273, 291-311.	1.2	9
11	Development, morphology and ultrastructure of the branchial crown of <i>Fabricia stellaris</i> (Müller, 1774) (Polychaeta: Sabellida: Fabriciinae). <i>Acta Zoologica</i> , 2012, 93, 409-421.	0.8	3
12	Redescription of four species of <i>Spio</i> and <i>Microspio</i> (Polychaeta, Spionidae) from the Kuril Islands and Peter the Great Bay, northwest Pacific. <i>Zootaxa</i> , 2011, 2968, 39.	0.5	5
13	On the identity of <i>Spio filicornis</i> (O.F. Müller, 1776) – with the designation of a neotype, and the description of two new species from the North East Atlantic Ocean based on morphological and genetic studies. <i>Zootaxa</i> , 2011, 2815, 1.	0.5	17
14	A contribution to the taxonomy of <i>Spio</i> (Spionidae, Polychaeta, Annelida) occurring in the North and Baltic Seas, with a key to species recorded in this area. <i>Marine Biodiversity</i> , 2010, 40, 161-180.	1.0	10
15	Polychaete communities associated with gastropod shells inhabited by the hermit crabs <i>Clibanarius erythropus</i> and <i>Calcinus tubularis</i> from Ibiza, Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 83-92.	0.8	11
16	Ontogenetic variations in characters of <i>Euchone analis</i> (Krøyer, 1856) (Polychaeta, Sabellidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14 <i>liefdefjordensis</i> Plate, 1995. <i>Acta Zoologica</i> , 2005, 86, 145-157.	0.8	14
17	Redescription of <i>Fabriciola tonerella</i> Banse, 1959, and a new record of <i>Novafabricia infratorquata</i> (Fitzhugh, 1983) from the Mediterranean Sea, with a key for the Fabriciinae (Annelida: Polychaeta) of the Mediterranean Sea and the north-east Atlantic. <i>Zoologischer Anzeiger</i> , 2005, 244, 137-152.	0.9	10
18	Intertidal and subtidal soft-bottom macro- and meiofauna of the Kongsfjord (Spitsbergen). <i>Polar Biology</i> , 2005, 28, 550-557.	1.2	28

#	ARTICLE	IF	CITATIONS
19	A new Spionidae (Polychaeta) from North Carolina, and a redescription of <i>Marenzelleria wireni</i> Augener, 1913, from Spitsbergen, with a key for all species of <i>Marenzelleria</i> . <i>Helgoland Marine Research</i> , 2005, 59, 265-272.	1.3	23
20	A new polychaete genus and species of the Kongsfjorden, Spitsbergen, Svalbard. <i>Journal of Natural History</i> , 2005, 39, 2987-2996.	0.5	4
21	Redescription of <i>Pseudoaugeneriella nigra</i> (Langerhans, 1880), new combination (Polychaeta.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1</i>	0.9	10
22	The morphology and ecology of <i>Dipolydora armata</i> (Polychaeta, Spionidae) from the western Mediterranean Sea. <i>Acta Zoologica</i> , 2002, 82, 177-187.	0.8	8
23	Title is missing!. <i>Aquatic Ecology</i> , 1997, 31, 137-148.	1.5	26
24	<i>Corophium Volutator</i> (Corophiidae: Amphipoda) as an intermediate host of larval <i>Digenea</i> " An ecological analysis in a coastal region of the Southern Baltic. <i>Ophelia</i> , 1994, 40, 27-36.	0.3	13
25	Arbeitsschlüssel zur Bestimmung der Polychaeten der Ostsee. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1985, 61, 171-272.	0.1	20