## M Hickman

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11371133/publications.pdf

Version: 2024-02-01

84 3,174 32 55
papers citations h-index g-index

84 84 84 3855
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Risk of death during and after opiate substitution treatment in primary care: prospective observational study in UK General Practice Research Database. BMJ: British Medical Journal, 2010, 341, c5475-c5475.	2.4	250
2	Survival and cessation in injecting drug users: prospective observational study of outcomes and effect of opiate substitution treatment. BMJ: British Medical Journal, 2010, 341, c3172-c3172.	2.4	168
3	Adolescent Alcohol and Tobacco Use and Early Socioeconomic Position: The ALSPAC Birth Cohort. Pediatrics, 2011, 127, e948-e955.	1.0	139
4	Genome-wide association study of lifetime cannabis use based on a large meta-analytic sample of 32 330 subjects from the International Cannabis Consortium. Translational Psychiatry, 2016, 6, e769-e769.	2.4	136
5	Patterns of alcohol use and multiple risk behaviour by gender during early and late adolescence: the ALSPAC cohort. Journal of Public Health, 2012, 34, i20-i30.	1.0	129
6	Increasing the uptake of hepatitis C virus testing among injecting drug users in specialist drug treatment and prison settings by using dried blood spots for diagnostic testing: a cluster randomized controlled trial. Journal of Viral Hepatitis, 2008, 15, 250-254.	1.0	102
7	Mapping the prevalence of sickle cell and beta thalassaemia in England: estimating and validating ethnic-specific rates. British Journal of Haematology, 1999, 104, 860-867.	1.2	101
8	Drug-Related Mortality and Fatal Overdose Risk: Pilot Cohort Study of Heroin Users Recruited From Specialist Drug Treatment Sites in London. Journal of Urban Health, 2003, 80, 274-287.	1.8	87
9	Injecting drug use in Brighton, Liverpool, and London: best estimates of prevalence and coverage of public health indicators. Journal of Epidemiology and Community Health, 2004, 58, 766-771.	2.0	86
10	Hepatitis C virus (HCV) prevalence, and injecting risk behaviour in multiple sites in England in 2004. Journal of Viral Hepatitis, 2007, 14, 645-652.	1.0	86
11	Associations of cannabis and cigarette use with psychotic experiences at age 18: findings from the Avon Longitudinal Study of Parents and Children. Psychological Medicine, 2014, 44, 3435-3444.	2.7	86
12	<scp>HCV</scp> treatment rates and sustained viral response among people who inject drugs in seven <scp>UK</scp> sites: real world results and modelling of treatment impact. Journal of Viral Hepatitis, 2015, 22, 399-408.	1.0	86
13	Measuring the incidence, prevalence and genetic relatedness of hepatitis C infections among a community recruited sample of injecting drug users, using dried blood spots. Journal of Viral Hepatitis, 2011, 18, 262-270.	1.0	81
14	Modelling the impact on Hepatitis C transmission of reducing syringe sharing: London case study. International Journal of Epidemiology, 2007, 36, 396-405.	0.9	79
15	Costs and Characteristics of Heavy Inpatient Service Users in Outer London. International Journal of Social Psychiatry, 2001, 47, 63-74.	1.6	73
16	Heavy users of acute psychiatric beds: randomized controlled trial of enhanced community management in an outer London borough. Psychological Medicine, 2002, 32, 403-416.	2.7	72
17	A comparison of different methods for estimating the prevalence of problematic drug misuse in Great Britain. Addiction, 2001, 96, 1465-1476.	1.7	71
18	Incidence of hepatitis C in drug injectors: the role of homelessness, opiate substitution treatment, equipment sharing, and community size. Epidemiology and Infection, 2009, 137, 1255-1265.	1.0	71

#	Article	IF	CITATIONS
19	Modelling the force of infection for hepatitis B and hepatitis C in injecting drug users in England and Wales. BMC Infectious Diseases, 2006, 6, 93.	1.3	70
20	Prevalence of hepatitis C among injection drug users in England and Wales: is harm reduction working?. American Journal of Public Health, 2001, 91, 38-42.	1.5	68
21	An evidence synthesis approach to estimating Hepatitis C Prevalence in England and Wales. Statistical Methods in Medical Research, 2009, 18, 361-379.	0.7	65
22	Estimating the prevalence of ex-injecting drug use in the population. Statistical Methods in Medical Research, 2009, 18, 381-395.	0.7	56
23	Prevalence of, and risk factors for, hepatitis C virus infection among recent initiates to injecting in London and Glasgow: cross sectional analysis. Journal of Viral Hepatitis, 2005, 12, 655-662.	1.0	55
24	Estimating the prevalence of problem drug use in inner London: a discussion of three capture-recapture studies. Addiction, 1999, 94, 1653-1662.	1.7	54
25	Hepatitis C Infection Among Injecting Drug Users in England and Wales (1992-2006): There and Back Again?. American Journal of Epidemiology, 2009, 170, 352-360.	1.6	50
26	Recapture or Precapture? Fallibility of Standard Capture-Recapture Methods in the Presence of Referrals Between Sources. American Journal of Epidemiology, 2014, 179, 1383-1393.	1.6	48
27	Measuring injecting risk behaviour in the second decade of harm reduction: a survey of injecting drug users in England. Addiction, 2000, 95, 1351-1361.	1.7	44
28	Assessing IDU prevalence and health consequences (HCV, overdose and drug-related mortality) in a primary care trust: implications for public health action. Journal of Public Health, 2009, 31, 374-382.	1.0	44
29	A matched comparison study of hepatitis C treatment outcomes in the prison and community setting, and an analysis of the impact of prison release or transfer during therapy. Journal of Viral Hepatitis, 2016, 23, 1009-1016.	1.0	44
30	Healthcare seeking and hospital admissions by people who inject drugs in response to symptoms of injection site infections or injuries in three urban areas of England. Epidemiology and Infection, 2015, 143, 120-131.	1.0	40
31	Estimating hepatitis C prevalence in England and Wales by synthesizing evidence from multiple data sources. Assessing data conflict and model fit. Biostatistics, 2008, 9, 715-734.	0.9	38
32	New treatments for hepatitis C virus (HCV): scope for preventing liver disease and HCV transmission in England. Journal of Viral Hepatitis, 2016, 23, 631-643.	1.0	37
33	Not in the vein: â€~missed hits', subcutaneous and intramuscular injections and associated harms among people who inject psychoactive drugs in Bristol, United Kingdom. International Journal of Drug Policy, 2016, 28, 83-90.	1.6	34
34	A prospective longitudinal model predicting early adult alcohol problems: evidence for a robust externalizing pathway. Psychological Medicine, 2016, 46, 957-968.	2.7	33
35	Estimating the Relative Incidence of Heroin Use: Application of a Method for Adjusting Observed Reports of First Visits to Specialized Drug Treatment Agencies. American Journal of Epidemiology, 2001, 153, 632-641.	1.6	27
36	Factors associated with recent symptoms of an injection site infection or injury among people who inject drugs in three English cities. International Journal of Drug Policy, 2014, 25, 303-307.	1.6	26

#	Article	IF	CITATIONS
37	A stepped wedge cluster randomized control trial of dried blood spot testing to improve the uptake of hepatitis C antibody testing within UK prisons. European Journal of Public Health, 2015, 25, 351-357.	0.1	25
38	Costing model for neonatal screening and diagnosis of haemoglobinopathies. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1998, 79, F161-F167.	1.4	23
39	Understanding hepatitis C intervention successâ€"Qualitative findings from the Hep <scp>CATT</scp> study. Journal of Viral Hepatitis, 2018, 25, 762-770.	1.0	23
40	Establishing the cascade of care for hepatitis C in Englandâ€"benchmarking to monitor impact of direct acting antivirals. Journal of Viral Hepatitis, 2018, 25, 482-490.	1.0	23
41	Hepatitis B vaccine uptake among injecting drug users in England 1998 to 2004: is the prison vaccination programme driving recent improvements?. Journal of Viral Hepatitis, 2007, 14, 653-660.	1.0	22
42	Going into the groin: Injection into the femoral vein among people who inject drugs in three urban areas of England. Drug and Alcohol Dependence, 2015, 152, 239-245.	1.6	22
43	Geographic variation in sexual behaviour in Britain: implications for sexually transmitted disease epidemiology and sexual health promotion. Aids, 1996, 10, 193-199.	1.0	21
44	Twenty years of selective hepatitis B vaccination: is hepatitis B declining among injecting drug users in England and Wales?. Journal of Viral Hepatitis, 2007, 14, 584-591.	1.0	21
45	Characteristics of injecting drug users accessing different types of needle and syringe programme or using secondary distribution. Journal of Public Health, 2010, 32, 328-335.	1.0	21
46	Respondent driven sampling and community structure in a population of injecting drug users, Bristol, UK. Drug and Alcohol Dependence, 2012, 126, 324-332.	1.6	19
47	Adverse childhood experiences and substance misuse in young people in India: results from the multisite cVEDA cohort. BMC Public Health, 2021, 21, 1920.	1.2	18
48	Incidence of gonorrhoea diagnosed in GUM clinics in South Thames (west) region. Sexually Transmitted Infections, 1999, 75, 306-311.	0.8	17
49	Prevalence of problematic and injecting drug use for Drug Action Team areas in England. Journal of Public Health, 2006, 28, 3-9.	1.0	14
50	Validation of a regional drug misuse database: implications for policy and surveillance of problem drug use in the uk. BMJ: British Medical Journal, 1997, 315, 581-581.	2.4	13
51	Surveillance of sexually transmitted infections: fit for purpose?. International Journal of STD and AIDS, 1999, 10, 493-494.	0.5	12
52	Impact of HIV infection on mortality in young men in a London health authority BMJ: British Medical Journal, 1992, 305, 219-221.	2.4	11
53	Surveillance of problem drug use in the UK: a review of a Regional Drug Misuse Database. Journal of Public Health, 1999, 21, 271-277.	1.0	11
54	HIV prevalence and risk behaviour among female injecting drug users in London, 1990 to 1996. Aids, 1999, 13, 833-837.	1.0	10

#	Article	IF	CITATIONS
55	Impact of HIV on adult (15-54) mortality in London: 1979-96. Sexually Transmitted Infections, 1999, 75, 385-388.	0.8	9
56	Investigation of a large community-based outbreak of hepatitis B infection in the United Kingdom. Epidemiology and Infection, 2012, 140, 47-57.	1.0	9
57	Propensity score matching for selection of local areas as controls for evaluation of effects of alcohol policies in case series and quasi case–control designs. Public Health, 2016, 132, 40-49.	1.4	9
58	Chronic hepatitis B virus case-finding in UK populations born abroad in intermediate or high endemicity countries: an economic evaluation. BMJ Open, 2019, 9, e030183.	0.8	9
59	DNA methylation from birth to late adolescence and development of multiple-risk behaviours. Journal of Affective Disorders, 2018, 227, 588-594.	2.0	9
60	Low uptake of COVID-19 lateral flow testing among university students: a mixed methods evaluation. Public Health, 2022, 204, 54-62.	1.4	9
61	Premature Mortality in Scottish Injecting Drug Users: A Life-history Approach. Scottish Medical Journal, 2012, 57, 38-42.	0.7	8
62	Prevalence of HIV infection in a multi-site sample of injecting drug users not in contact with treatment services in England. Aids, 2000, 14, 2413-2415.	1.0	8
63	Spatial mapping of hepatitis C prevalence in recent injecting drug users in contact with services. Epidemiology and Infection, 2012, 140, 1054-1063.	1.0	7
64	AIDS surveillance: a direct assessment of under-reporting. Aids, 1993, 7, 1661-1665.	1.0	6
65	Public health information on COVID-19 for international travellers: lessons learned from a mixed-method evaluation. Public Health, 2021, 193, 116-123.	1.4	6
66	Learning about COVID-19 across borders: public health information and adherence among international travellers to the UK. Public Health, 2022, 203, 9-14.	1.4	5
67	Mapping the hepatitis C cascade of care in people attending drug treatment services in England: A data linkage study. International Journal of Drug Policy, 2019, 72, 55-60.	1.6	4
68	Recording of clinical information in a Scotland-wide drug deaths study. Journal of Psychopharmacology, 2010, 24, 1289-1298.	2.0	3
69	Statistics on misuse of drugs have been misused. BMJ: British Medical Journal, 1998, 317, 1388-1388.	2.4	3
70	Strategies to reduce <scp>HCV</scp> disease burden and <scp>HCV</scp> transmission need different models, as what works for endâ∈stage liver disease may not work for <scp>HCV</scp> prevalence: a comment on the results presented in <scp>JVH</scp> Special Issue. Journal of Viral Hepatitis, 2014, 21, e167-8.	1.0	2
71	†DrinkThink' alcohol screening and brief intervention for young people: a qualitative evaluation of training and implementation. Journal of Public Health, 2018, 40, 381-388.	1.0	2
72	Monitoring liver transplant rates in persons diagnosed with hepatitis C: a data linkage study, England 2008 to 2017. Eurosurveillance, 2019, 24, .	3.9	2

#	Article	IF	CITATIONS
73	Assessment of the Feasibility of Conducting Population Prevalence Studies of Chronic Renal Failure According to Ethnic Group: A Survey of Clinical Biochemistry Laboratories in Greater London and South East England. Annals of Clinical Biochemistry, 1999, 36, 94-98.	0.8	1
74	OP75â€A qualitative exploration of the intersection between social influence and cultural norms in relation to the development of alcohol consumption practices during adolescence. , 2018, , .		1
75	OP29â€Examining Inequalities in the uptake of the School-Based HPV Vaccination Programme in England: A Retrospective Cohort Study. Journal of Epidemiology and Community Health, 2013, 67, A16.1-A16.	2.0	O
76	Causes of morbidity in injection drug users presenting in primary case: population based case-control study examining the morbidity of drug users recruited to the Edinburgh Addiction Cohort between 1980 and 2006 and matched controls. European Journal of Public Health, 2014, 24, .	0.1	0
77	OP24â€Associations of cannabis and cigarette use with depression and anxiety at age 18: findings from the avon longitudinal study of parents and children. Journal of Epidemiology and Community Health, 2015, 69, A19.2-A19.	2.0	O
78	PP37â€Use of mendelian randomisation to assess whether smoking is causally associated with alcohol consumption. Journal of Epidemiology and Community Health, 2015, 69, A68.2-A68.	2.0	0
79	OP36â€Evaluating youth mentoring for young people at risk of exclusion from secondary school: results from a feasibility randomised control trial study. Journal of Epidemiology and Community Health, 2016, 70, A24.1-A24.	2.0	O
80	OP45â€The effect of multiple risk behaviours in adolescence on educational attainment at age 16 years: a uk birth cohort study. , 2017, , .		0
81	P05â€Multiple risk behaviour in adolescence and adverse health and social outcomes in early adulthood: findings from a prospective birth cohort study. , 2017, , .		O
82	OP36 Individual, family and school-based interventions to prevent multiple risk behaviours in young people aged 8–25 years: a cochrane systematic review and meta-analysis. , 2018, , .		0
83	OP49â€Perceptions of adolescent health risk behaviour and socioeconomic position: a grounded theory study of young adults in Bristol. , 2020, , .		0
84	Multiple risk behaviour and socioeconomic status during the transition from adolescence to adulthood. European Journal of Public Health, 2020, 30, .	0.1	0