

Ammar Hassanzadeh Keshteli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1137251/publications.pdf>

Version: 2024-02-01

168
papers

3,968
citations

159525

30
h-index

161767

54
g-index

177
all docs

177
docs citations

177
times ranked

4554
citing authors

#	ARTICLE	IF	CITATIONS
1	Worldwide Prevalence and Burden of Functional Gastrointestinal Disorders, Results of Rome Foundation Global Study. <i>Gastroenterology</i> , 2021, 160, 99-114.e3.	0.6	913
2	FODMAPs alter symptoms and the metabolome of patients with IBS: a randomised controlled trial. <i>Gut</i> , 2017, 66, 1241-1251.	6.1	330
3	A high-sugar diet rapidly enhances susceptibility to colitis via depletion of luminal short-chain fatty acids in mice. <i>Scientific Reports</i> , 2019, 9, 12294.	1.6	115
4	Adherence to Mediterranean dietary pattern is inversely associated with depression, anxiety and psychological distress. <i>Nutritional Neuroscience</i> , 2021, 24, 248-259.	1.5	89
5	Prevalence of autoimmune thyroiditis in patients with polycystic ovary syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 853-856.	0.8	81
6	Diet in the Pathogenesis and Management of Ulcerative Colitis; A Review of Randomized Controlled Dietary Interventions. <i>Nutrients</i> , 2019, 11, 1498.	1.7	77
7	What's the role of perceived social support and coping styles in depression and anxiety?. <i>Journal of Research in Medical Sciences</i> , 2014, 19, 944-9.	0.4	70
8	Empirically derived dietary patterns in relation to psychological disorders. <i>Public Health Nutrition</i> , 2016, 19, 204-217.	1.1	63
9	Glycemic index, glycemic load, and common psychological disorders. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 201-209.	2.2	59
10	Pretreatment with antibiotics may enhance the efficacy of fecal microbiota transplantation in ulcerative colitis: a meta-analysis. <i>Mucosal Immunology</i> , 2017, 10, 565-566.	2.7	58
11	Fish consumption is inversely associated with the metabolic syndrome. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 474-480.	1.3	52
12	Nutrient patterns and their relation to general and abdominal obesity in Iranian adults: findings from the SEPAHAN study. <i>European Journal of Nutrition</i> , 2016, 55, 505-518.	1.8	52
13	Adherence to the DASH diet and prevalence of the metabolic syndrome among Iranian women. <i>European Journal of Nutrition</i> , 2015, 54, 421-428.	1.8	50
14	Hyperhomocysteinemia as a potential contributor of colorectal cancer development in inflammatory bowel diseases: A review. <i>World Journal of Gastroenterology</i> , 2015, 21, 1081.	1.4	50
15	Association of Stressful Life Events with Psychological Problems: A Large-Scale Community-Based Study Using Grouped Outcomes Latent Factor Regression with Latent Predictors. <i>Computational and Mathematical Methods in Medicine</i> , 2017, 2017, 1-12.	0.7	46
16	Adherence to the Dietary Approaches to Stop Hypertension (DASH) diet in relation to obesity among Iranian female nurses. <i>Public Health Nutrition</i> , 2015, 18, 705-712.	1.1	44
17	Consumption of spicy foods and the prevalence of irritable bowel syndrome. <i>World Journal of Gastroenterology</i> , 2013, 19, 6465.	1.4	43
18	Metformin use and risk of fracture: a systematic review and meta-analysis of observational studies. <i>Osteoporosis International</i> , 2019, 30, 1167-1173.	1.3	43

#	ARTICLE	IF	CITATIONS
19	Combined Healthy Lifestyle Is Inversely Associated with Psychological Disorders among Adults. PLoS ONE, 2016, 11, e0146888.	1.1	42
20	Adherence to the MIND diet and prevalence of psychological disorders in adults. Journal of Affective Disorders, 2019, 256, 96-102.	2.0	40
21	Adherence to Alternative Healthy Eating Index in relation to depression and anxiety in Iranian adults. British Journal of Nutrition, 2016, 116, 335-342.	1.2	39
22	Consumption of fruit and vegetables in relation with psychological disorders in Iranian adults. European Journal of Nutrition, 2018, 57, 2295-2306.	1.8	39
23	Association between the dietary inflammatory index and common mental health disorders profile scores. Clinical Nutrition, 2019, 38, 1643-1650.	2.3	39
24	Association between dietary inflammatory index and psychological profile in adults. Clinical Nutrition, 2019, 38, 2360-2368.	2.3	39
25	Patterns of dietary behaviours identified by latent class analysis are associated with chronic uninvestigated dyspepsia. British Journal of Nutrition, 2015, 113, 803-812.	1.2	37
26	Comparison of the metabolomic profiles of irritable bowel syndrome patients with ulcerative colitis patients and healthy controls: new insights into pathophysiology and potential biomarkers. Alimentary Pharmacology and Therapeutics, 2019, 49, 723-732.	1.9	37
27	Patterns of diet-related practices and prevalence of gastroesophageal reflux disease. Neurogastroenterology and Motility, 2013, 25, 831.	1.6	35
28	Metabolomics in Exercise and Sports: A Systematic Review. Sports Medicine, 2022, 52, 547-583.	3.1	34
29	Dietary patterns and prevalence of irritable bowel syndrome in Iranian adults. Neurogastroenterology and Motility, 2016, 28, 1921-1933.	1.6	33
30	The association between dietary intake of magnesium and psychiatric disorders among Iranian adults: a cross-sectional study. British Journal of Nutrition, 2018, 120, 693-702.	1.2	33
31	Association between dietary insulin index and load with obesity in adults. European Journal of Nutrition, 2020, 59, 1563-1575.	1.8	33
32	Irritable Bowel Syndrome in Iran: SEPAHAN Systematic Review No. 1. International Journal of Preventive Medicine, 2012, 3, S1-9.	0.2	31
33	Correlation of dyslipidemia with waist to height ratio, waist circumference, and body mass index in Iranian adults. Asia Pacific Journal of Clinical Nutrition, 2007, 16, 248-53.	0.3	30
34	Dietary and metabolomic determinants of relapse in ulcerative colitis patients: A pilot prospective cohort study. World Journal of Gastroenterology, 2017, 23, 3890.	1.4	28
35	Low-carbohydrate-diet score and metabolic syndrome: An epidemiologic study among Iranian women. Nutrition, 2015, 31, 1124-1130.	1.1	27
36	Explanation of somatic symptoms by mental health and personality traits: application of Bayesian regularized quantile regression in a large population study. BMC Psychiatry, 2019, 19, 207.	1.1	27

#	ARTICLE	IF	CITATIONS
37	Dietary intake of branched-chain amino acids in relation to depression, anxiety and psychological distress. <i>Nutrition Journal</i> , 2021, 20, 11.	1.5	27
38	Dietary total antioxidant capacity in relation to depression and anxiety in Iranian adults. <i>Nutrition</i> , 2019, 65, 85-90.	1.1	26
39	Applications of Metabolomics to Precision Nutrition. <i>Lifestyle Genomics</i> , 2022, 15, 1-9.	0.6	26
40	Red meat intake, insulin resistance, and markers of endothelial function among Iranian women. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 315-322.	1.5	25
41	Relationship between subjective halitosis and psychological factors. <i>International Dental Journal</i> , 2015, 65, 120-126.	1.0	25
42	General and abdominal obesity in relation to the prevalence of irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13549.	1.6	25
43	A Distinctive Urinary Metabolomic Fingerprint Is Linked With Endoscopic Postoperative Disease Recurrence in Crohn's Disease Patients. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 861-870.	0.9	24
44	Patterns of dietary habits in relation to obesity in Iranian adults. <i>European Journal of Nutrition</i> , 2016, 55, 713-728.	1.8	22
45	Do patterns of nutrient intake predict self-reported anxiety, depression and psychological distress in adults? SEPAHAN study. <i>Clinical Nutrition</i> , 2019, 38, 940-947.	2.3	22
46	Dietary glycemic index and glycemic load in relation to general obesity and central adiposity among adults. <i>Clinical Nutrition</i> , 2019, 38, 2936-2942.	2.3	21
47	Association between adherence to MIND diet and general and abdominal obesity: a cross-sectional study. <i>Nutrition Journal</i> , 2020, 19, 15.	1.5	21
48	Higher vitamin B ₆ intake is associated with lower depression and anxiety risk in women but not in men: A large cross-sectional study. <i>International Journal for Vitamin and Nutrition Research</i> , 2020, 90, 484-492.	0.6	21
49	An unusual presentation of brucellosis, involving multiple organ systems, with low agglutinating titers: a case report. <i>Journal of Medical Case Reports</i> , 2007, 1, 53.	0.4	19
50	Dyspepsia in Iran: SEPAHAN Systematic Review No. 3. <i>International Journal of Preventive Medicine</i> , 2012, 3, S18-25.	0.2	18
51	Epidemiological features of irritable bowel syndrome and its subtypes among Iranian adults. <i>Annals of Gastroenterology</i> , 2015, 28, 253-258.	0.4	18
52	The Predictive Value of Personality Traits for Psychological Problems (Stress, Anxiety and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td (2018, 8, 124.	1.1	17
53	Association between dairy consumption, dietary calcium intake and general and abdominal obesity among Iranian adults. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018, 12, 769-775.	1.8	17
54	Physical activity in relation to irritable bowel syndrome among Iranian adults. <i>PLoS ONE</i> , 2018, 13, e0205806.	1.1	17

#	ARTICLE	IF	CITATIONS
55	Gastroesophageal Reflux Disease in Iran: SEPAHAN Systematic Review No. 2. International Journal of Preventive Medicine, 2012, 3, S10-7.	0.2	17
56	Age of puberty in a representative sample of Iranian girls. World Journal of Pediatrics, 2009, 5, 132-135.	0.8	15
57	Meal frequency in relation to prevalence of functional dyspepsia among Iranian adults. Nutrition, 2016, 32, 242-248.	1.1	15
58	Adherence to the pro-inflammatory diet in relation to prevalence of irritable bowel syndrome. Nutrition Journal, 2019, 18, 72.	1.5	15
59	Adherence to low carbohydrate diet and prevalence of psychological disorders in adults. Nutrition Journal, 2019, 18, 87.	1.5	15
60	Selenium Deficiency as a Possible Contributor of Goiter in Schoolchildren of Isfahan, Iran. Biological Trace Element Research, 2009, 129, 70-77.	1.9	14
61	Breakfast consumption in relation to lowered risk of psychological disorders among Iranian adults. Public Health, 2019, 167, 152-158.	1.4	14
62	Drinking plain water is associated with decreased risk of depression and anxiety in adults: Results from a large cross-sectional study. World Journal of Psychiatry, 2018, 8, 88-96.	1.3	13
63	Vitamin D status of 6- to 7-year-old children living in Isfahan, Iran. Endokrynologia Polska, 2010, 61, 377-82.	0.3	13
64	Consumption of energy-dense diets in relation to metabolic syndrome and inflammatory markers in Iranian female nurses. Public Health Nutrition, 2017, 20, 893-901.	1.1	12
65	Somatic Complaints Are Significantly Associated with Chronic Uninvestigated Dyspepsia and Its Symptoms: A Large Cross-sectional Population Based Study. Journal of Neurogastroenterology and Motility, 2017, 23, 80-91.	0.8	12
66	Application of metabolomics to the study of irritable bowel syndrome. Neurogastroenterology and Motility, 2020, 32, e13884.	1.6	12
67	Empirically derived food-based dietary inflammatory index is associated with increased risk of psychological disorders in women. Nutritional Neuroscience, 2021, 24, 260-268.	1.5	12
68	Relationship between spicy food intake and chronic uninvestigated dyspepsia in Iranian adults. Journal of Digestive Diseases, 2016, 17, 28-35.	0.7	11
69	Empirically derived dietary habits are associated with irritable bowel syndrome. European Journal of Clinical Nutrition, 2018, 72, 1537-1547.	1.3	11
70	Empirically derived food-based inflammatory potential of the diet, irritable bowel syndrome, and its severity. Nutrition, 2019, 63-64, 141-147.	1.1	11
71	How Five-Factor Personality Traits Affect Psychological Distress and Depression? Results from a Large Population-Based Study. Psychological Studies, 2019, 64, 59-69.	0.5	11
72	Association between dietary insulin index and load and psychological disorders. British Journal of Nutrition, 2020, 123, 161-171.	1.2	11

#	ARTICLE	IF	CITATIONS
73	Healthy lifestyle score and irritable bowel syndrome: A cross-sectional study in adults. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13793.	1.6	11
74	Legume and nut consumption in relation to depression, anxiety and psychological distress in Iranian adults. <i>European Journal of Nutrition</i> , 2020, 59, 3635-3645.	1.8	11
75	Determination of Prostate Cancer Risk Factors in Isfahan, Iran: a Case - control Study. <i>Medicinski Arhiv = Medical Archives = Archives De Médecine</i> , 2012, 66, 45.	0.4	11
76	A Body Shape Index and Body Roundness Index in Relation to Anxiety, Depression, and Psychological Distress in Adults. <i>Frontiers in Nutrition</i> , 2022, 9, 843155.	1.6	11
77	Evaluation of the relationship between major dietary patterns and uninvestigated reflux among Iranian adults. <i>Nutrition</i> , 2016, 32, 573-583.	1.1	10
78	Dietary glycaemic index and glycaemic load and upper gastrointestinal disorders: results from the <sc>SEPAHAN</sc> study. <i>Journal of Human Nutrition and Dietetics</i> , 2017, 30, 714-723.	1.3	10
79	Psychological disorders and dietary patterns by reduced-rank regression. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 408-415.	1.3	10
80	Calcium and dairy products in the chemoprevention of colorectal adenomas: a systematic review and meta-analysis. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 7168-7183.	5.4	10
81	The quality and inflammatory index of the diet of patients with migraine. <i>Nutritional Neuroscience</i> , 2022, 25, 2092-2099.	1.5	10
82	Association of Coffee and Caffeine Intake With Irritable Bowel Syndrome in Adults. <i>Frontiers in Nutrition</i> , 2021, 8, 632469.	1.6	10
83	Red and White Meat Intake in Relation to Mental Disorders in Iranian Adults. <i>Frontiers in Nutrition</i> , 2021, 8, 710555.	1.6	10
84	Life stressors, coping strategies, and social supports in patients with irritable bowel syndrome. <i>Advanced Biomedical Research</i> , 2016, 5, 158.	0.2	10
85	Evaluation of Iron Status by Serum Ferritin Level in Iranian Carriers of Beta Thalassemia Minor. <i>International Journal for Vitamin and Nutrition Research</i> , 2008, 78, 204-207.	0.6	9
86	Consumption of sugar-sweetened beverages in relation to stroke: a case-control study. <i>International Journal of Food Sciences and Nutrition</i> , 2013, 64, 1-6.	1.3	9
87	A case-control study on red meat consumption and risk of stroke among a group of Iranian adults. <i>Public Health Nutrition</i> , 2015, 18, 1084-1090.	1.1	9
88	Adherence to a DASH-Style Diet in Relation to Stroke: A Case-Control Study. <i>Journal of the American College of Nutrition</i> , 2015, 34, 408-415.	1.1	9
89	Somatoform symptoms profiles in relation to psychological disorders – A population classification analysis in a large sample of general adults. <i>Psychiatry Research</i> , 2017, 254, 173-178.	1.7	9
90	Adherence to a Low FODMAP Diet in Relation to Symptoms of Irritable Bowel Syndrome in Iranian Adults. <i>Digestive Diseases and Sciences</i> , 2018, 63, 1261-1269.	1.1	9

#	ARTICLE	IF	CITATIONS
91	PERSONALITY TRAITS ARE DIFFERENTLY ASSOCIATED WITH DEPRESSION AND ANXIETY: EVIDENCE FROM APPLYING BIVARIATE MULTIPLE BINARY LOGISTIC REGRESSION ON A LARGE SAMPLE OF GENERAL ADULTS. <i>Psychiatria Danubina</i> , 2019, 31, 448-456.	0.2	9
92	Dietary phytochemical index in relation to risk of stroke: a case-control study. <i>Nutritional Neuroscience</i> , 2022, 25, 2239-2246.	1.5	9
93	Thiocyanate status does not play a role in the etiology of residual goiter in school children of Isfahan, Iran. <i>World Journal of Pediatrics</i> , 2010, 6, 357-360.	0.8	8
94	Dietary acid load in relation to depression and anxiety in adults. <i>Journal of Human Nutrition and Dietetics</i> , 2020, 33, 48-55.	1.3	8
95	Relationship between obesity and depression, anxiety and psychological distress among Iranian health-care staff. <i>Eastern Mediterranean Health Journal</i> , 2021, 27, 327-335.	0.3	8
96	Consumption of Dietary Fiber in Relation to Psychological Disorders in Adults. <i>Frontiers in Psychiatry</i> , 2021, 12, 587468.	1.3	8
97	Edentulism and Tooth Loss in Iran: SEPAHAN Systematic Review No. 6. <i>International Journal of Preventive Medicine</i> , 2012, 3, S42-7.	0.2	8
98	Smoking Status and Prevalence of Upper Gastrointestinal Disorders. <i>Digestion</i> , 2014, 89, 282-290.	1.2	7
99	A new insight into masticatory function and its determinants: a latent class analysis. <i>Community Dentistry and Oral Epidemiology</i> , 2016, 44, 46-52.	0.9	7
100	Evaluation of dietary pattern stability and physical activity in three consecutive generations of women. <i>International Journal of Public Health</i> , 2016, 61, 29-38.	1.0	7
101	Combined Healthy Lifestyle Is Inversely Associated with Upper Gastrointestinal Disorders among Iranian Adults. <i>Digestive Diseases</i> , 2021, 39, 77-88.	0.8	7
102	The Predictive Value of Personality Traits for Psychological Problems (Stress, Anxiety and) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (</i> 2018, 8, 124.	1.1	7
103	Thyroid disorders in children and adolescents with type 1 diabetes mellitus in isfahan, iran. <i>Iranian Journal of Pediatrics</i> , 2011, 21, 502-8.	0.1	7
104	Association Between Dietary Total Antioxidant Capacity and Diet Quality in Adults. <i>Frontiers in Nutrition</i> , 2022, 9, 838752.	1.6	7
105	Dietary Patterns in Relation to Stroke among Iranians: A Case-Control Study. <i>Journal of the American College of Nutrition</i> , 2015, 34, 32-41.	1.1	6
106	Dietary total antioxidant capacity in relation to stroke among Iranian adults. <i>Nutritional Neuroscience</i> , 2020, 23, 465-470.	1.5	6
107	Water intake and intra-meal fluid consumption in relation to general and abdominal obesity of Iranian adults. <i>Nutrition Journal</i> , 2020, 19, 39.	1.5	6
108	The association between adherence to the MIND diet and stroke: a case-control study. <i>Nutritional Neuroscience</i> , 2022, 25, 1956-1961.	1.5	6

#	ARTICLE	IF	CITATIONS
109	The relationship between fruit and vegetable intake with functional dyspepsia in adults. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14129.	1.6	6
110	Dietary intake of branched-chain amino acids in relation to general and abdominal obesity. <i>Eating and Weight Disorders</i> , 2022, 27, 1303-1311.	1.2	6
111	Masticatory ability with depression, anxiety, and stress: Does there exist any association?. <i>Dental Research Journal</i> , 2016, 13, 211.	0.2	6
112	The association of plant-based dietary patterns and psychological disorders among Iranian adults. <i>Journal of Affective Disorders</i> , 2022, 300, 314-321.	2.0	6
113	Association between Serum Ferritin and Goitre in Iranian School Children. <i>Journal of Health, Population and Nutrition</i> , 2010, 28, 137-42.	0.7	5
114	Evaluation of Self-Perceived Changes in Gastrointestinal Symptoms During Ramadan Fasting. <i>Journal of Religion and Health</i> , 2017, 56, 1620-1627.	0.8	5
115	Egg consumption and prevalence of psychological disorders in adults. <i>European Journal of Nutrition</i> , 2019, 58, 1923-1932.	1.8	5
116	Dietary patterns in relation with psychosomatic complaints profile: Results from SEPAHAN study among a large sample of general adults. <i>Nutritional Neuroscience</i> , 2020, 23, 190-200.	1.5	5
117	Personality traits are related to functional dyspepsia in a large sample of Iranian adults. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109912.	1.2	5
118	Breakfast skipping alone and in interaction with inflammatory based quality of diet increases the risk of higher scores of psychological problems profile in a large sample of Iranian adults. <i>Journal of Nutritional Science</i> , 2021, 10, e10.	0.7	5
119	Adherence to Dietary Approaches to Stop Hypertension Eating Plan and Prevalence of Irritable Bowel Syndrome in Adults. <i>Journal of Neurogastroenterology and Motility</i> , 2021, 27, 78-86.	0.8	5
120	Dietary methyl donor micronutrients intake in relation to psychological disorders in adults. <i>British Journal of Nutrition</i> , 2021, , 1-11.	1.2	5
121	Demographic and Life Styles Determinants of Somatic Complaints' Structures: A Cross-sectional Study on a Large Sample of Iranian Adults Using Factor Mixture Model. <i>International Journal of Preventive Medicine</i> , 2017, 8, 8.	0.2	5
122	A cross-sectional population-based study on the association of personality traits with anxiety and psychological stress: Joint modeling of mixed outcomes using shared random effects approach. <i>Journal of Research in Medical Sciences</i> , 2014, 19, 834-43.	0.4	5
123	Food Item Avoidance of Patients with Irritable Bowel Syndrome Compared with Healthy People. <i>Archives of Iranian Medicine</i> , 2019, 22, 369-375.	0.2	5
124	Unusual transmission route of Lymphogranuloma venereum; following sexual contact with a female donkey. <i>International Journal of STD and AIDS</i> , 2008, 19, 563-564.	0.5	4
125	Increased goiter prevalence in schoolchildren of Isfahan despite long-term iodine sufficiency. <i>Hormones</i> , 2009, 8, 47-51.	0.9	4
126	Is tooth loss associated with irritable bowel syndrome?. <i>Journal of Oral Rehabilitation</i> , 2015, 42, 503-511.	1.3	4

#	ARTICLE	IF	CITATIONS
127	Relationship Between Meal Frequency and Gastroesophageal Reflux Disease (GERD) in Iranian Adults. <i>Digestive Diseases and Sciences</i> , 2018, 63, 2998-3008.	1.1	4
128	Spicy Food Consumption and Risk of Uninvestigated Heartburn in Isfahani Adults. <i>Digestive Diseases</i> , 2020, 38, 178-187.	0.8	4
129	Water consumption and prevalence of irritable bowel syndrome among adults. <i>PLoS ONE</i> , 2020, 15, e0228205.	1.1	4
130	Magnesium intake, insulin resistance and markers of endothelial function among women. <i>Public Health Nutrition</i> , 2021, 24, 5777-5785.	1.1	4
131	The relationship between fruit and vegetable intake with gastroesophageal reflux disease in Iranian adults. <i>Journal of Research in Medical Sciences</i> , 2017, 22, 125.	0.4	4
132	The Prevalence of Depression and Anxiety and Their Lifestyle Determinants in a Large Sample of Iranian Adults: Results from a Population Based Cross-Sectional Study. <i>Serbian Journal of Experimental and Clinical Research</i> , 2020, 21, 163-170.	0.2	4
133	The predictive role of histopathological findings in renal insufficiency and complete remission in a sample of Iranian adults with primary focal segmental glomerulosclerosis. <i>Journal of Research in Medical Sciences</i> , 2010, 15, 14-9.	0.4	4
134	Coffee and caffeine intake in relation to symptoms of psychological disorders among adults. <i>Public Health Nutrition</i> , 2022, 25, 3509-3519.	1.1	4
135	The relationship between meal regularity with Irritable Bowel Syndrome (IBS) in adults. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 1315-1322.	1.3	4
136	The relationship between dietary inflammatory index and psychosomatic complaints profiles: results from SEPAHAN cross-sectional study. <i>BioPsychoSocial Medicine</i> , 2019, 13, 27.	0.9	3
137	The relationship between personality traits and psychosomatic complaints in a sample of Iranian adults. <i>Journal of Affective Disorders</i> , 2020, 261, 253-258.	2.0	3
138	Adherence to Alternative Healthy Eating Index (AHEI-2010) is not associated with risk of stroke in Iranian adults: A case-control study. <i>International Journal for Vitamin and Nutrition Research</i> , 2021, 91, 48-55.	0.6	3
139	Low fermentable oligosaccharides, disaccharides, monosaccharides and polyols diet is associated with increased risk of uninvestigated chronic dyspepsia and its symptoms in adults. <i>Minerva Gastroenterology</i> , 2023, 69, .	0.3	3
140	Dairy consumption and risk of stroke: A case-control study. <i>International Journal of Preventive Medicine</i> , 2016, 7, 2.	0.2	3
141	Lack of association between nuts and legumes consumption and metabolic syndrome in young Iranian nurses. <i>Clinical Nutrition ESPEN</i> , 2021, 46, 173-178.	0.5	3
142	High prevalence of goiter in schoolchildren in Isfahan; zinc deficiency does not play a role. <i>Endokrynologia Polska</i> , 2010, 61, 287-90.	0.3	3
143	The Relationship Between Linoleic Acid Intake and Psychological Disorders in Adults. <i>Frontiers in Nutrition</i> , 2022, 9, .	1.6	3
144	Endemic Goiter in Semirrom; There Is No Difference in Vitamin A Status between Goitrous and Nongoitrous Children. <i>Journal of Nutritional Science and Vitaminology</i> , 2008, 54, 430-434.	0.2	2

#	ARTICLE	IF	CITATIONS
145	A case-control study on egg consumption and risk of stroke among Iranian population. <i>Journal of Health, Population and Nutrition</i> , 2017, 36, 28.	0.7	2
146	The relationship between dairy food intake and psychological distress among Iranian adults: results from a large cross-sectional population-based study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2019, 27, 781-789.	0.8	2
147	The association between meal and snack frequency and irritable bowel syndrome. <i>Public Health Nutrition</i> , 2020, 24, 1-12.	1.1	2
148	A longitudinal dataset of incidence and intervention policy impacts regarding the COVID-19 pandemic in Canadian provinces. <i>Data in Brief</i> , 2021, 38, 107381.	0.5	2
149	Risk factors of bloating and its association with common gastrointestinal disorders in a sample of Iranian adults. <i>Turkish Journal of Gastroenterology</i> , 2017, 28, 179-190.	0.4	2
150	A population based case-control study of association between dietary calcium intake and ulcerative colitis in adults. <i>Scientific Reports</i> , 2022, 12, 7913.	1.6	2
151	Protein Energy Malnutrition in Goitrous Schoolchildren of Ahwaz, Iran. <i>Medical Principles and Practice</i> , 2010, 19, 86-86.	1.1	1
152	Psychosomatic complaints profile in patients with type 2 diabetes: a matched case-control study. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2019, 55, .	0.4	1
153	The MIND (Mediterranean-DASH Diet Intervention for Neurodegenerative Delay) and Mediterranean Diets are differently associated with psychosomatic complaints profile in adults: Results from SEPAHAN Cross-sectional study. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2020, 13, 341-359.	0.2	1
154	405 ROME IV AND ROME III IRRITABLE BOWEL SYNDROME (IBS) ACROSS THE GLOBE: FINDINGS OF A POPULATION-BASED INTERNET SURVEY OF ADULTS IN 26 COUNTRIES. <i>Gastroenterology</i> , 2020, 158, S-76.	0.6	1
155	The association between adherence to the MIND diet and irritable bowel syndrome. <i>Digestive Diseases</i> , 2021, , .	0.8	1
156	The Relationship between Functional Constipation and Major Dietary Patterns in Iranian Adults: Findings from the Large Cross-Sectional Population-Based SEPAHAN Study. <i>Preventive Nutrition and Food Science</i> , 2021, 26, 146-156.	0.7	1
157	Protein-energy Malnutrition in Goitrous Schoolchildren of Isfahan, Iran. <i>International Journal of Preventive Medicine</i> , 2014, 5, 539-44.	0.2	1
158	Relationship between Tooth Loss, Functional Dyspepsia and Gastro-Esophageal Reflux Disorder among Isfahani Adults. <i>Archives of Iranian Medicine</i> , 2016, 19, 123-30.	0.2	1
159	Association between Dietary Macronutrient Intake and Symptoms in Uninvestigated Dyspepsia: Evidence from a Population-Based, Cross-Sectional Study. <i>Nutrients</i> , 2022, 14, 2577.	1.7	1
160	Residual Goiter in Semirom; Iodine Status and Thiocyanate Overload Do Not Play a Role. <i>Journal of Tropical Pediatrics</i> , 2010, 56, 216-217.	0.7	0
161	Editorial: metabolomic biomarkers for colorectal adenocarcinoma and in the differentiation between irritable bowel syndrome and ulcerative colitis in clinical remission – confounded by the gut microbiome? Authors'™ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 1088-1089.	1.9	0
162	Breakfast skipping and prevalence of heartburn syndrome among Iranian adults. <i>Eating and Weight Disorders</i> , 2021, 26, 2173-2181.	1.2	0

#	ARTICLE	IF	CITATIONS
163	273 PREVALENCE AND IMPACT OF FUNCTIONAL DYSPEPSIA ACCORDING TO THE ROME IV DEFINITIONS IN A GLOBAL EPIDEMIOLOGICAL SURVEY. <i>Gastroenterology</i> , 2020, 158, S-50-S-51.	0.6	0
164	The Quality and Inflammatory Index of Diet in Patients With Migraine. <i>Current Developments in Nutrition</i> , 2021, 5, 897.	0.1	0
165	The Mediating Role of Mental Health in the Relations between Dietary Behaviors and General Health: A Cross-sectional Study. <i>Advanced Biomedical Research</i> , 2017, 6, 21.	0.2	0
166	The association between Mediterranean Dietary Pattern and Depression, Anxiety, and Psychological Distress in Iranian Adults: A Cross-Sectional Study. <i>Majallah-i Dānishgāh-i ʿUlūm-i Pizishkā-i Qum</i> , 2019, 13, 38-51.	0.2	0
167	Association between Dietary Fat Intake and Odds of Gastro-esophageal Reflux Disorder (GERD) in Iranian Adults. <i>International Journal of Preventive Medicine</i> , 2021, 12, 77.	0.2	0
168	Dietary Inflammatory Potential in relation to General and Abdominal Obesity. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-7.	0.8	0