

Georg Kerkhoff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11376086/publications.pdf>

Version: 2024-02-01

57
papers

2,174
citations

257101

24
h-index

223531

46
g-index

61
all docs

61
docs citations

61
times ranked

1922
citing authors

#	ARTICLE	IF	CITATIONS
1	Successful return to professional work after neglect, extinction, and spatial misperception – Three long-term case studies. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 837-862.	1.0	5
2	Treating Neurovisual Deficits and Spatial Neglect. , 2021, , 191-217.		7
3	Funktion und Symptomatik einzelner Hirnregionen. <i>Springer Reference Medizin</i> , 2020, , 15-31.	0.0	0
4	Effects of repetitive galvanic vestibular stimulation on spatial neglect and verticality perception – a randomised sham-controlled trial. <i>Neuropsychological Rehabilitation</i> , 2018, 28, 1179-1196.	1.0	14
5	Spatial remapping in visual search: Remapping cues are provided at attended and ignored locations. <i>Acta Psychologica</i> , 2018, 190, 103-115.	0.7	1
6	Contralesional Trunk Rotation Dissociates Real vs. Pseudo-Visual Field Defects due to Visual Neglect in Stroke Patients. <i>Frontiers in Neurology</i> , 2017, 8, 411.	1.1	8
7	Funktion und Symptomatik einzelner Hirnregionen. , 2017, , 1-17.		0
8	Clinical and Psychometric Evaluations of the Cerebral Vision Screening Questionnaire in 461 Nonaphasic Individuals Poststroke. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 187-198.	1.4	12
9	Sensory stimulation in post-stroke postural imbalance: A novel treatment approach?. <i>Clinical Neurophysiology</i> , 2016, 127, 21-22.	0.7	2
10	Extra-powerful on the visuo-perceptual space, but variable on the number space: Different effects of optokinetic stimulation in neglect patients. <i>Journal of Neuropsychology</i> , 2015, 9, 299-318.	0.6	4
11	Holmes and Horrax (1919) revisited: Impaired binocular fusion as a cause of –flat vision– after right parietal brain damage – A case study. <i>Neuropsychologia</i> , 2015, 69, 31-38.	0.7	7
12	Effects of non-invasive brain stimulation on attention: Current debates, cognitive studies and novel clinical applications. <i>Neuropsychologia</i> , 2015, 74, 1-6.	0.7	10
13	Subliminal galvanic-vestibular stimulation recalibrates the distorted visual and tactile subjective vertical in right-sided stroke. <i>Neuropsychologia</i> , 2015, 74, 178-183.	0.7	32
14	Subliminal galvanic-vestibular stimulation influences ego- and object-centred components of visual neglect. <i>Neuropsychologia</i> , 2015, 74, 170-177.	0.7	18
15	Efficacy and Feasibility of Home-Based Training for Individuals With Homonymous Visual Field Defects. <i>Neurorehabilitation and Neural Repair</i> , 2014, 28, 207-218.	1.4	53
16	Perceptual Relearning of Binocular Fusion and Stereoacuity After Brain Injury. <i>Neurorehabilitation and Neural Repair</i> , 2014, 28, 462-471.	1.4	11
17	Smooth Pursuit –Bedside– Training Reduces Disability and Unawareness During the Activities of Daily Living in Neglect. <i>Neurorehabilitation and Neural Repair</i> , 2014, 28, 554-563.	1.4	57
18	Perceptual relearning of binocular fusion after hypoxic brain damage: Four controlled single-case treatment studies.. <i>Neuropsychology</i> , 2014, 28, 382-387.	1.0	7

#	ARTICLE	IF	CITATIONS
19	Effects of Feedback-Based Visual Line-Orientation Discrimination Training for Visuospatial Disorders After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2013, 27, 142-152.	1.4	20
20	Smooth Pursuit Eye Movement Training Promotes Recovery From Auditory and Visual Neglect. <i>Neurorehabilitation and Neural Repair</i> , 2013, 27, 789-798.	1.4	55
21	Differential effects of galvanic vestibular stimulation on arm position sense in right- vs. left-handers. <i>Neuropsychologia</i> , 2013, 51, 893-899.	0.7	21
22	Line bisection error predicts the presence and severity of neglect dyslexia in paragraph reading. <i>Neuropsychologia</i> , 2013, 51, 1-7.	0.7	17
23	The frequency and significance of the word length effect in neglect dyslexia. <i>Neuropsychologia</i> , 2013, 51, 1273-1278.	0.7	14
24	Prism Adaptation Improves Ego-Centered but Not Allocentric Neglect in Early Rehabilitation Patients. <i>Neurorehabilitation and Neural Repair</i> , 2013, 27, 534-541.	1.4	44
25	Galvanic Vestibular Stimulation Improves Arm Position Sense in Spatial Neglect. <i>Neurorehabilitation and Neural Repair</i> , 2013, 27, 497-506.	1.4	40
26	Now You Feel both: Galvanic Vestibular Stimulation Induces Lasting Improvements in the Rehabilitation of Chronic Tactile Extinction. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 90.	1.0	29
27	Effects of age, sex and arm on the precision of arm position sense – left-arm superiority in healthy right-handers. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 915.	1.0	24
28	Error types and error positions in neglect dyslexia: Comparative analyses in neglect patients and healthy controls. <i>Neuropsychologia</i> , 2012, 50, 2764-2772.	0.7	9
29	Rehabilitation of neglect: An update. <i>Neuropsychologia</i> , 2012, 50, 1072-1079.	0.7	188
30	Minor adverse effects of galvanic vestibular stimulation in persons with stroke and healthy individuals. <i>Brain Injury</i> , 2011, 25, 1058-1069.	0.6	73
31	Line bisection in homonymous visual field defects – Recent findings and future directions. <i>Cortex</i> , 2011, 47, 53-58.	1.1	19
32	A long-lasting improvement of tactile extinction after galvanic vestibular stimulation: Two Sham-stimulation controlled case studies. <i>Neuropsychologia</i> , 2011, 49, 186-195.	0.7	44
33	Galvanic vestibular stimulation reduces the pathological rightward line bisection error in neglect – A sham stimulation-controlled study. <i>Neuropsychologia</i> , 2011, 49, 1219-1225.	0.7	52
34	Optokinetic stimulation affects word omissions but not stimulus-centered reading errors in paragraph reading in neglect dyslexia. <i>Neuropsychologia</i> , 2011, 49, 2728-2735.	0.7	24
35	Systematic biases in the tactile perception of the subjective vertical in patients with unilateral neglect and the influence of upright vs. supine posture. <i>Neuropsychologia</i> , 2010, 48, 298-308.	0.7	23
36	Effects of lateral head inclination on multimodal spatial orientation judgments in neglect: Evidence for impaired spatial orientation constancy. <i>Neuropsychologia</i> , 2010, 48, 1616-1627.	0.7	33

#	ARTICLE	IF	CITATIONS
37	Electrified minds: Transcranial direct current stimulation (tDCS) and Galvanic Vestibular Stimulation (GVS) as methods of non-invasive brain stimulation in neuropsychology – A review of current data and future implications. <i>Neuropsychologia</i> , 2010, 48, 2789-2810.	0.7	403
38	Effects of head rotation on space- and word-based reading errors in spatial neglect. <i>Neuropsychologia</i> , 2010, 48, 3706-3714.	0.7	15
39	Hier visuelle Funktionen: Neglect, Raumorientierung, Balint-Holmes-Syndrom und visuelle Agnosien. , 2010, , 207-222.		1
40	Elementare visuelle Leistungen: Visus, Gesichtsfeld und verwandte Funktionen. , 2010, , 189-206.		0
41	Combination of Pursuit Eye Movement Training With Prism Adaptation and Arm Movements in Neglect Therapy: A Pilot Study. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 58-66.	1.4	45
42	Scanning your body is different from performing body movements: A double dissociation between body representational neglect and apraxia. <i>Neuropsychologia</i> , 2009, 47, 1187-1192.	0.7	10
43	Inhibitory and facilitatory location priming in patients with left-sided visual hemi-neglect. <i>Psychological Research</i> , 2009, 73, 177-185.	1.0	15
44	Task-dependent modulation of neglect dyslexia? Novel evidence from the viewing position effect. <i>Brain Research</i> , 2008, 1189, 166-178.	1.1	16
45	Line bisection as an early method to assess homonymous hemianopia. <i>Cortex</i> , 2008, 44, 200-205.	1.1	39
46	The capacity of attention and simultaneous perception of objects: A group study of Huntington's disease patients. <i>Neuropsychologia</i> , 2007, 45, 3272-3284.	0.7	26
47	Rotation or translation of auditory space in neglect?. <i>Neuropsychologia</i> , 2006, 44, 923-930.	0.7	7
48	Extent, Profile and Specificity of Visuospatial Impairment in Obsessive-Compulsive Disorder (OCD). <i>Journal of Clinical and Experimental Neuropsychology</i> , 2005, 27, 795-814.	0.8	25
49	Convergent and divergent effects of neck proprioceptive and visual motion stimulation on visual space processing in neglect. <i>Neuropsychologia</i> , 2004, 42, 1149-1155.	0.7	33
50	Kommentare zu B. Röder und F. Rösler: Kompensatorische Plastizität bei blinden Menschen. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , 2004, 15, 269-272.	0.2	0
51	Modulation and rehabilitation of spatial neglect by sensory stimulation. <i>Progress in Brain Research</i> , 2003, 142, 257-271.	0.9	92
52	Spatial hemineglect in humans. <i>Progress in Neurobiology</i> , 2001, 63, 1-27.	2.8	317
53	Spatial Processing of Spoken Words in Aphasia and in Neglect. <i>Cortex</i> , 2001, 37, 754-756.	1.1	4
54	Contrasting spatial hearing deficits in hemianopia and spatial neglect. <i>NeuroReport</i> , 1999, 10, 3555-3560.	0.6	42

#	ARTICLE	IF	CITATIONS
55	Visual background motion reduces size distortion in spatial neglect. <i>NeuroReport</i> , 1999, 10, 319-323.	0.6	40
56	Rehabilitation of Visuospatial Cognition and Visual Exploration in Neglect: a Cross-over Study. <i>Restorative Neurology and Neuroscience</i> , 1998, 12, 27-40.	0.4	35
57	VS â€” A new computer program for detailed offline analysis of visual-spatial perception. <i>Journal of Neuroscience Methods</i> , 1995, 63, 75-84.	1.3	21