

Young Hee Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11376952/young-hee-lee-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

21,108
citations

66
h-index

145
g-index

153
ext. papers

23,564
ext. citations

10.9
avg, IF

6.84
L-index

#	Paper	IF	Citations
147	Efficient Reduction of Graphite Oxide by Sodium Borohydride and Its Effect on Electrical Conductance. <i>Advanced Functional Materials</i> , 2009 , 19, 1987-1992	15.6	1831
146	Recent development of two-dimensional transition metal dichalcogenides and their applications. <i>Materials Today</i> , 2017 , 20, 116-130	21.8	1250
145	Thermoelectrics. Dense dislocation arrays embedded in grain boundaries for high-performance bulk thermoelectrics. <i>Science</i> , 2015 , 348, 109-14	33.3	1163
144	Evidence of graphitic AB stacking order of graphite oxides. <i>Journal of the American Chemical Society</i> , 2008 , 130, 1362-6	16.4	914
143	Effect of acid treatment on carbon nanotube-based flexible transparent conducting films. <i>Journal of the American Chemical Society</i> , 2007 , 129, 7758-9	16.4	804
142	Synthesis of Large-Area Graphene Layers on Poly-Nickel Substrate by Chemical Vapor Deposition: Wrinkle Formation. <i>Advanced Materials</i> , 2009 , 21, 2328-2333	24	766
141	DEVICE TECHNOLOGY. Phase patterning for ohmic homojunction contact in MoTe ₂ . <i>Science</i> , 2015 , 349, 625-8	33.3	679
140	Bandgap opening in few-layered monoclinic MoTe ₂ . <i>Nature Physics</i> , 2015 , 11, 482-486	16.2	596
139	Asymmetric Supercapacitors Based on Graphene/MnO ₂ Nanospheres and Graphene/MoO ₃ Nanosheets with High Energy Density. <i>Advanced Functional Materials</i> , 2013 , 23, 5074-5083	15.6	551
138	Coaxial fiber supercapacitor using all-carbon material electrodes. <i>ACS Nano</i> , 2013 , 7, 5940-7	16.7	452
137	Carbon-based electrochemical capacitors. <i>ChemSusChem</i> , 2012 , 5, 480-99	8.3	436
136	High-Capacitance Supercapacitor Using a Nanocomposite Electrode of Single-Walled Carbon Nanotube and Polypyrrole. <i>Journal of the Electrochemical Society</i> , 2002 , 149, A1058	3.9	368
135	Thermal stability of graphite oxide. <i>Chemical Physics Letters</i> , 2009 , 470, 255-258	2.5	366
134	Adsorption of NH ₃ and NO ₂ molecules on carbon nanotubes. <i>Applied Physics Letters</i> , 2001 , 79, 3863-3865	5.4	358
133	Influence of copper morphology in forming nucleation seeds for graphene growth. <i>Nano Letters</i> , 2011 , 11, 4144-8	11.5	332
132	Hydrogen storage in single-walled carbon nanotubes. <i>Applied Physics Letters</i> , 2000 , 76, 2877-2879	3.4	323
131	Probing graphene grain boundaries with optical microscopy. <i>Nature</i> , 2012 , 490, 235-9	50.4	307

130	Enhancing the conductivity of transparent graphene films via doping. <i>Nanotechnology</i> , 2010 , 21, 2852053-4	3.4	301
129	Synthesis of large-area multilayer hexagonal boron nitride for high material performance. <i>Nature Communications</i> , 2015 , 6, 8662	17.4	298
128	Diffusion mechanism of lithium ion through basal plane of layered graphene. <i>Journal of the American Chemical Society</i> , 2012 , 134, 8646-54	16.4	294
127	Room Temperature Semiconductor-Metal Transition of MoTe ₂ Thin Films Engineered by Strain. <i>Nano Letters</i> , 2016 , 16, 188-93	11.5	289
126	Layer-by-layer doping of few-layer graphene film. <i>ACS Nano</i> , 2010 , 4, 4595-600	16.7	268
125	van der Waals Layered Materials: Opportunities and Challenges. <i>ACS Nano</i> , 2017 , 11, 11803-11830	16.7	258
124	Fully rollable transparent nanogenerators based on graphene electrodes. <i>Advanced Materials</i> , 2010 , 22, 2187-92	24	258
123	High-Yield Purification Process of Singlewalled Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 5677-5681	3.4	230
122	Seeded growth of highly crystalline molybdenum disulphide monolayers at controlled locations. <i>Nature Communications</i> , 2015 , 6, 6128	17.4	229
121	Control of electronic structure of graphene by various dopants and their effects on a nanogenerator. <i>Journal of the American Chemical Society</i> , 2010 , 132, 15603-9	16.4	223
120	Controlling the diameter, growth rate, and density of vertically aligned carbon nanotubes synthesized by microwave plasma-enhanced chemical vapor deposition. <i>Applied Physics Letters</i> , 2000 , 76, 2367-2369	3.4	223
119	Fermi level engineering of single-walled carbon nanotubes by AuCl ₃ doping. <i>Journal of the American Chemical Society</i> , 2008 , 130, 12757-61	16.4	215
118	A hydrogen storage mechanism in single-walled carbon nanotubes. <i>Journal of the American Chemical Society</i> , 2001 , 123, 5059-63	16.4	210
117	Nickel oxide/carbon nanotubes nanocomposite for electrochemical capacitance. <i>Synthetic Metals</i> , 2005 , 150, 153-157	3.6	207
116	Graphene Versus Carbon Nanotubes in Electronic Devices. <i>Advanced Functional Materials</i> , 2011 , 21, 3806-3826	3.826	194
115	High-performance n-type black phosphorus transistors with type control via thickness and contact-metal engineering. <i>Nature Communications</i> , 2015 , 6, 7809	17.4	192
114	High Pseudocapacitance from Ultrathin V ₂ O ₅ Films Electrodeposited on Self-Standing Carbon-Nanofiber Paper. <i>Advanced Functional Materials</i> , 2011 , 21, 2541-2547	15.6	190
113	Structural and quantum-state phase transitions in van der Waals layered materials. <i>Nature Physics</i> , 2017 , 13, 931-937	16.2	187

112	Anisotropic electrical conductivity of MWCNT/PAN nanofiber paper. <i>Chemical Physics Letters</i> , 2005 , 413, 188-193	2.5	184
111	Carbon-Based Materials for Lithium-Ion Batteries, Electrochemical Capacitors, and Their Hybrid Devices. <i>ChemSusChem</i> , 2015 , 8, 2284-311	8.3	181
110	Phase-Engineered Synthesis of Centimeter-Scale 1TS and 2H-Molybdenum Ditelluride Thin Films. <i>ACS Nano</i> , 2015 , 9, 6548-54	16.7	180
109	The control of neural cell-to-cell interactions through non-contact electrical field stimulation using graphene electrodes. <i>Biomaterials</i> , 2011 , 32, 19-27	15.6	173
108	Defect-Induced Oxidation of Graphite. <i>Physical Review Letters</i> , 1999 , 82, 217-220	7.4	170
107	Large-area monolayer hexagonal boron nitride on Pt foil. <i>ACS Nano</i> , 2014 , 8, 8520-8	16.7	160
106	Tailoring electronic structures of carbon nanotubes by solvent with electron-donating and -withdrawing groups. <i>Journal of the American Chemical Society</i> , 2008 , 130, 2062-6	16.4	153
105	Bandgap engineering of two-dimensional semiconductor materials. <i>Npj 2D Materials and Applications</i> , 2020 , 4,	8.8	152
104	Synthesis of multilayer graphene balls by carbon segregation from nickel nanoparticles. <i>ACS Nano</i> , 2012 , 6, 6803-11	16.7	145
103	van der Waals Metallic Transition Metal Dichalcogenides. <i>Chemical Reviews</i> , 2018 , 118, 6297-6336	68.1	143
102	Gate-controlled nonlinear conductivity of Dirac fermion in graphene field-effect transistors measured by terahertz time-domain spectroscopy. <i>Nano Letters</i> , 2012 , 12, 551-5	11.5	142
101	Enhanced electric double layer capacitance of graphite oxide intercalated by poly(sodium 4-styrenesulfonate) with high cycle stability. <i>ACS Nano</i> , 2010 , 4, 1162-6	16.7	120
100	Doping and de-doping of carbon nanotube transparent conducting films by dispersant and chemical treatment. <i>Journal of Materials Chemistry</i> , 2008 , 18, 1261		119
99	Redox-Driven Route for Widening Voltage Window in Asymmetric Supercapacitor. <i>ACS Nano</i> , 2018 , 12, 8494-8505	16.7	117
98	Absorption spectroscopy of surfactant-dispersed carbon nanotube film: Modulation of electronic structures. <i>Chemical Physics Letters</i> , 2008 , 455, 275-278	2.5	116
97	High energy density and enhanced stability of asymmetric supercapacitors with mesoporous MnO ₂ @CNT and nanodot MoO ₃ @CNT free-standing films. <i>Energy Storage Materials</i> , 2018 , 12, 223-231	19.4	102
96	Synthesis and systematic characterization of functionalized graphene sheets generated by thermal exfoliation at low temperature. <i>Journal Physics D: Applied Physics</i> , 2010 , 43, 275402	3	85
95	Facile Physical Route to Highly Crystalline Graphene. <i>Advanced Functional Materials</i> , 2011 , 21, 3496-3501	15.6	84

94	Graphene oxide thin film field effect transistors without reduction. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 135109	3	83
93	Active hydrogen evolution through lattice distortion in metallic MoTe 2. <i>2D Materials</i> , 2017 , 4, 025061	5.9	81
92	Carbon nanotubes and graphene towards soft electronics. <i>Nano Convergence</i> , 2014 , 1, 15	9.2	81
91	Oxidation Effect in Octahedral Hafnium Disulfide Thin Film. <i>ACS Nano</i> , 2016 , 10, 1309-16	16.7	80
90	Laser thinning for monolayer graphene formation: heat sink and interference effect. <i>ACS Nano</i> , 2011 , 5, 263-8	16.7	80
89	Unoccupied electronic states in graphite oxides. <i>Chemical Physics Letters</i> , 2008 , 460, 499-502	2.5	79
88	Fabrication of Supercapacitor Electrodes Using Fluorinated Single-Walled Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 8812-8815	3.4	78
87	Solution-Processed Graphite Membrane from Reassembled Graphene Oxide. <i>Chemistry of Materials</i> , 2012 , 24, 594-599	9.6	77
86	Transfer-free growth of few-layer graphene by self-assembled monolayers. <i>Advanced Materials</i> , 2011 , 23, 4392-7	24	75
85	Stranski-Krastanov and Volmer-Weber CVD Growth Regimes To Control the Stacking Order in Bilayer Graphene. <i>Nano Letters</i> , 2016 , 16, 6403-6410	11.5	73
84	Synthesis of few-layered graphene by ion implantation of carbon in nickel thin films. <i>Nanotechnology</i> , 2011 , 22, 085601	3.4	72
83	A High-On/Off-Ratio Floating-Gate Memristor Array on a Flexible Substrate via CVD-Grown Large-Area 2D Layer Stacking. <i>Advanced Materials</i> , 2017 , 29, 1703363	24	68
82	Low pressure synthesis of single-walled carbon nanotubes by arc discharge. <i>Synthetic Metals</i> , 2002 , 126, 245-251	3.6	66
81	Leaf Vein-Inspired Nanochanneled Graphene Film for Highly Efficient Micro-Supercapacitors. <i>Advanced Energy Materials</i> , 2015 , 5, 1500003	21.8	65
80	Fast-Charging High-Energy Battery-Supercapacitor Hybrid: Anodic Reduced Graphene Oxide-Vanadium(IV) Oxide Sheet-on-Sheet Heterostructure. <i>ACS Nano</i> , 2019 , 13, 10776-10786	16.7	63
79	Telluriding monolayer MoS and WS via alkali metal sinter. <i>Nature Communications</i> , 2017 , 8, 2163	17.4	59
78	Graphene/Substrate Charge Transfer Characterized by Inverse Photoelectron Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 21618-21624	3.8	58
77	Adsorption of atomic hydrogen on single-walled carbon nanotubes. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 8967-72	3.4	58

76	Structural Stability and Variable Dielectric Constant in Poly Sodium 4-Styrenesulfonate Intercalated Graphite Oxide. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 13060-13064	3.8	57
75	Long-Range Lattice Engineering of MoTe by a 2D Electride. <i>Nano Letters</i> , 2017 , 17, 3363-3368	11.5	56
74	Transfer assembly for two-dimensional van der Waals heterostructures. <i>2D Materials</i> , 2020 , 7, 022005	5.9	54
73	Transparent organic p-dopant in carbon nanotubes: bis(trifluoromethanesulfonyl)imide. <i>ACS Nano</i> , 2010 , 4, 6998-7004	16.7	51
72	Doping strategy of carbon nanotubes with redox chemistry. <i>New Journal of Chemistry</i> , 2010 , 34, 2183	3.6	51
71	LARGE-AREA GRAPHENE-BASED FLEXIBLE TRANSPARENT CONDUCTING FILMS. <i>Nano</i> , 2009 , 04, 83-90	1.1	47
70	Towards Wafer-Scale Monocrystalline Graphene Growth and Characterization. <i>Small</i> , 2015 , 11, 3512-28	11	46
69	Chemically Modulated Band Gap in Bilayer Graphene Memory Transistors with High On/Off Ratio. <i>ACS Nano</i> , 2015 , 9, 9034-42	16.7	46
68	Direct growth of etch pit-free GaN crystals on few-layer graphene. <i>RSC Advances</i> , 2015 , 5, 1343-1349	3.7	42
67	Sensitive photo-thermal response of graphene oxide for mid-infrared detection. <i>Nanoscale</i> , 2015 , 7, 15695-7004	15.7	40
66	TLM-PSD model for optimization of energy and power density of vertically aligned carbon nanotube supercapacitor. <i>Scientific Reports</i> , 2013 , 3, 2939	4.9	40
65	DEPENDENCE OF MATERIAL QUALITY ON PERFORMANCE OF FLEXIBLE TRANSPARENT CONDUCTING FILMS WITH SINGLE-WALLED CARBON NANOTUBES. <i>Nano</i> , 2007 , 02, 157-167	1.1	40
64	Nondestructive Characterization of Graphene Defects. <i>Advanced Functional Materials</i> , 2013 , 23, 5183-5189	19.6	38
63	A comparative study of the structural, electronic, and vibrational properties of NH ₃ BH ₃ and LiNH ₂ BH ₃ : theory and experiment. <i>ChemPhysChem</i> , 2009 , 10, 1825-33	3.2	37
62	Selective oxidation on metallic carbon nanotubes by halogen oxoanions. <i>Journal of the American Chemical Society</i> , 2008 , 130, 2610-6	16.4	37
61	UV-LIGHT-ASSISTED OXIDATIVE sp ³ HYBRIDIZATION OF GRAPHENE. <i>Nano</i> , 2011 , 06, 409-418	1.1	36
60	Significant enhancement of the electrical transport properties of graphene films by controlling the surface roughness of Cu foils before and during chemical vapor deposition. <i>Nanoscale</i> , 2014 , 6, 12943-51	7.7	35
59	Modification of the electronic structures of graphene by viologen. <i>Chemical Physics Letters</i> , 2010 , 498, 168-171	2.5	32

58	POLY(ETHYLENE CO-VINYL ACETATE)-ASSISTED ONE-STEP TRANSFER OF ULTRA-LARGE GRAPHENE. <i>Nano</i> , 2011 , 06, 59-65	1.1	31
57	Ultramicropore formation in PAN/camphor-based carbon nanofiber paper. <i>Chemical Communications</i> , 2010 , 46, 1320-2	5.8	31
56	Te vacancy-driven superconductivity in orthorhombic molybdenum ditelluride. <i>2D Materials</i> , 2017 , 4, 021030	5.9	30
55	Exfoliation of Single-Walled Carbon Nanotubes Induced by the Structural Effect of Perylene Derivatives and Their Optoelectronic Properties. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 15267-15273 ^{3.8}	3.8	29
54	Graphene Substrate for van der Waals Epitaxy of Layer-Structured Bismuth Antimony Telluride Thermoelectric Film. <i>Advanced Materials</i> , 2017 , 29, 1604899	24	28
53	Absorption dichroism of monolayer 1T'-MoTe ₂ in visible range. <i>2D Materials</i> , 2016 , 3, 031010	5.9	28
52	Chemically Conjugated Carbon Nanotubes and Graphene for Carrier Modulation. <i>Accounts of Chemical Research</i> , 2016 , 49, 390-9	24.3	27
51	Carbon nanotube doping mechanism in a salt solution and hygroscopic effect: density functional theory. <i>ACS Nano</i> , 2010 , 4, 5430-6	16.7	27
50	High thermoelectric performance of Bi-Te alloy: Defect engineering strategy. <i>Current Applied Physics</i> , 2016 , 16, 1202-1215	2.6	27
49	Hydrogen storage in microwave-treated multi-walled carbon nanotubes. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 2073-2082	6.7	26
48	Room-temperature hydrogen storage via two-dimensional potential well in mesoporous graphene oxide. <i>Nano Energy</i> , 2016 , 27, 402-411	17.1	26
47	Probing Bilayer Grain Boundaries in Large-Area Graphene with Tip-Enhanced Raman Spectroscopy. <i>Advanced Materials</i> , 2017 , 29, 1603601	24	25
46	Transition from direct to Fowler-Nordheim tunneling in chemically reduced graphene oxide film. <i>Nanoscale</i> , 2014 , 6, 3410-7	7.7	24
45	Tailoring photoluminescence of monolayer transition metal dichalcogenides. <i>Current Applied Physics</i> , 2016 , 16, 1159-1174	2.6	23
44	Plasma-Induced Phase Transformation of SnS to SnS ₂ . <i>Scientific Reports</i> , 2018 , 8, 10284	4.9	22
43	Breaking AB stacking order in graphite oxide: ab initio approach. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 1595-9	3.6	21
42	Synthesis and surface properties of self-crosslinking core-shell acrylic copolymer emulsions containing fluorine/silicone in the shell. <i>Colloid and Polymer Science</i> , 2014 , 292, 173-183	2.4	19
41	Temperature-dependent critical layer thickness for strained-layer heterostructures. <i>Applied Physics Letters</i> , 1995 , 67, 2212-2214	3.4	19

40	Dual quartz crystal microbalance for hydrogen storage in carbon nanotubes. <i>International Journal of Hydrogen Energy</i> , 2007 , 32, 3442-3447	6.7	18
39	ADHESION TEST OF CARBON NANOTUBE FILM COATED ONTO TRANSPARENT CONDUCTING SUBSTRATES. <i>Nano</i> , 2010 , 05, 133-138	1.1	17
38	Preparation and properties of waterborne polyurethane/self-cross-linkable fluorinated acrylic copolymer hybrid emulsions using a solvent/emulsifier-free method. <i>Colloid and Polymer Science</i> , 2015 , 293, 1369-1382	2.4	16
37	Hybrid catalyst with monoclinic MoTe ₂ and platinum for efficient hydrogen evolution. <i>APL Materials</i> , 2019 , 7, 071118	5.7	15
36	Chain Vacancies in 2D Crystals. <i>Small</i> , 2017 , 13, 1601930	11	15
35	Tailoring Domain Morphology in Monolayer NbSe and WNbSe Heterostructure. <i>ACS Nano</i> , 2020 , 14, 8784-8792	13	13
34	Highly fluidic liquid at homointerface generates grain-boundary dislocation arrays for high-performance bulk thermoelectrics. <i>Acta Materialia</i> , 2018 , 159, 266-275	8.4	13
33	Efficient Gate Modulation in a Screening-Engineered MoS/Single-Walled Carbon Nanotube Network Heterojunction Vertical Field-Effect Transistor. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 25516-25523	9.5	12
32	ATOMIC HYDROGEN-DRIVEN SIZE CONTROL OF CATALYTIC NANOPARTICLES FOR SINGLE-WALLED CARBON NANOTUBE GROWTH. <i>Nano</i> , 2008 , 03, 145-153	1.1	12
31	Improved photovoltaic effects in InGaN-based multiple quantum well solar cell with graphene on indium tin oxide nanodot nodes for transparent and current spreading electrode. <i>Applied Physics Letters</i> , 2013 , 102, 031116	3.4	11
30	Enhanced Light Output Power of GaN Light-Emitting Diodes with Graphene Film as a Transparent Conducting Electrode. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 125103	1.4	11
29	Ultrashort Vertical-Channel van der Waals Semiconductor Transistors. <i>Advanced Science</i> , 2020 , 7, 1902964	6.6	10
28	Low-temperature graphene growth using epochal catalyst of PdCo alloy. <i>Applied Physics Letters</i> , 2011 , 99, 223102	3.4	9
27	Large-scale synthesis of graphene and other 2D materials towards industrialization.. <i>Nature Communications</i> , 2022 , 13, 1484	17.4	8
26	Hyperdislocations in van der Waals Layered Materials. <i>Nano Letters</i> , 2016 , 16, 7807-7813	11.5	7
25	Control of p-doping on single-walled carbon nanotubes with nitronium hexafluoroantimonate in liquid phase. <i>Physica Status Solidi (B): Basic Research</i> , 2009 , 246, 2419-2422	1.3	7
24	Intercalant-induced superbundle formation of single-wall carbon nanotubes. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 10004-8	3.4	7
23	Thermal Oxynitridation of Silicon in N ₂ O Ambients. <i>Journal of the Electrochemical Society</i> , 1996 , 143, 3372-3376	3.9	7

22	Semimetallic Graphene for Infrared Sensing. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 19565-19574	5.4	6
21	Pressure-dependent heat transfer at multilayer graphene and gas interface. <i>Current Applied Physics</i> , 2016 , 16, 1236-1241	2.6	6
20	Enhanced Light Output Power of GaN Light-Emitting Diodes with Graphene Film as a Transparent Conducting Electrode. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 125103	1.4	5
19	Coulomb drag transistor using a graphene and MoS2 heterostructure. <i>Communications Physics</i> , 2020 , 3,	5.4	5
18	Superconductivity in Te-deficient polymorphic MoTe 2k and its derivatives: rich structural and electronic phase transitions. <i>2D Materials</i> , 2018 , 5, 031014	5.9	5
17	Misorientation-Angle-Dependent Phase Transformation in van der Waals Multilayers via Electron-Beam Irradiation. <i>Advanced Materials</i> , 2018 , 30, e1706864	2.4	4
16	Bandgap Renormalization in Monolayer MoS2 on CsPbBr3 Quantum Dots via Charge Transfer at Room Temperature. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000835	4.6	4
15	Li Intercalation Effects on Interface Resistances of High-Speed and Low-Power WSe2 Field-Effect Transistors. <i>Advanced Functional Materials</i> , 2020 , 30, 2003688	15.6	4
14	Synthesis of large-area graphene layers on nickel film by chemical vapor deposition: wrinkle formation 2009 ,		3
13	Locally enhanced light-matter interaction of MoS2 monolayers at density-controllable nanogrooves of template-stripped Ag films. <i>Current Applied Physics</i> , 2022 , 33, 59-65	2.6	3
12	Selective Pattern Growth of Atomically Thin MoSe Films via a Surface-Mediated Liquid-Phase Promoter. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 18056-18064	9.5	3
11	Transparent Conducting Films by Using Carbon Nanotubes 2008 , 15-28		3
10	Evidence of shallow band gap in ultrathin 1T-MoTe2 via infrared spectroscopy. <i>Physical Review B</i> , 2020 , 101,	3.3	2
9	Structural Relaxation of Vacancies in Amorphous Silicon. <i>Materials Research Society Symposia Proceedings</i> , 1997 , 467, 555		2
8	Recent progress in carbon nanotube-based flexible transparent conducting film 2008 ,		2
7	Phase separation of Si1-xGex alloys. <i>Materials Research Society Symposia Proceedings</i> , 1995 , 378, 1031		2
6	Emergent Multifunctional Magnetic Proximity in van der Waals Layered Heterostructures. <i>Advanced Science</i> , 2020 , 7, 200186	13.6	2
5	Solid-state interdiffusion mechanism in strained Si1-xGex/Si heterostructures. <i>Journal of Solid State Electrochemistry</i> , 1997 , 1, 221-226	2.6	1

- 4 Hydrogen insertion and extraction mechanism in single-walled carbon nanotubes. *AIP Conference Proceedings*, **2001**, 0 1
- 3 Surfactant-Mediated Si/Ge Epitaxial Crystal Growth. *Materials Research Society Symposia Proceedings*, **1996**, 448, 135 1
- 2 Simultaneous enhancement of specific capacitance and potential window of graphene-based electric double-layer capacitors using ferroelectric polymers. *Journal of Power Sources*, **2021**, 507, 230268^{8,9} 1
- 1 Gan Nanotubes. *Materials Research Society Symposia Proceedings*, **1998**, 537, 1