

# Markus Englert

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/11377674/markus-englert-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23  
papers

1,050  
citations

16  
h-index

24  
g-index

24  
ext. papers

1,230  
ext. citations

11.6  
avg, IF

3.93  
L-index

#	Paper	IF	Citations
23	Recoding of the selenocysteine UGA codon by cysteine in the presence of a non-canonical tRNA and elongation factor SelB. <i>RNA Biology</i> , <b>2018</b> , 15, 471-479	4.8	6
22	A genomically modified Escherichia coli strain carrying an orthogonal E. coli histidyl-tRNA synthetase-tRNA pair. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2017</b> , 1861, 3009-3015	4	3
21	Rewriting the Genetic Code. <i>Annual Review of Microbiology</i> , <b>2017</b> , 71, 557-577	17.5	90
20	Transfer RNAs with novel cloverleaf structures. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, 2776-2785	20.1	16
19	Facile Recoding of Selenocysteine in Nature. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 5337-416.4	16.4	43
18	Dual Genetic Encoding of Acetyl-lysine and Non-deacetyltable Thioacetyl-lysine Mediated by Flexizyme. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 4083-6	16.4	15
17	Mechanistic insight into protein modification and sulfur mobilization activities of noncanonical E1 and associated ubiquitin-like proteins of Archaea. <i>FEBS Journal</i> , <b>2016</b> , 283, 3567-3586	5.7	17
16	Probing the active site tryptophan of Staphylococcus aureus thioredoxin with an analog. <i>Nucleic Acids Research</i> , <b>2015</b> , 43, 11061-7	20.1	12
15	Use of RNA Affinity Matrices for the Isolation of RNA Binding Proteins <b>2014</b> , 919-934		
14	Archaeal Tuc1/Ncs6 homolog required for wobble uridine tRNA thiolation is associated with ubiquitin-proteasome, translation, and RNA processing system homologs. <i>PLoS ONE</i> , <b>2014</b> , 9, e99104	3.7	25
13	Engineering the elongation factor Tu for efficient selenoprotein synthesis. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, 9976-83	20.1	39
12	Aminoacylation of tRNA 2b or 3bhydroxyl by phosphoseryl- and pyrrolysyl-tRNA synthetases. <i>FEBS Letters</i> , <b>2013</b> , 587, 3360-4	3.8	11
11	Structural and mechanistic insights into guanylation of RNA-splicing ligase RtcB joining RNA between 3bterminal phosphate and 5bOH. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 15235-40	11.5	36
10	HSPC117 is the essential subunit of a human tRNA splicing ligase complex. <i>Science</i> , <b>2011</b> , 331, 760-4	33.3	155
9	Archaeal 3bphosphate RNA splicing ligase characterization identifies the missing component in tRNA maturation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 1290-5	11.5	74
8	Dual functions of yeast tRNA ligase in the unfolded protein response: unconventional cytoplasmic splicing of HAC1 pre-mRNA is not sufficient to release translational attenuation. <i>Molecular Biology of the Cell</i> , <b>2010</b> , 21, 3722-34	3.5	31
7	Branchiostoma floridae has separate healing and sealing enzymes for 5bphosphate RNA ligation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 16834-9	11.5	22

6	Structure of pyrrolysyl-tRNA synthetase, an archaeal enzyme for genetic code innovation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 11268-73	11.5	156
5	Plant pre-tRNA splicing enzymes are targeted to multiple cellular compartments. <i>Biochimie</i> , <b>2007</b> , 89, 1351-65	4.6	48
4	Structure-function analysis of the kinase-CPD domain of yeast tRNA ligase (Trl1) and requirements for complementation of tRNA splicing by a plant Trl1 homolog. <i>Nucleic Acids Research</i> , <b>2006</b> , 34, 517-27	20.1	124
3	Plant tRNA ligases are multifunctional enzymes that have diverged in sequence and substrate specificity from RNA ligases of other phylogenetic origins. <i>Nucleic Acids Research</i> , <b>2005</b> , 33, 388-99	20.1	88
2	Plant 7SL RNA genes belong to type 4 of RNA polymerase III- dependent genes that are composed of mixed promoters. <i>Plant Journal</i> , <b>2005</b> , 43, 97-106	6.9	10
1	Novel upstream and intragenic control elements for the RNA polymerase III-dependent transcription of human 7SL RNA genes. <i>Biochimie</i> , <b>2004</b> , 86, 867-74	4.6	28