

Cih Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/113803/publications.pdf>

Version: 2024-02-01

30
papers

188
citations

1163117

8
h-index

1125743

13
g-index

30
all docs

30
docs citations

30
times ranked

217
citing authors

#	ARTICLE	IF	CITATIONS
1	Induction heating ferromagnetic particles embedded PDMS mold for microstructure embossing. <i>Journal of Physics Communications</i> , 2022, 6, 025002.	1.2	2
2	A scaling law of particle transport in inkjet-printed particle-laden polymeric drops. <i>International Journal of Heat and Mass Transfer</i> , 2022, 191, 122840.	4.8	3
3	Hot embossing of microstructure with moving induction heating and gas-assisted pressuring. <i>Microsystem Technologies</i> , 2020, 26, 957-967.	2.0	7
4	Development of a novel low-temperature differential hollow roller using an ultra-thin heating element of graphene polymeric composite material. <i>Microsystem Technologies</i> , 2020, 26, 2561-2567.	2.0	1
5	Fabrication of large-area V-groove microstructures using gasbag-pressuring edge-irradiating UV imprinting. <i>Microsystem Technologies</i> , 2019, 25, 811-817.	2.0	1
6	Fabrication of a light-intensity-enhancement component by using computer-controlled ultraviolet curing and air-pressing imprinting. <i>Microsystem Technologies</i> , 2019, 25, 31-37.	2.0	0
7	A novel flexible heating element using graphene polymeric composite ink on polyimide film. <i>Microsystem Technologies</i> , 2018, 24, 3283-3289.	2.0	5
8	Wearable sensors developed using a novel plastic metal material. <i>Applied Physics A: Materials Science and Processing</i> , 2018, 124, 1.	2.3	5
9	Dual Sensing Arrays for Surface Plasmon Resonance (SPR) and Surface-Enhanced Raman Scattering (SERS) Based on Nanowire/Nanorod Hybrid Nanostructures. <i>Advanced Materials Interfaces</i> , 2018, 5, 1801064.	3.7	39
10	Application of graphene-polymer composite heaters in gas-assisted micro hot embossing. <i>RSC Advances</i> , 2017, 7, 6336-6344.	3.6	20
11	Development of radio-frequency heating-assisted nanoimprint with PETG solution for nanostructure-based biosensors. <i>AIP Advances</i> , 2017, 7, .	1.3	2
12	Development of high-flexible triboelectric generators using plastic metal as electrodes. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	8
13	Optimization of heat-treatment parameters in hardening of titanium alloy Ti-6Al-4V by using the Taguchi method. <i>International Journal of Advanced Manufacturing Technology</i> , 2017, 90, 753-761.	3.0	9
14	Double-sided UV roller imprinting of microstructures on transparent plates. <i>Microsystem Technologies</i> , 2017, 23, 5833-5839.	2.0	1
15	Low-Cost and Rapid Fabrication of Metallic Nanostructures for Sensitive Biosensors Using Hot-Embossing and Dielectric-Heating Nanoimprint Methods. <i>Sensors</i> , 2017, 17, 1548.	3.8	24
16	Magnetic fluid microstructure curved surface uniform embossing and photocuring process technology. <i>Polymers for Advanced Technologies</i> , 2016, 27, 630-641.	3.2	3
17	Substrate Effect on Characteristics of $\text{PbZr}_{1-x}\text{Ti}_x\text{O}_3$ (PZT) Film. <i>Integrated Ferroelectrics</i> , 2014, 150, 51-58.	0.7	6
18	Novel Real-Time Temperature Diagnosis of Conventional Hot-Embossing Process Using an Ultrasonic Transducer. <i>Sensors</i> , 2014, 14, 19493-19506.	3.8	8

#	ARTICLE	IF	CITATIONS
19	Development and discussion of asymmetric magnetic soft mode electromagnetic imprinting process technology. <i>Microsystem Technologies</i> , 2013, 19, 1177-1184.	2.0	1
20	CO2-assisted thermal fusion bonding of heterogeneous materials by use of surface nano-pillars. <i>Microsystem Technologies</i> , 2013, 19, 151-157.	2.0	5
21	Real-time diagnosis of gas-assisted hot embossing process by ultrasound. <i>Polymer Engineering and Science</i> , 2013, 53, n/a-n/a.	3.1	1
22	Development of two step carbon dioxide assisted thermal fusion PMMA bonding process. <i>Microsystem Technologies</i> , 2012, 18, 409-414.	2.0	3
23	Electromagnetic Field-Aided Magnetic Soft Mold Reverse Imprinting Technology Applied in Microstructure Replication. <i>Polymer-Plastics Technology and Engineering</i> , 2011, 50, 1077-1083.	1.9	7
24	A Novel Magnetic Nickel Mold Combined Nano-Particle Fluid Electromagnetism Imprinting on Replicating Microstructures. , 2009, , .		0
25	Fabrication of Optical Waveguide Devices Using Electromagnetic Assisted Nanoimprinting. , 2009, , .		2
26	Gas-Assisted Nanoparticle Fluid Magnetic Imprinting Technology in Micro-Lens Manufacture and the Application of Projection Lithography. <i>Polymer-Plastics Technology and Engineering</i> , 2009, 48, 549-553.	1.9	1
27	Fabrication of Microlens Arrays by Using Nano-Particle Fluid Imprinting Technology. , 2009, , .		0
28	Secondary gas penetrations in ribs during full-shot gas-assisted injection molding. <i>Advances in Polymer Technology</i> , 2003, 22, 225-237.	1.7	11
29	Ribbed package geometry for reducing thermal warpage and wire sweep during PBGA encapsulation. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2000, 23, 700-706.	1.3	13
30	A novel micro-scale recombining technique using lateral joining for a large-area molding with small features. , 0, , .		0