
## Siv K BÃ,hn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11380823/publications.pdf Version: 2024-02-01



SIV K RÃ HI

#	Article	IF	CITATIONS
1	Bilberry/red grape juice decreases plasma biomarkers of inflammation and tissue damage in aged men with subjective memory impairment –a randomized clinical trial. BMC Nutrition, 2021, 7, 75.	1.6	6
2	Dietary Adjustments to Altitude Training in Elite Endurance Athletes; Impact of a Randomized Clinical Trial With Antioxidant-Rich Foods. Frontiers in Sports and Active Living, 2020, 2, 106.	1.8	2
3	Abnormal blood lactate accumulation during repeated exercise testing in myalgic encephalomyelitis/chronic fatigue syndrome. Physiological Reports, 2019, 7, e14138.	1.7	41
4	The effect of kiwifruit consumption on blood pressure in subjects with moderately elevated blood pressure: A randomized, controlled study. Blood Pressure, 2015, 24, 48-54.	1.5	20
5	IRF4 Is a Critical Gene in Retinoic Acid–Mediated Plasma Cell Formation and Is Deregulated in Common Variable Immunodeficiency–Derived B Cells. Journal of Immunology, 2015, 195, 2601-2611.	0.8	25
6	Effects of black tea on body composition and metabolic outcomes related to cardiovascular disease risk: a randomized controlled trial. Food and Function, 2014, 5, 1613-1620.	4.6	36
7	Stress associated gene expression in blood cells is related to outcome in radiotherapy treated head and neck cancer patients. BMC Cancer, 2012, 12, 426.	2.6	5
8	Effects of tea and coffee on cardiovascular disease risk. Food and Function, 2012, 3, 575.	4.6	123
9	The total antioxidant content of more than 3100 foods, beverages, spices, herbs and supplements used worldwide. Nutrition Journal, 2010, 9, 3.	3.4	664
10	Blood cell gene expression associated with cellular stress defense is modulated by antioxidant-rich food in a randomised controlled clinical trial of male smokers. BMC Medicine, 2010, 8, 54.	5.5	72
11	Content of redox-active compounds (ie, antioxidants) in foods consumed in the United States. American Journal of Clinical Nutrition, 2006, 84, 95-135	4.7	503