## Marzenna Blonska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/113819/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Inflammatory T Cell Responses Rely on Amino Acid Transporter ASCT2 Facilitation of Glutamine Uptake<br>and mTORC1 Kinase Activation. Immunity, 2014, 40, 692-705.  | 14.3 | 645       |
| 2  | Phosphorylation of CARMA1 Plays a Critical Role in T Cell Receptor-Mediated NF-κB Activation. Immunity, 2005, 23, 575-585.   | 14.3 | 277       |
| 3  | Ubiquitination of RIP Is Required for Tumor Necrosis Factor α-induced NF-κB Activation. Journal of<br>Biological Chemistry, 2006, 281, 13636-13643.  | 3.4  | 237       |
| 4  | NF-κB signaling pathways regulated by CARMA family of scaffold proteins. Cell Research, 2011, 21, 55-70.   | 12.0 | 171       |
| 5  | CARMA3 deficiency abrogates G protein-coupled receptor-induced NF-ÂB activation. Genes and Development, 2007, 21, 984-996.   | 5.9  | 116       |
| 6  | TAK1 Is Recruited to the Tumor Necrosis Factor-α (TNF-α) Receptor 1 Complex in a Receptor-interacting<br>Protein (RIP)-dependent Manner and Cooperates with MEKK3 Leading to NF-κB Activation. Journal of<br>Biological Chemistry, 2005, 280, 43056-43063. | 3.4  | 113       |
| 7  | Phosphorylation and ubiquitination of the lκB kinase complex by two distinct signaling pathways.<br>EMBO Journal, 2007, 26, 1794-1805.   | 7.8  | 97        |
| 8  | CARMA1â€mediated NFâ€₽B and JNK activation in lymphocytes. Immunological Reviews, 2009, 228, 199-211.  | 6.0  | 93        |
| 9  | USP18 inhibits NF-ήB and NFAT activation during Th17 differentiation by deubiquitinating the TAK1–TAB1 complex. Journal of Experimental Medicine, 2013, 210, 1575-1590.  | 8.5  | 89        |
| 10 | The CARMA1-Bcl10 Signaling Complex Selectively Regulates JNK2 Kinase in the T Cell Receptor-Signaling Pathway. Immunity, 2007, 26, 55-66.  | 14.3 | 86        |
| 11 | The cell cycle regulator 14-3-3 $\ddot{f}$ opposes and reverses cancer metabolic reprogramming. Nature Communications, 2015, 6, 7530.  | 12.8 | 65        |
| 12 | Jun-regulated genes promote interaction of diffuse large B-cell lymphoma with the microenvironment. Blood, 2015, 125, 981-991.   | 1.4  | 52        |
| 13 | Restoration of NF-κB Activation by Tumor Necrosis Factor Alpha Receptor Complex-Targeted MEKK3 in Receptor-Interacting Protein-Deficient Cells. Molecular and Cellular Biology, 2004, 24, 10757-10765.   | 2.3  | 44        |
| 14 | Shaping of the tumor microenvironment: Stromal cells and vessels. Seminars in Cancer Biology, 2015, 34, 3-13.  | 9.6  | 41        |
| 15 | Dissection of SAP-dependent and SAP-independent SLAM family signaling in NKT cell development and humoral immunity. Journal of Experimental Medicine, 2017, 214, 475-489.  | 8.5  | 36        |
| 16 | Trimeric G protein-CARMA1 axis links smoothened, the hedgehog receptor transducer, to NF-κB<br>activation in diffuse large B-cell lymphoma. Blood, 2013, 121, 4718-4728.   | 1.4  | 33        |
| 17 | CARMA1 Controls Th2 Cell-Specific Cytokine Expression through Regulating JunB and GATA3<br>Transcription Factors. Journal of Immunology, 2012, 188, 3160-3168.   | 0.8  | 30        |
| 18 | Mutant IDH1 Depletion Downregulates Integrins and Impairs Chondrosarcoma Growth. Cancers, 2020, 12, 141.   | 3.7  | 17        |

MARZENNA BLONSKA

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Active IKKβ promotes the stability of GLI1 oncogene in diffuse large B-cell lymphoma. Blood, 2016, 127, 605-615.  | 1.4  | 16        |
| 20 | Regulation of Linear Ubiquitin Chain Assembly Complex by Caspase-Mediated Cleavage of RNF31.<br>Molecular and Cellular Biology, 2016, 36, 3010-3018.  | 2.3  | 16        |
| 21 | Activation of the Transcription Factor c-Maf in T Cells Is Dependent on the CARMA1-IKKÎ <sup>2</sup> Signaling<br>Cascade. Science Signaling, 2013, 6, ra110.                                     | 3.6  | 11        |
| 22 | Smoothened stabilizes and protects TRAF6 from degradation: A novel non-canonical role of smoothened with implications in lymphoma biology. Cancer Letters, 2018, 436, 149-158.                    | 7.2  | 10        |
| 23 | Proline‑rich polypeptide‑1 decreases cancer stem cell population by targeting BAFF<br>chromatin‑remodeling complexes in human chondrosarcoma JJ012 cells. Oncology Reports, 2020, 44,<br>393-403. | 2.6  | 4         |
| 24 | ATF3, a new player in DLBCL cell survival. Blood, 2016, 127, 1736-1737.   | 1.4  | 1         |
| 25 | Dampening NF-κB Signaling by "Self-Eating― Immunity, 2012, 36, 895-896.   | 14.3 | 0         |