
## Milena Bruno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11382874/publications.pdf Version: 2024-02-01



MILENA ROUNO

#	Article	IF	CITATIONS
1	Remote Sensing Detection of Algal Blooms in a Lake Impacted by Petroleum Hydrocarbons. Remote Sensing, 2022, 14, 121.	1.8	7
2	Myelin like electrogenic filamentation and Liquid Microbial Fuel Cells Dataset. Data in Brief, 2022, 43, 108447.	0.5	1
3	Characterization of microbial response to petroleum hydrocarbon contamination in a lacustrine ecosystem. Environmental Science and Pollution Research, 2021, 28, 26187-26196.	2.7	12
4	Electrogenic and hydrocarbonoclastic biofilm at the oil-water interface as microbial responses to oil spill. Water Research, 2021, 197, 117092.	5.3	11
5	Paralytic Shellfish Toxins and Cyanotoxins in the Mediterranean: New Data from Sardinia and Sicily (Italy). Microorganisms, 2017, 5, 72.	1.6	16
6	Validation of ELISA methods for search and quantification of β-n-methylamino-l-alanine in water and fish tissue. International Journal of Environmental Analytical Chemistry, 2016, 96, 1290-1299.	1.8	10
7	Profiling microcystin contamination in a water reservoir by MALDI-TOF and liquid chromatography coupled to Q/TOF tandem mass spectrometry. Food Research International, 2013, 54, 1321-1330.	2.9	21
8	A peptidomic approach for monitoring and characterising peptide cyanotoxins produced in Italian lakes by matrixâ€assisted laser desorption/ionisation and quadrupole timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2011, 25, 1173-1183.	0.7	23
9	Seasonal succession of <i>Cylindrospermopsis raciborskii</i> and <i>Aphanizomenon ovalisporum</i> blooms with cylindrospermopsin occurrence in the volcanic Lake Albano, Central Italy. Environmental Toxicology, 2010, 25, 18-27.	2.1	81
10	Liquid chromatography coupled to quadruple timeâ€ofâ€flight tandem mass spectrometry for microcystin analysis in freshwaters: method performances and characterisation of a novel variant of microcystinâ€RR. Rapid Communications in Mass Spectrometry, 2009, 23, 1328-1336.	0.7	38
11	Determination of cylindrospermopsin in freshwaters and fish tissue by liquid chromatography coupled to electrospray ion trap mass spectrometry. Rapid Communications in Mass Spectrometry, 2009, 23, 3279-3284.	0.7	40
12	Cyanobacterial toxins in Italian freshwaters. Limnologica, 2009, 39, 95-106.	0.7	70
13	Characterisation of biotoxins produced by a cyanobacteria bloom in Lake Averno using two LC–MS-based techniques. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2008, 25, 1530-1537.	1.1	17
14	Monitoring Algal Toxins in Lake Water by Liquid Chromatography Tandem Mass Spectrometry. Environmental Science & Technology, 2006, 40, 2917-2923.	4.6	82
15	Simple and rapid determination of anatoxin-a in lake water and fish muscle tissue by liquid-chromatography–tandem mass spectrometry. Journal of Chromatography A, 2006, 1122, 180-185.	1.8	46
16	Simple Assay for Analyzing Five Microcystins and Nodularin in Fish Muscle Tissue:Â Hot Water Extraction Followed by Liquid Chromatographyâ^Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2005, 53, 6586-6592.	2.4	52
17	Anatoxin-a toxin in the cyanobacteriumPlanktothrix rubescens from a fishing pond in northern Italy. Environmental Toxicology, 2004, 19, 191-197.	2.1	95
18	Toxic blooms of Planktothrix rubescens (Cyanobacteria/Phormidiaceae) in three waterbodies in Italy. Algological Studies, 2003, 109, 569-577.	0.1	4

MILENA BRUNO

#	Article	IF	CITATIONS
19	Influence of nutrient factors on production of mucilage by Amphora coffeaeformis var. perpusilla. Continental Shelf Research, 1997, 17, 1171-1180.	0.9	13
20	Anatoxin-a and a previously unknown toxin in Anabaena planctonica from blooms found in Lake Mulargia (Italy). Toxicon, 1994, 32, 369-373.	0.8	59
21	Chemical composition and biological origin of â€ <sup>~</sup> dirty sea' mucilages. Phytochemistry, 1993, 34, 393-395.	1.4	18
22	Ecology of mucilage production by Amphora coffeaeformis var. perpusilla blooms of Adriatic Sea. Water, Air, and Soil Pollution, 1993, 69, 201-207.	1.1	6
23	Microcystin-like toxins in different freshwater species of Oscillatoria. Toxicon, 1992, 30, 1307-1311.	0.8	29
24	Presence of saxitoxin in toxic extracts from Gonyaulax polyedra. Toxicon, 1990, 28, 1113-1116.	0.8	28
25	Co-occurrence of Polychlorinated Biphenyls, Cyanotoxins and Trace Elements in Commercial Fish Species from a Freshwater Protected Area (Pertusillo Lake, Southern Italy). Journal of Geography Environment and Earth Science International, 0, , 1-14.	0.2	4