

John Cijiang He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11383932/publications.pdf>

Version: 2024-02-01

40
papers

3,121
citations

172457

29
h-index

302126

39
g-index

40
all docs

40
docs citations

40
times ranked

4138
citing authors

#	ARTICLE	IF	CITATIONS
1	HIPK2 directs cell type-specific regulation of STAT3 transcriptional activity in Th17 cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2117112119.	7.1	2
2	Similarities and Differences between COVID-19-Associated Nephropathy and HIV-Associated Nephropathy. <i>Kidney Diseases (Basel, Switzerland)</i> , 2022, 8, 1-12.	2.5	6
3	Connectivity Mapping Identifies BI-2536 as a Potential Drug to Treat Diabetic Kidney Disease. <i>Diabetes</i> , 2021, 70, 589-602.	0.6	12
4	Low expression of HIV genes in podocytes accelerates the progression of diabetic kidney disease in mice. <i>Kidney International</i> , 2021, 99, 914-925.	5.2	16
5	Role of SIRT1 in HIV-associated kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F335-F344.	2.7	13
6	Arctigenin attenuates diabetic kidney disease through the activation of PP2A in podocytes. <i>Nature Communications</i> , 2019, 10, 4523.	12.8	89
7	Increased podocyte Sirtuin-1 function attenuates diabetic kidney injury. <i>Kidney International</i> , 2018, 93, 1330-1343.	5.2	153
8	SIRT1 Is a Potential Drug Target for Treatment of Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2018, 9, 624.	3.5	63
9	Tyro3 is a podocyte protective factor in glomerular disease. <i>JCI Insight</i> , 2018, 3, .	5.0	14
10	Reduction in podocyte SIRT1 accelerates kidney injury in aging mice. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F621-F628.	2.7	69
11	Puerarin attenuates diabetic kidney injury through the suppression of NOX4 expression in podocytes. <i>Scientific Reports</i> , 2017, 7, 14603.	3.3	40
12	Role of C/EBP- β in Adriamycin-induced podocyte injury. <i>Scientific Reports</i> , 2016, 6, 33520.	3.3	16
13	Comparison of Glomerular and Podocyte mRNA Profiles in Streptozotocin-Induced Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1006-1014.	6.1	37
14	Recent Advances in Traditional Chinese Medicine for Kidney Disease. <i>American Journal of Kidney Diseases</i> , 2015, 66, 513-522.	1.9	122
15	Nephrin Preserves Podocyte Viability and Glomerular Structure and Function in Adult Kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2361-2377.	6.1	93
16	Genetics and Epigenetics of Diabetic Nephropathy. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015, 1, 42-51.	2.5	24
17	JAK inhibition and progressive kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 88-95.	2.0	80
18	Intronic locus determines SHROOM3 expression and potentiates renal allograft fibrosis. <i>Journal of Clinical Investigation</i> , 2015, 125, 208-221.	8.2	62

#	ARTICLE	IF	CITATIONS
19	Induction of Retinol Dehydrogenase 9 Expression in Podocytes Attenuates Kidney Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1933-1941.	6.1	14
20	Role of Transcription Factor Acetylation in Diabetic Kidney Disease. <i>Diabetes</i> , 2014, 63, 2440-2453.	0.6	171
21	Therapeutic use of traditional Chinese herbal medications for chronic kidney diseases. <i>Kidney International</i> , 2013, 84, 1108-1118.	5.2	134
22	Down-regulation of NF- κ B Transcriptional Activity in HIV-associated Kidney Disease by BRD4 Inhibition. <i>Journal of Biological Chemistry</i> , 2012, 287, 28840-28851.	3.4	172
23	A systems approach identifies HIPK2 as a key regulator of kidney fibrosis. <i>Nature Medicine</i> , 2012, 18, 580-588.	30.7	131
24	Dysregulated Nephlin in Diabetic Nephropathy of Type 2 Diabetes: A Cross Sectional Study. <i>PLoS ONE</i> , 2012, 7, e36041.	2.5	136
25	Novel Retinoic Acid Receptor Alpha Agonists for Treatment of Kidney Disease. <i>PLoS ONE</i> , 2011, 6, e27945.	2.5	40
26	AGER1 regulates endothelial cell NADPH oxidase-dependent oxidant stress via PKC- ζ : implications for vascular disease. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 298, C624-C634.	4.6	70
27	AP-1 Activated by Toll-like Receptors Regulates Expression of IL-23 p19. <i>Journal of Biological Chemistry</i> , 2009, 284, 24006-24016.	3.4	120
28	Knockdown of Stat3 activity in vivo prevents diabetic glomerulopathy. <i>Kidney International</i> , 2009, 76, 63-71.	5.2	95
29	HIV-1 Nef Disrupts the Podocyte Actin Cytoskeleton by Interacting with Diaphanous Interacting Protein. <i>Journal of Biological Chemistry</i> , 2008, 283, 8173-8182.	3.4	87
30	HIV-1 Upregulates VEGF in Podocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 877-883.	6.1	75
31	Retinoic Acid Utilizes CREB and USF1 in a Transcriptional Feed-Forward Loop in Order To Stimulate MKP1 Expression in Human Immunodeficiency Virus-Infected Podocytes. <i>Molecular and Cellular Biology</i> , 2008, 28, 5785-5794.	2.3	45
32	AGE-receptor-1 counteracts cellular oxidant stress induced by AGEs via negative regulation of p66 ^{shc} -dependent FKHRL1 phosphorylation. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 294, C145-C152.	4.6	105
33	Retinoic Acid Inhibits HIV-1-Induced Podocyte Proliferation through the cAMP Pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 93-102.	6.1	85
34	Reduced Oxidant Stress and Extended Lifespan in Mice Exposed to a Low Glycotoxin Diet. <i>American Journal of Pathology</i> , 2007, 170, 1893-1902.	3.8	157
35	Animal models of HIV-associated nephropathy. <i>Current Opinion in Nephrology and Hypertension</i> , 2006, 15, 233-237.	2.0	30
36	High Levels of Dietary Advanced Glycation End Products Transform Low-Density Lipoprotein Into a Potent Redox-Sensitive Mitogen-Activated Protein Kinase Stimulant in Diabetic Patients. <i>Circulation</i> , 2004, 110, 285-291.	1.6	168

#	ARTICLE	IF	CITATIONS
37	Advanced glycation endproduct (AGE) receptor 1 is a negative regulator of the inflammatory response to AGE in mesangial cells. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 11767-11772.	7.1	207
38	Nef stimulates proliferation of glomerular podocytes through activation of Src-dependent Stat3 and MAPK1,2 pathways. Journal of Clinical Investigation, 2004, 114, 643-651.	8.2	100
39	Critical role for Nef in HIV-1-induced podocyte dedifferentiation. Kidney International, 2003, 64, 1695-1701.	5.2	60
40	Sirtuin 1 in Chronic Kidney Disease and Therapeutic Potential of Targeting Sirtuin 1. Frontiers in Endocrinology, 0, 13, .	3.5	8