

# Alberto Ferreiroa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11386304/publications.pdf>

Version: 2024-02-01

15  
papers

318  
citations

1163117

8  
h-index

996975

15  
g-index

16  
all docs

16  
docs citations

16  
times ranked

357  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical study comparing the accuracy of interocclusal records, digitally obtained by three different devices. <i>Clinical Oral Investigations</i> , 2022, 26, 1957-1962.	3.0	12
2	Influence of customized over-scan body rings on the intraoral scanning effectiveness of a multiple implant edentulous mandibular model. <i>Journal of Dentistry</i> , 2022, 122, 104095.	4.1	8
3	Clinical study comparing the accuracy of interocclusal records, digitally obtained by three different devices. <i>Clinical Oral Investigations</i> , 2022, , .	3.0	5
4	Accuracy of digitization obtained from scannable and non-scannable elastomeric impression materials. <i>Journal of Prosthetic Dentistry</i> , 2021, 125, 300-306.	2.8	8
5	Endodontic re-treatment and restorative treatment of a dens invaginatus type II through new technologies. <i>Journal of Clinical and Experimental Dentistry</i> , 2019, 11, 0-0.	1.2	12
6	Digital scanning for implant-supported fixed complete-arch dental prostheses for patients with epidermolysis bullosa: A case series evaluation. <i>Journal of Prosthetic Dentistry</i> , 2019, 122, 364-370.	2.8	4
7	Ceramic veneers on central incisors without finish line using bopt in a case with gingival asymmetry. <i>Journal of Clinical and Experimental Dentistry</i> , 2019, 11, 0-0.	1.2	3
8	Comparative study of all-ceramic crowns obtained from conventional and digital impressions: clinical findings. <i>Clinical Oral Investigations</i> , 2019, 23, 1745-1751.	3.0	20
9	Comparative in vitro study of two methods for gingival biotype assessment. <i>Journal of Clinical and Experimental Dentistry</i> , 2018, 10, 0-0.	1.2	6
10	In vivo evaluation of three-dimensional volumetric changes using a CAD/CAM chair-side system: Technical procedure. <i>Journal of Clinical and Experimental Dentistry</i> , 2017, 9, 0-0.	1.2	0
11	Fixed dental prostheses with vertical tooth preparations without finish lines: A report of two patients. <i>Journal of Prosthetic Dentistry</i> , 2016, 115, 520-526.	2.8	35
12	Implant-supported overdenture manufactured using CAD/CAM techniques to achieve horizontal path insertion between the primary and secondary structure: A clinical case report. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 264.	2.6	11
13	Clinical evaluation comparing the fit of all-ceramic crowns obtained from silicone and digital intraoral impressions based on wavefront sampling technology. <i>Journal of Dentistry</i> , 2015, 43, 201-208.	4.1	105
14	Diagnosis and endodontic treatment of type II dens invaginatus by using cone-beam computed tomography and splint guides for cavity access. <i>Journal of the American Dental Association</i> , 2015, 146, 266-270.	1.5	28
15	Zirconia in fixed prosthesis. A literature review. <i>Journal of Clinical and Experimental Dentistry</i> , 2014, 6, e66-73.	1.2	60