

Peter Astrup Christensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1139416/publications.pdf>

Version: 2024-02-01

12
papers

101
citations

1683934

5
h-index

1372474

10
g-index

12
all docs

12
docs citations

12
times ranked

115
citing authors

#	ARTICLE	IF	CITATIONS
1	Analyte stability in whole blood using experimental and datamining approaches. Scandinavian Journal of Clinical and Laboratory Investigation, 2022, , 1-8.	0.6	0
2	Thyrotropin Receptor Antibodies in Early Pregnancy. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3705-e3713.	1.8	4
3	Hypertriglyceridemia is often under recognized as an aetiologic risk factor for acute pancreatitis: A population-based cohort study. Pancreatology, 2021, 21, 334-341.	0.5	30
4	Fully automatic <sc>d</sc>-lactate assay using a modified commercially available method. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 312-317.	0.6	2
5	Serum index rules prevent risk of analysing uncentrifuged tubes on automated biochemistry analysers. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 511-516.	0.6	0
6	Blood sampling frequency as a proxy for comorbidity indices when identifying patient samples for review of reference intervals. Clinical Chemistry and Laboratory Medicine, 2021, .	1.4	2
7	Classification of Thyroid Dysfunction in Pregnant Women Differs by Analytical Method and Type of Thyroid Function Test. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e4012-e4022.	1.8	9
8	Pregnancy Week-Specific Reference Ranges for Thyrotropin and Free Thyroxine in the North Denmark Region Pregnancy Cohort. Thyroid, 2019, 29, 430-438.	2.4	20
9	A simple transformation independent method for outlier definition. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1524-1532.	1.4	14
10	Indirect method for validating transference of reference intervals. Clinical Chemistry and Laboratory Medicine, 2018, 56, 463-470.	1.4	15
11	Reference intervals for the P-Albumin bromocresol purple method. Scandinavian Journal of Clinical and Laboratory Investigation, 2017, 77, 472-476.	0.6	2
12	Stability of plasma albumin depends on measurement method. Clinical Chemistry and Laboratory Medicine, 2016, 54, e327-e329.	1.4	3