

James A Fauerbach

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11396888/publications.pdf>

Version: 2024-02-01

72
papers

5,829
citations

87888

38
h-index

98798

67
g-index

72
all docs

72
docs citations

72
times ranked

4475
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Social Reintegration Outcomes for Burn Survivors With and Without Peer Support Attendance: A Life Impact Burn Recovery Evaluation (LIBRE) Study. Archives of Physical Medicine and Rehabilitation, 2020, 101, S92-S98.	0.9	30
2	National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System: Review of Program and Database. Archives of Physical Medicine and Rehabilitation, 2020, 101, S5-S15.	0.9	23
3	Cognitive Behavioral Treatment for Acute Posttrauma Distress: A Randomized, Controlled Proof-of-Concept Study Among Hospitalized Adults With Burns. Archives of Physical Medicine and Rehabilitation, 2020, 101, S16-S25.	0.9	19
4	Exploratory analysis of long-term physical and mental health morbidity and mortality: A comparison of individuals with self-inflicted versus non-self-inflicted burn injuries. Burns, 2020, 46, 531-538.	1.9	10
5	Psychosocial Recovery and Reintegration of Patients With Burn Injuries. , 2018, , 709-720.e4.		8
6	Psychological Outcomes Following Burn Injuries. Journal of Burn Care and Research, 2017, 38, e629-e631.	0.4	19
7	Fatigue Following Burn Injury. Journal of Burn Care and Research, 2017, 39, 1.	0.4	11
8	Clinical and Psychiatric Characteristics of Self-Inflicted Burn Patients in the United States. Journal of Burn Care and Research, 2015, 36, 381-386.	0.4	12
9	Validation of the Community Integration Questionnaire in the adult burn injury population. Quality of Life Research, 2015, 24, 2651-2655.	3.1	28
10	Cody. Eplasty, 2015, 15, e35.	0.4	1
11	Psychosocial recovery and reintegration of patients with burn injuries. , 2012, , 743-753.e4.		0
12	Comparing parent and child perceptions of stigmatizing behavior experienced by children with burn scars. Body Image, 2011, 8, 70-73.	4.3	38
13	Measuring Coping Behavior in Patients With Major Burn Injuries: A Psychometric Evaluation of the BCOPE. Journal of Burn Care and Research, 2011, 32, 392-398.	0.4	29
14	Posttraumatic Stress Disorder and Pain Impact Functioning and Disability After Major Burn Injury. Journal of Burn Care and Research, 2010, 31, 13-25.	0.4	78
15	Growth Curve Trajectories of Distress in Burn Patients. Journal of Burn Care and Research, 2010, 31, 64-72.	0.4	20
16	Self-assessed Physical Health Predicts 10-Year Mortality After Myocardial Infarction. Journal of Cardiopulmonary Rehabilitation and Prevention, 2010, 30, 35-39.	2.1	8
17	Perceived stigmatization and social comfort: Validating the constructs and their measurement among pediatric burn survivors.. Rehabilitation Psychology, 2010, 55, 360-371.	1.3	49
18	Relation of Anxiety and Adherence to Risk-Reducing Recommendations Following Myocardial Infarction. American Journal of Cardiology, 2009, 103, 1629-1634.	1.6	78

#	ARTICLE	IF	CITATIONS
19	Approach-avoidance coping conflict in a sample of burn patients at risk for posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2009, 26, 838-850.	4.1	23
20	Traumatic burn injury: Neuropsychiatric perspectives on risk, outcomes and treatment. <i>International Review of Psychiatry</i> , 2009, 21, 501-504.	2.8	1
21	Effect of Depression on Late (8 years) Mortality After Myocardial Infarction. <i>American Journal of Cardiology</i> , 2008, 101, 602-606.	1.6	34
22	From survival to socialization: A longitudinal study of body image in survivors of severe burn injury. <i>Journal of Psychosomatic Research</i> , 2008, 64, 205-212.	2.6	133
23	Long-term Significance of Killip Class and Left Ventricular Systolic Dysfunction. <i>American Journal of Medicine</i> , 2008, 121, 1015-1018.	1.5	30
24	Sleep onset insomnia symptoms during hospitalization for major burn injury predict chronic pain. <i>Pain</i> , 2008, 138, 497-506.	4.2	90
25	Acute Stress Disorder and Posttraumatic Stress Disorder: A Prospective Study of Prevalence, Course, and Predictors in a Sample With Major Burn Injuries. <i>Journal of Burn Care and Research</i> , 2008, 29, 22-35.	0.4	106
26	Confirmatory factor analysis of the Short Form McGill Pain Questionnaire with burn patients. <i>Eplasty</i> , 2008, 8, e54.	0.4	12
27	Comparing the body esteem of pediatric survivors of burn injury with the body esteem of an age-matched comparison group without burns. <i>Rehabilitation Psychology</i> , 2007, 52, 370-379.	1.3	38
28	Burns as a Result of Assault: Associated Risk Factors, Injury Characteristics, and Outcomes. <i>Journal of Burn Care and Research</i> , 2007, 28, 21-28.	0.4	23
29	The National Institute on Disability and Rehabilitation Research Burn Model System Database: A Tool for the Multicenter Study of the Outcome of Burn Injury. <i>Journal of Burn Care and Research</i> , 2007, 28, 84-96.	0.4	91
30	Psychological Health and Function After Burn Injury: Setting Research Priorities. <i>Journal of Burn Care and Research</i> , 2007, 28, 587-592.	0.4	46
31	Psychological Distress After Major Burn Injury. <i>Psychosomatic Medicine</i> , 2007, 69, 473-482.	2.0	107
32	Acute Pain at Discharge From Hospitalization is a Prospective Predictor of Long-Term Suicidal Ideation After Burn Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, S36-S42.	0.9	69
33	Augmented Exercise in the Treatment of Deconditioning From Major Burn Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, S18-S23.	0.9	68
34	Barriers to Return to Work After Burn Injuries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, S50-S56.	0.9	79
35	Assets and Liabilities of the Burn Model System Data Model: A Comparison With the National Burn Registry. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, S7-S17.	0.9	25
36	Symptoms of depression predict change in physical health after burn injury. <i>Burns</i> , 2007, 33, 292-298.	1.9	45

#	ARTICLE	IF	CITATIONS
37	Performance Characteristics of Depression Screening Instruments in Survivors of Acute Myocardial Infarction: Review of the Evidence. <i>Psychosomatics</i> , 2007, 48, 185-194.	2.5	36
38	Psychosocial recovery and reintegration of patients with burn injuries. , 2007, , 829-843.		0
39	Depression in burn reconstruction patients: symptom prevalence and association with body image dissatisfaction and physical function. <i>General Hospital Psychiatry</i> , 2007, 29, 14-20.	2.4	84
40	Symptoms of depression and anxiety as unique predictors of pain-related outcomes following burn injury. <i>Annals of Behavioral Medicine</i> , 2007, 34, 313-322.	2.9	88
41	Coping with Burn Injury: Research Summary and a New Model of~the~Influence of Coping on Psychological Complications. , 2007, , 173-190.		3
42	A test of the moderating role of importance of appearance in the relationship between perceived scar severity and body-esteem among adult burn survivors. <i>Body Image</i> , 2006, 3, 101-111.	4.3	64
43	Frequency and correlates of depression symptoms among long-term adult burn survivors.. <i>Rehabilitation Psychology</i> , 2006, 51, 306-313.	1.3	18
44	The reliability and validity of the Perceived Stigmatization Questionnaire (PSQ) and the Social Comfort Questionnaire (SCQ) among an adult burn survivor sample.. <i>Psychological Assessment</i> , 2006, 18, 106-111.	1.5	95
45	Burn Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2006, 85, 383-413.	1.4	261
46	Profile of Patients Lost to Follow-Up in the Burn Injury Rehabilitation Model Systems¼ Longitudinal Database. <i>Journal of Burn Care and Research</i> , 2006, 27, 703-712.	0.4	45
47	Prevalence of depression in survivors of acute myocardial infarction. <i>Journal of General Internal Medicine</i> , 2006, 21, 30-38.	2.6	741
48	Burden of Burn: A Norm-Based Inquiry into the Influence of Burn Size and Distress on Recovery of Physical and Psychosocial Function. <i>Journal of Burn Care and Research</i> , 2005, 26, 21-32.	1.6	106
49	Can Doctors and Nurses Recognize Depression in Patients Hospitalized With an Acute Myocardial Infarction in the Absence of Formal Screening?. <i>Psychosomatic Medicine</i> , 2005, 67, 393-397.	2.0	79
50	Depression Following Acute Myocardial Infarction: A Prospective Relationship With Ongoing Health and Function. <i>Psychosomatics</i> , 2005, 46, 355-361.	2.5	40
51	Quality of life in physical health domains predicts adherence among myocardial infarction patients even after adjusting for depressive symptoms. <i>Journal of Psychosomatic Research</i> , 2004, 56, 75-82.	2.6	34
52	THE 2003 CLINICAL RESEARCH AWARD. <i>Journal of Burn Care and Research</i> , 2004, 25, 25-32.	1.6	150
53	Personality, Coping, Chronic Stress, Social Support and PTSD Symptoms Among Adult Burn Survivors. <i>Journal of Burn Care and Research</i> , 2003, 24, 63-72.	1.6	121
54	Regulating Acute Posttrauma Distress. <i>Journal of Burn Care and Research</i> , 2002, 23, 249-257.	1.6	26

#	ARTICLE	IF	CITATIONS
55	The relationship of ambivalent coping to depression symptoms and adjustment.. Rehabilitation Psychology, 2002, 47, 387-401.	1.3	23
56	Marital interaction of agoraphobic women: A controlled, behavioral observation study.. Journal of Abnormal Psychology, 2002, 111, 502-512.	1.9	35
57	Coping with body image changes following a disfiguring burn injury.. Health Psychology, 2002, 21, 115-121.	1.6	90
58	The Significance of Depression in Older Patients After Myocardial Infarction. Journal of the American Geriatrics Society, 2002, 50, 817-822.	2.6	108
59	PSYHCOSOCIAL FORUM. Journal of Burn Care and Research, 2002, 23, 227-228.	1.6	0
60	Coping with body image changes following a disfiguring burn injury. Health Psychology, 2002, 21, 115-21.	1.6	19
61	Barriers to Employment Among Working-Aged Patients with Major Burn Injury. Journal of Burn Care and Research, 2001, 22, 26-34.	1.6	52
62	Brief cognitive interventions for burn pain. Annals of Behavioral Medicine, 2001, 23, 42-49.	2.9	64
63	Even minimal symptoms of depression increase mortality risk after acute myocardial infarction. American Journal of Cardiology, 2001, 88, 337-341.	1.6	535
64	THE 2000 CLINICAL RESEARCH AWARD. Journal of Burn Care and Research, 2000, 21, 490-498.	1.6	88
65	Effect of Early Body Image Dissatisfaction on Subsequent Psychological and Physical Adjustment After Disfiguring Injury. Psychosomatic Medicine, 2000, 62, 576-582.	2.0	124
66	Patients With Depression Are Less Likely to Follow Recommendations to Reduce Cardiac Risk During Recovery From a Myocardial Infarction. Archives of Internal Medicine, 2000, 160, 1818.	3.8	594
67	Personality Predictors of Injury-Related Posttraumatic Stress Disorder. Journal of Nervous and Mental Disease, 2000, 188, 510-517.	1.0	165
68	Prolonged adjustment difficulties among those with acute posttrauma distress following burn injury. Journal of Behavioral Medicine, 1999, 22, 359-378.	2.1	65
69	Development and validation of the Satisfaction With Appearance Scale: Assessing body image among burn-injured patients.. Psychological Assessment, 1998, 10, 64-70.	1.5	114
70	Preburn Psychiatric History Affects Posttrauma Morbidity. Psychosomatics, 1997, 38, 374-385.	2.5	134
71	Preinjury Psychiatric Illness and Postinjury Adjustment in Adult Burn Survivors. Psychosomatics, 1996, 37, 547-555.	2.5	57
72	The Structured Clinical Interview for DSM-III-R, Axis II and the Millon Clinical Multiaxial Inventory: A Concurrent Validity Study of Personality Disorders Among Anxious Outpatients. Journal of Personality Disorders, 1992, 6, 117-124.	1.4	90