

Ulf Hållmarker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11404880/publications.pdf>

Version: 2024-02-01

17
papers

284
citations

840119

11
h-index

887659

17
g-index

19
all docs

19
docs citations

19
times ranked

466
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Incidence of Atrial Fibrillation and Stroke Among Cross-Country Skiers: Cohort Study of Endurance-Trained Male and Female Athletes. <i>Circulation</i> , 2019, 140, 910-920.	1.6	32
2	Amyotrophic lateral sclerosis among cross-country skiers in Sweden. <i>European Journal of Epidemiology</i> , 2016, 31, 247-253.	2.5	31
3	Midlife physical activity is associated with lower incidence of vascular dementia but not Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 87.	3.0	30
4	Asthma and Asthma Medication Are Common among Recreational Athletes Participating in Endurance Sport Competitions. <i>Canadian Respiratory Journal</i> , 2018, 2018, 1-7.	0.8	24
5	Risk of Recurrent Stroke and Death After First Stroke in Long-Distance Ski Race Participants. <i>Journal of the American Heart Association</i> , 2015, 4, e002469.	1.6	23
6	Cancer incidence in participants in a long-distance ski race (Vasaloppet, Sweden) compared to the background population. <i>European Journal of Cancer</i> , 2015, 51, 558-568.	1.3	21
7	Survival and incidence of cardiovascular diseases in participants in a long-distance ski race (Vasaloppet, Sweden) compared with the background population. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 91-97.	1.8	20
8	Risk of recurrent ischaemic events after myocardial infarction in long-distance ski race participants. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 282-290.	0.8	17
9	Long distance ski racing is associated with lower long-term incidence of depression in a population based, large-scale study. <i>Psychiatry Research</i> , 2019, 281, 112546.	1.7	14
10	Physical Activity Reduces Epilepsy Incidence: a Retrospective Cohort Study in Swedish Cross-Country Skiers and an Experimental Study in Seizure-Prone Synapsin II Knockout Mice. <i>Sports Medicine - Open</i> , 2019, 5, 52.	1.3	13
11	Delayed Clinical Manifestation of Parkinson's Disease Among Physically Active: Do Participants in a Long-Distance Ski Race Have a Motor Reserve? <i>Journal of Parkinson's Disease</i> , 2020, 10, 267-274.	1.5	11
12	Physical Activity Is Associated With Lower Long-Term Incidence of Anxiety in a Population-Based, Large-Scale Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 714014.	1.3	11
13	Decreased Hip, Lower Leg, and Humeral Fractures but Increased Forearm Fractures in Highly Active Individuals. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1842-1850.	3.1	7
14	Cardiac Arrest in a Long-Distance Ski Race (Vasaloppet) in Sweden. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1431-1432.	1.2	6
15	Long-Distance Skiing and Incidence of Hypertension. <i>Circulation</i> , 2020, 141, 743-750.	1.6	6
16	Fracture risk across a wide range of physical activity levels, from sedentary individuals to elite athletes. <i>Bone</i> , 2021, 153, 116128.	1.4	4
17	Reply. <i>Journal of the American College of Cardiology</i> , 2013, 61, 389.	1.2	1