

# Do Young Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11405941/publications.pdf>

Version: 2024-02-01

112  
papers

4,504  
citations

134610

34  
h-index

129628

63  
g-index

113  
all docs

113  
docs citations

113  
times ranked

4984  
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors of Sarcopenia in an Obese Asian Population. <i>Nutrition and Cancer</i> , 2022, 74, 505-514.	0.9	1
2	Predictive Performance of CAGE-B and SAGE-B Models in Asian Treatment-Naive Patients Who Started Entecavir for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e794-e807.	2.4	12
3	Cardiovascular Risk Is Elevated in Lean Subjects with Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , 2022, 16, 290-299.	1.4	37
4	Long-term effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 200-207.	1.4	5
5	Episodic Detectable Viremia Does Not Affect Prognosis in Untreated Compensated Cirrhosis With Serum Hepatitis B Virus DNA <math>\leq 2,000</math> IU/mL. <i>American Journal of Gastroenterology</i> , 2022, 117, 288-294.	0.2	8
6	External Validation of the FSAC Model Using On-Therapy Changes in Noninvasive Fibrosis Markers in Patients with Chronic Hepatitis B: A Multicenter Study. <i>Cancers</i> , 2022, 14, 711.	1.7	1
7	Activated TAZ induces liver cancer in collaboration with EGFR/HER2 signaling pathways. <i>BMC Cancer</i> , 2022, 22, 423.	1.1	10
8	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1950-1958.e7.	2.4	18
9	Validation of risk prediction scores for hepatocellular carcinoma in patients with chronic hepatitis B treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , 2021, 28, 95-104.	1.0	8
10	Impact of antiviral therapy on risk prediction model for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2021, 51, 406-416.	1.8	5
11	External validation of CAGE and SAGE scores for Asian chronic hepatitis B patients with well-controlled viremia by antivirals. <i>Journal of Viral Hepatitis</i> , 2021, 28, 951-958.	1.0	6
12	The Prognostic Role of On-Treatment Liver Stiffness for Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 467-476.	1.8	2
13	Controlled attenuation parameter value and the risk of hepatocellular carcinoma in chronic hepatitis B patients under antiviral therapy. <i>Hepatology International</i> , 2021, 15, 892-900.	1.9	15
14	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021, 28, 1362-1372.	1.0	4
15	Risk stratification using sarcopenia status among subjects with metabolic dysfunction-associated fatty liver disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1168-1178.	2.9	28
16	Impact of tenofovir alafenamide vs. entecavir on hepatocellular carcinoma risk in patients with chronic hepatitis B. <i>Hepatology International</i> , 2021, 15, 1083-1092.	1.9	18
17	Liver Stiffness-Based Risk Prediction Model for Hepatocellular Carcinoma in Patients with Nonalcoholic Fatty Liver Disease. <i>Cancers</i> , 2021, 13, 4567.	1.7	8
18	Prevalence and Risk Factors of Cardiovascular Disease in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2021, , 1.	1.1	4

#	ARTICLE	IF	CITATIONS
19	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, 885-893.	0.8	4
20	Fibrosis-4 index at diagnosis can predict all-cause mortality in patients with rheumatoid arthritis: A retrospective monocentric study. <i>Modern Rheumatology</i> , 2020, 30, 70-77.	0.9	17
21	Validation of the CAMD Score in Patients With Chronic Hepatitis B Virus Infection Receiving Antiviral Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 693-699.e1.	2.4	24
22	Sarcopenia assessed using bioimpedance analysis is associated independently with significant liver fibrosis in patients with chronic liver diseases. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 58-65.	0.8	11
23	Association between liver fibrosis and appendicular skeletal muscle mass during antiviral therapy in chronic hepatitis B. <i>Digestive and Liver Disease</i> , 2020, 52, 1338-1345.	0.4	6
24	A multi-centre study of trends in hepatitis B virus-related hepatocellular carcinoma risk over time during long-term entecavir therapy. <i>Journal of Viral Hepatitis</i> , 2020, 27, 1352-1358.	1.0	7
25	Effects of Branched-Chain Amino Acid (BCAA) Supplementation on the Progression of Advanced Liver Disease: A Korean Nationwide, Multicenter, Prospective, Observational, Cohort Study. <i>Nutrients</i> , 2020, 12, 1429.	1.7	31
26	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 196-204.	1.9	43
27	High body mass index hinders fibrosis improvement in patients receiving long-term tenofovir therapy in hepatitis B virus-related cirrhosis. <i>Journal of Viral Hepatitis</i> , 2020, 27, 1119-1126.	1.0	6
28	Natural History of Untreated HBeAg-Positive Chronic HBV Infection With Persistently Elevated HBV DNA but Normal Alanine Aminotransferase. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00140.	1.3	13
29	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , 2020, 115, 584-595.	0.2	68
30	Sarcopenia Is Independently Associated with the Degree of Liver Fibrosis in Patients with Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , 2020, 14, 626-635.	1.4	19
31	Correlation of the grade of hepatic steatosis between controlled attenuation parameter and ultrasound in patients with fatty liver: a multi-center retrospective cohort study. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1346-1353.	0.7	3
32	Transarterial Chemoembolization in Treatment-Naïve and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. <i>Digestive Diseases and Sciences</i> , 2019, 64, 3660-3668.	1.1	8
33	Progression of Untreated Minimally Active Chronic HBV Infection Compared to Inactive Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2808-2810.e2.	2.4	17
34	External validation of the modified PAGE-B score in Asian chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2019, 39, 1624-1630.	1.9	29
35	Predictors of Discordance in the Assessment of Skeletal Muscle Mass between Computed Tomography and Bioimpedance Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 322.	1.0	9
36	Comparison between chronic hepatitis B patients with untreated immune-tolerant phase vs. those with virological response by antivirals. <i>Scientific Reports</i> , 2019, 9, 2508.	1.6	20

#	ARTICLE	IF	CITATIONS
37	Prognosis of Untreated Minimally Active Chronic Hepatitis B Patients in Comparison With Virological Responders by Antivirals. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00036.	1.3	17
38	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , 2019, 9, 15628.	1.6	4
39	Fibrosis-matched outcomes between chronic hepatitis B patients with drug-induced virological response and inactive carriers. <i>Liver International</i> , 2019, 39, 81-89.	1.9	4
40	Paper Alert. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 1295-1298.	0.8	14
41	Influence of hepatic steatosis on the outcomes of patients with chronic hepatitis B treated with entecavir and tenofovir. <i>Clinical and Molecular Hepatology</i> , 2019, 25, 283-293.	4.5	31
42	Liver Cirrhosis, Not Antiviral Therapy, Predicts Clinical Outcome in Cohorts with Heterogeneous Hepatitis B Viral Status. <i>Gut and Liver</i> , 2019, 13, 197-205.	1.4	12
43	Feasibility of dynamic risk prediction for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Liver International</i> , 2018, 38, 676-686.	1.9	22
44	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2018, 12, 190-200.	1.4	8
45	Liver fibrosis assessed with transient elastography is an independent risk factor for ischemic stroke. <i>Atherosclerosis</i> , 2017, 260, 156-162.	0.4	49
46	Subcirrhotic liver stiffness by FibroScan correlates with lower risk of hepatocellular carcinoma in patients with HBV-related cirrhosis. <i>Hepatology International</i> , 2017, 11, 268-276.	1.9	23
47	Prevalence and Predictors of Significant Fibrosis Among Subjects with Transient Elastography-Defined Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2017, 62, 2150-2158.	1.1	18
48	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , 2017, 112, 882-891.	0.2	42
49	Long-Term Follow-Up of Patients after Autologous Bone Marrow Cell Infusion for Decompensated Liver Cirrhosis. <i>Cell Transplantation</i> , 2017, 26, 1059-1066.	1.2	15
50	Durability of the virological response after lamivudine discontinuation in lamivudine-resistant patients with a complete virological response after lamivudine and adefovir combination therapy. <i>Journal of Medical Virology</i> , 2017, 89, 85-90.	2.5	5
51	Effect of S267F variant of NTCP on the patients with chronic hepatitis B. <i>Scientific Reports</i> , 2017, 7, 17634.	1.6	20
52	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. <i>Yonsei Medical Journal</i> , 2016, 57, 885.	0.9	31
53	Transient Elastography is Superior to FIB-4 in Assessing the Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. <i>Medicine (United States)</i> , 2016, 95, e3434.	0.4	14
54	Prediction of virologic response to tenofovir mono-rescue therapy for multidrug resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , 2016, 88, 1027-1034.	2.5	8

#	ARTICLE	IF	CITATIONS
55	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , 2016, 95, e3328.	0.4	28
56	Subclassification of Barcelona Clinic Liver Cancer B and C hepatocellular carcinoma: A cohort study of the multicenter registry database. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 842-847.	1.4	21
57	Outcome of adefovir add-on lamivudine rescue therapy of up to 5 years in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 241-247.	1.4	7
58	Sarcopenia is associated with significant liver fibrosis independently of obesity and insulin resistance in nonalcoholic fatty liver disease: Nationwide surveys (KNHANES 2008-2011). <i>Hepatology</i> , 2016, 63, 776-786.	3.6	261
59	Association Between Level of Fibrosis, Rather Than Antiviral Regimen, and Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1647-1656.e6.	2.4	32
60	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , 2016, 51, 830-839.	2.3	78
61	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 344-353.	0.6	68
62	Real-Life Experience of Sorafenib Treatment for Hepatocellular Carcinoma in Korea: From GIDEON Data. <i>Cancer Research and Treatment</i> , 2016, 48, 1243-1252.	1.3	20
63	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , 2016, 10, 429-36.	1.4	16
64	Factors associated with significant liver fibrosis assessed using transient elastography in general population. <i>World Journal of Gastroenterology</i> , 2015, 21, 1158.	1.4	48
65	Hepatic fibrosis assessed using transient elastography independently associated with coronary artery calcification. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1536-1542.	1.4	28
66	Validation of hepatitis B virus-related hepatocellular carcinoma prediction models in the era of antiviral therapy. <i>Hepatology</i> , 2015, 62, 1757-1766.	3.6	97
67	Use of transient elastography to predict de novo recurrence after radiofrequency ablation for&nbsp;hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2015, 8, 347.	1.0	22
68	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , 2015, 61, 1851-1859.	3.6	121
69	Normal Controlled Attenuation Parameter Values: A Prospective Study of Healthy Subjects Undergoing Health Checkups and Liver Donors in Korea. <i>Digestive Diseases and Sciences</i> , 2015, 60, 234-242.	1.1	14
70	Lower Incidence of Hepatocellular Carcinoma and Cirrhosis in Hepatitis C Patients with Sustained Virological Response by Pegylated Interferon and Ribavirin. <i>Digestive Diseases and Sciences</i> , 2015, 60, 573-581.	1.1	34
71	Prognostic value of the combined use of transient elastography and fibrotest in patients with chronic hepatitis B. <i>Liver International</i> , 2015, 35, 455-462.	1.9	18
72	Liver Stiffness Value-Based Risk Estimation of Late Recurrence after Curative Resection of Hepatocellular Carcinoma: Development and Validation of a Predictive Model. <i>PLoS ONE</i> , 2014, 9, e99167.	1.1	24

#	ARTICLE	IF	CITATIONS
73	Individual prediction model for lamivudine treatment response in hepatitis B virus e antigen-positive chronic hepatitis B patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 1049-1055.	1.4	6
74	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir after lamivudine therapy. <i>Liver International</i> , 2014, 34, 1543-1549.	1.9	10
75	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , 2014, 60, 1911-1919.	3.6	37
76	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , 2014, 34, 102-109.	1.9	143
77	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , 2014, 34, 1008-1017.	1.9	44
78	Long-term changes of liver stiffness values assessed using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Liver International</i> , 2014, 34, 1216-1223.	1.9	32
79	Prediction of Development of Liver-Related Events by Transient Elastography in Hepatitis B Patients With Complete Virological Response on Antiviral Therapy. <i>American Journal of Gastroenterology</i> , 2014, 109, 1241-1249.	0.2	120
80	Factors Affecting the Accuracy of Controlled Attenuation Parameter (CAP) in Assessing Hepatic Steatosis in Patients with Chronic Liver Disease. <i>PLoS ONE</i> , 2014, 9, e98689.	1.1	33
81	Tenofovir disoproxil fumarate monotherapy for nucleos(t)ide-naïve chronic hepatitis B patients in Korea: data from the clinical practice setting in a single-center cohort. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 261.	4.5	10
82	Efficacy of switching to telbivudine plus adefovir in suboptimal responders to lamivudine plus adefovir. <i>World Journal of Gastroenterology</i> , 2013, 19, 7671.	1.4	6
83	Transient elastography-based risk estimation of hepatitis B virus-related occurrence of hepatocellular carcinoma: development and validation of a predictive model. <i>OncoTargets and Therapy</i> , 2013, 6, 1463.	1.0	22
84	Abnormal Liver Stiffness Assessed Using Transient Elastography (Fibroscan®) in HIV-Infected Patients without HBV/HCV Coinfection Receiving Combined Antiretroviral Treatment. <i>PLoS ONE</i> , 2013, 8, e52720.	1.1	19
85	Combination of preS Deletions and A1762T/G1764A Mutations in HBV Subgenotype C2 Increases the Risk of Developing HCC. <i>Intervirology</i> , 2012, 55, 112-118.	1.2	11
86	Epidemiology and Surveillance of Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2012, 1, 2-14.	4.2	144
87	Optimal Time for Restoring the Reliability of Liver Stiffness Measurement in Patients With Chronic Hepatitis B Experiencing Acute Exacerbation. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, 602-607.	1.1	15
88	The Accuracy of Noninvasive Methods in Predicting the Development of Hepatocellular Carcinoma and Hepatic Decompensation in Patients With Chronic Hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, 518-525.	1.1	49
89	A 96-Week Randomized Trial of Switching to Entecavir in Chronic Hepatitis B Patients with a Partial Virological Response to Lamivudine. <i>Antiviral Therapy</i> , 2012, 17, 1563-1570.	0.6	12
90	Antiviral efficacy of lamivudine versus entecavir in patients with hepatitis B virus-related advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1528-1534.	1.4	13

#	ARTICLE	IF	CITATIONS
91	Prediction of Recurrence after Curative Resection of Hepatocellular Carcinoma using Liver Stiffness Measurement (FibroScan®). <i>Annals of Surgical Oncology</i> , 2012, 19, 4278-4286.	0.7	70
92	Predictive value of <sc>HBsAg</sc> quantification for determining the clinical course of genotype C <sc>HBeAg</sc>â€negative carriers. <i>Liver International</i> , 2012, 32, 796-802.	1.9	32
93	Clinical features and prognosis of hepatocellular carcinoma in Mongolia: a multicentre study. <i>Hepatology International</i> , 2012, 6, 763-769.	1.9	22
94	Prospective Validation of FibroTest in Comparison with Liver Stiffness for Predicting Liver Fibrosis in Asian Subjects with Chronic Hepatitis B. <i>PLoS ONE</i> , 2012, 7, e35825.	1.1	45
95	Combined measurement of preoperative Î±â€fetoprotein and desâ€Î³â€carboxy prothrombin predicts recurrence after curative resection in patients with hepatitisâ€Bâ€related hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2012, 131, 2332-2341.	2.3	35
96	Liver Stiffness Measurement Using Acoustic Radiation Force Impulse (ARFI) Elastography and Effect of Necroinflammation. <i>Digestive Diseases and Sciences</i> , 2012, 57, 1682-1691.	1.1	90
97	Prediction of Liver-Related Events Using Fibroscan in Chronic Hepatitis B Patients Showing Advanced Liver Fibrosis. <i>PLoS ONE</i> , 2012, 7, e36676.	1.1	84
98	Prospective Validation of ELF Test in Comparison with Fibroscan and FibroTest to Predict Liver Fibrosis in Asian Subjects with Chronic Hepatitis B. <i>PLoS ONE</i> , 2012, 7, e41964.	1.1	64
99	Performance of Transient Elastography for the Staging of Liver Fibrosis in Patients with Chronic Hepatitis B: A Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e44930.	1.1	242
100	Hepatocellular carcinoma in Budd-Chiari syndrome: A single center experience with long-term follow-up in South Korea. <i>World Journal of Gastroenterology</i> , 2012, 18, 1946.	1.4	42
101	Controversies in Surveillance and Early Diagnosis of Hepatocellular Carcinoma. <i>Oncology</i> , 2011, 81, 56-60.	0.9	18
102	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , 2011, 53, 885-894.	3.6	329
103	Quantitative hepatitis B surface antigen and hepatitis B e antigen titers in prediction of treatment response to entecavir. <i>Hepatology</i> , 2011, 53, 1486-1493.	3.6	120
104	Autologous Bone Marrow Infusion Activates the Progenitor Cell Compartment in Patients with Advanced Liver Cirrhosis. <i>Cell Transplantation</i> , 2010, 19, 1237-1246.	1.2	84
105	Long-term adefovir dipivoxil monotherapy for up to 5 years in lamivudine-resistant chronic hepatitis B. <i>Antiviral Therapy</i> , 2010, 15, 235-241.	0.6	64
106	Lamivudine maintenance beyond one year after HBeAg seroconversion is a major factor for sustained virologic response in HBeAg-positive chronic hepatitis B. <i>Hepatology</i> , 2010, 51, 415-421.	3.6	107
107	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , 2010, 30, 546-553.	1.9	225
108	Usefulness of FibroScan for Detection of Early Compensated Liver Cirrhosis in Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2009, 54, 1758-1763.	1.1	122

#	ARTICLE	IF	CITATIONS
109	Role of serum prothrombin induced by vitamin K absence or antagonist-II in the early detection of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 861-866.	0.6	35
110	Persistent hepatitis B viral replication affects recurrence of hepatocellular carcinoma after curative resection. <i>Liver International</i> , 2008, 28, 393-401.	1.9	113
111	Natural history of hepatitis B virus-related cirrhotic patients hospitalized to control ascites. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 1722-1727.	1.4	36
112	A Case of Primary BALT Lymphoma Limited to the Trachea. <i>Tuberculosis and Respiratory Diseases</i> , 2003, 55, 198.	0.2	0