

# Sandhi Barreto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1141151/publications.pdf>

Version: 2024-02-01

314  
papers

10,917  
citations

50244

46  
h-index

49868

87  
g-index

375  
all docs

375  
docs citations

375  
times ranked

13085  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic non-communicable diseases in Brazil: burden and current challenges. <i>Lancet</i> , The, 2011, 377, 1949-1961.	6.3	979
2	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology</i> , the, 2014, 2, 634-647.	5.5	591
3	Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Objectives and Design. <i>American Journal of Epidemiology</i> , 2012, 175, 315-324.	1.6	558
4	Cohort Profile: Longitudinal Study of Adult Health (ELSA-Brasil). <i>International Journal of Epidemiology</i> , 2015, 44, 68-75.	0.9	416
5	Cardiovascular Health in Brazil. <i>Circulation</i> , 2016, 133, 422-433.	1.6	237
6	Epidemiology in Latin America and the Caribbean: current situation and challenges. <i>International Journal of Epidemiology</i> , 2012, 41, 557-571.	0.9	154
7	Ultra-processed foods, incident overweight and obesity, and longitudinal changes in weight and waist circumference: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Public Health Nutrition</i> , 2020, 23, 1076-1086.	1.1	143
8	Reliability of the MacArthur scale of subjective social status - Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Public Health</i> , 2012, 12, 1096.	1.2	134
9	O professor, as condiçōes de trabalho e os efeitos sobre sua saãde. <i>Educaçao E Pesquisa</i> , 2005, 31, 189-199.	0.4	132
10	Prevalence, Awareness, Treatment and Influence of Socioeconomic Variables on Control of High Blood Pressure: Results of the ELSA-Brasil Study. <i>PLoS ONE</i> , 2015, 10, e0127382.	1.1	132
11	The Bambuã-health and ageing study (BHAS): methodological approach and preliminary results of a population-based cohort study of the elderly in Brazil. <i>Revista De Saude Publica</i> , 2000, 34, 126-135.	0.7	125
12	High prevalence of diabetes and intermediate hyperglycemia – The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 123.	1.2	103
13	Voice Disorders (Dysphonia) in Public School Female Teachers Working in Belo Horizonte: Prevalence and Associated Factors. <i>Journal of Voice</i> , 2008, 22, 676-687.	0.6	95
14	Hypertension and clustering of cardiovascular risk factors in a community in Southeast Brazil: the Bambuã-Health and Ageing Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2001, 77, 576-81.	0.3	94
15	Chronic kidney disease among adult participants of the ELSA-Brasil cohort: association with race and socioeconomic position. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 380-389.	2.0	83
16	Deep neural network-estimated electrocardiographic age as a mortality predictor. <i>Nature Communications</i> , 2021, 12, 5117.	5.8	77
17	Consumption of ultra-processed food and obesity: cross sectional results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) cohort (2008–2010). <i>Public Health Nutrition</i> , 2018, 21, 2271-2279.	1.1	73
18	Prevalência do consumo de álcool e drogas entre adolescentes: análise dos dados da Pesquisa Nacional de Saúde Escolar. <i>Revista Brasileira De Epidemiologia</i> , 2011, 14, 136-146.	0.3	71

#	ARTICLE	IF	CITATIONS
19	Obesity and underweight among Brazilian elderly: the Bambu�-Health and Aging Study. <i>Cadernos De Saude Publica</i> , 2003, 19, 605-612.	0.4	68
20	Type 2 diabetes: prevalence and associated factors in a Brazilian community - the Bambu�-health and aging study. <i>Sao Paulo Medical Journal</i> , 2005, 123, 66-71.	0.4	68
21	O perfil de sa�de cardiovascular dos idosos brasileiros precisa melhorar: estudo de base populacional. <i>Arquivos Brasileiros De Cardiologia</i> , 2008, 91, 1-10.	0.3	67
22	Earlier age at menarche is associated with higher diabetes risk and cardiometabolic disease risk factors in Brazilian adults: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cardiovascular Diabetology</i> , 2014, 13, 22.	2.7	67
23	Ageing with <i>Trypanosoma cruzi</i> infection in a community where the transmission has been interrupted: the Bambu�-Health and Ageing Study (BHAS). <i>International Journal of Epidemiology</i> , 2001, 30, 887-893.	0.9	66
24	Low Impact of Traditional Risk Factors on Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2054-2059.	1.1	65
25	Doen�a cr�nica, auto-avalia�o de sa�de e comportamento de risco: diferen�a de g�nero. <i>Revista De Saude Publica</i> , 2009, 43, 38-47.	0.7	57
26	Comparison of machine-learning algorithms to build a predictive model for detecting undiagnosed diabetes - ELSA-Brasil: accuracy study. <i>Sao Paulo Medical Journal</i> , 2017, 135, 234-246.	0.4	56
27	Hypertension, Prehypertension, and Hypertension Control. <i>Hypertension</i> , 2021, 77, 672-681.	1.3	56
28	Common mental disorders and sociodemographic characteristics: baseline findings of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 91-97.	0.9	55
29	Absenteeism due to voice disorders in female teachers: a public health problem. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 853-864.	1.1	54
30	Education plays a greater role than age in cognitive test performance among participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Neurology</i> , 2015, 15, 191.	0.8	54
31	Is the GDS-30 better than the GHQ-12 for screening depression in elderly people in the community? The Bambui Health Aging Study (BHAS). <i>International Psychogeriatrics</i> , 2006, 18, 493.	0.6	53
32	Intermediate hyperglycaemia to predict progression to type 2 diabetes (ELSA-Brasil): an occupational cohort study in Brazil. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 267-277.	5.5	53
33	Consumption of alcohol and blood pressure: Results of the ELSA-Brasil study. <i>PLoS ONE</i> , 2018, 13, e0190239.	1.1	53
34	A nested case-control study of fatal work related injuries among Brazilian steel workers.. <i>Occupational and Environmental Medicine</i> , 1997, 54, 599-604.	1.3	50
35	Reproducibility of peripheral arterial tonometry for the assessment of endothelial function in adults. <i>Journal of Hypertension</i> , 2013, 31, 1984-1990.	0.3	48
36	At the intersection of place, race, and health in Brazil: Residential segregation and cardio-metabolic risk factors in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Social Science and Medicine</i> , 2018, 199, 67-76.	1.8	48

#	ARTICLE	IF	CITATIONS
37	Ultra-processed foods, changes in blood pressure and incidence of hypertension: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Public Health Nutrition</i> , 2021, 24, 3352-3360.	1.1	48
38	Unemployment and self-rated health: Neighborhood influence. <i>Social Science and Medicine</i> , 2010, 71, 815-823.	1.8	47
39	Autopercepção da saúde bucal entre idosos brasileiros. <i>Revista De Saude Publica</i> , 2010, 44, 912-922.	0.7	47
40	Patterns of benzodiazepine and antidepressant use among middle-aged adults. The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2013, 151, 71-77.	2.0	47
41	Consumption of ultra-processed foods and socioeconomic position: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health. <i>Cadernos De Saude Publica</i> , 2018, 34, e00019717.	0.4	47
42	Sugar-Sweetened Soft Drinks and Fructose Consumption Are Associated with Hyperuricemia: Cross-Sectional Analysis from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2018, 10, 981.	1.7	47
43	Unexpected high prevalence of 1-month depression in a small Brazilian community: the Bambuí-Study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 257-63.	2.2	47
44	Association between consumption of ultra-processed foods and serum C-reactive protein levels: cross-sectional results from the ELSA-Brasil study. <i>Sao Paulo Medical Journal</i> , 2019, 137, 169-176.	0.4	45
45	Contextual factors associated with sexual behavior among Brazilian adolescents. <i>Annals of Epidemiology</i> , 2013, 23, 629-635.	0.9	44
46	The control of schistosomiasis in Brazil: an ethnographic epidemiological study of the effectiveness of a community mobilization program for health education. <i>Social Science and Medicine</i> , 2000, 51, 1529-1541.	1.8	43
47	Transição demográfica e epidemiológica: a Epidemiologia e Serviços de Saúde revisita e atualiza o tema. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2012, 21, 529-532.	0.3	43
48	Prevalence of International Classification of Diseases, 10th Revision Common Mental Disorders in the Elderly in a Brazilian Community: The Bambuí Health Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 17-27.	0.6	41
49	The Bambuí-Health and Aging Study (BHAS): private health plan and medical care utilization by older adults. <i>Cadernos De Saude Publica</i> , 2002, 18, 177-186.	0.4	40
50	Methods of cognitive function investigation in the Longitudinal Study on Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2014, 132, 170-177.	0.4	40
51	Association between diabetes and cognitive function at baseline in the Brazilian Longitudinal Study of Adult Health (ELSA- Brasil). <i>Scientific Reports</i> , 2020, 10, 1596.	1.6	40
52	Timing and Type of Alcohol Consumption and the Metabolic Syndrome - ELSA-Brasil. <i>PLoS ONE</i> , 2016, 11, e0163044.	1.1	40
53	Smoking-attributable mortality and years of potential life lost in 16 Brazilian capitals, 2003: a prevalence-based study. <i>BMC Public Health</i> , 2009, 9, 206.	1.2	39
54	Sexual behavior among Brazilian adolescents, National Adolescent School-based Health Survey (PeNSE) Tj ETQq0 0.0,rgBT /Overlock 10	0.3	39

#	ARTICLE	IF	CITATIONS
55	Brazilian dietary patterns and the dietary approaches to stop hypertension (DASH) diet-relationship with metabolic syndrome and newly diagnosed diabetes in the ELSA-Brasil study. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 13.	1.2	39
56	Socioeconomic inequalities in youth smoking in Brazil. <i>BMJ Open</i> , 2013, 3, e003538.	0.8	38
57	Mortality and Hospital Stay After Bariatric Surgery in 2,167 Patients: Influence of the Surgeon Expertise. <i>Obesity Surgery</i> , 2009, 19, 1228-1235.	1.1	36
58	Ideal cardiovascular health score at the ELSA-Brasil baseline and its association with sociodemographic characteristics. <i>International Journal of Cardiology</i> , 2018, 254, 333-337.	0.8	35
59	Different Criteria for Assessment of Roux-en-Y Gastric Bypass Success: Does Only Weight Matter?. <i>Obesity Surgery</i> , 2009, 19, 1384-1392.	1.1	34
60	Contextual factors associated with smoking among Brazilian adolescents. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 723-729.	2.0	33
61	Body Image and Nutritional Status Are Associated with Physical Activity in Men and Women: The ELSA-Brasil Study. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6179-6196.	1.2	33
62	Socioeconomic position and health in a population of Brazilian elderly: the Bambuí Health and Aging Study (BHAS). <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2003, 13, 387-394.	0.6	33
63	The Bambuí Health and Aging Study (BHAS): factors associated with the treatment of hypertension in older adults in the community. <i>Cadernos De Saude Publica</i> , 2003, 19, 817-827.	0.4	32
64	Voice Disorder: case definition and prevalence in teachers. <i>Revista Brasileira De Epidemiologia</i> , 2007, 10, 625-636.	0.3	32
65	Job stress is associated with migraine in current workers: The Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>European Journal of Pain</i> , 2014, 18, 1290-1297.	1.4	32
66	Relations of Metabolically Healthy and Unhealthy Obesity to Digital Vascular Function in Three Community-Based Cohorts: A Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	32
67	Poorer cardiovascular health is associated with psychiatric comorbidity: results from the ELSA-Brasil Study. <i>International Journal of Cardiology</i> , 2019, 274, 358-365.	0.8	30
68	Physical Activity and Lipid Profile in the ELSA-Brasil Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2016, 107, 10-9.	0.3	30
69	Risk of death from motor-vehicle injury in Brazilian steelworkers: a nested case-control study. <i>International Journal of Epidemiology</i> , 1997, 26, 814-821.	0.9	29
70	Non-fatal work related injuries in a cohort of Brazilian steelworkers. <i>Occupational and Environmental Medicine</i> , 2000, 57, 555-562.	1.3	29
71	Experimentation and use of cigarette and other tobacco products among adolescents in the Brazilian state capitals (PeNSE 2012). <i>Revista Brasileira De Epidemiologia</i> , 2014, 17, 62-76.	0.3	29
72	Factor structure, internal consistency and reliability of the Posttraumatic Stress Disorder Checklist (PCL): an exploratory study. <i>Trends in Psychiatry and Psychotherapy</i> , 2012, 34, 215-222.	0.4	28

#	ARTICLE	IF	CITATIONS
73	A situaç�o socioecon�mica afeta igualmente a sa�de de idosos e adultos mais jovens no Brasil? Um estudo utilizando dados da Pesquisa Nacional por Amostras de Domic�lios PNAD/98. <i>Ciencia E Saude Coletiva</i> , 2002, 7, 813-824.	0.1	27
74	A population based study on the intra and inter-rater reliability of the clock drawing test in Brazil: the Bambu�-Health and Ageing Study. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 450-456.	1.3	27
75	Household context and self-rated health: the effect of unemployment and informal work. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 1079-1085.	2.0	27
76	Avaliaç�o de um modelo de prediç�o para apneia do sono em pacientes submetidos a polissonografia. <i>Jornal Brasileiro De Pneumologia</i> , 2011, 37, 75-84.	0.4	27
77	Relations of Digital Vascular Function, Cardiovascular Risk Factors, and Arterial Stiffness: The Brazilian Longitudinal Study of Adult Health (ELSA�Brasil) Cohort Study. <i>Journal of the American Heart Association</i> , 2014, 3, e001279.	1.6	27
78	Carotid-femoral pulse wave velocity in a healthy adult sample: The ELSA-Brasil study. <i>International Journal of Cardiology</i> , 2018, 251, 90-95.	0.8	27
79	Effects of Calcium, Magnesium, and Potassium Concentrations on Ventricular Repolarization in Unselected Individuals. <i>Journal of the American College of Cardiology</i> , 2019, 73, 3118-3131.	1.2	27
80	Context-dependence of race self-classification: Results from a highly mixed and unequal middle-income country. <i>PLoS ONE</i> , 2019, 14, e0216653.	1.1	27
81	Detection of renal dysfunction based on serum creatinine levels in a Brazilian community: the Bambu�-Health and Ageing Study. <i>Brazilian Journal of Medical and Biological Research</i> , 2003, 36, 393-401.	0.7	26
82	Adverse psychosocial working conditions and minor psychiatric disorders among bank workers. <i>BMC Public Health</i> , 2010, 10, 686.	1.2	26
83	Subjective social status, self-rated health and tobacco smoking: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Health Psychology</i> , 2014, 19, 1388-1399.	1.3	26
84	Standardization and reference intervals of platelet volume indices: Insight from the Brazilian longitudinal study of adult health (ELSA-BRASIL). <i>Platelets</i> , 2015, 26, 413-420.	1.1	26
85	Racial Differences in Arterial Stiffness are Mainly Determined by Blood Pressure Levels: Results From the ELSA�Brasil Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	26
86	Thyroid Function and Sarcopenia: Results from the ELSA�Brasil Study. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1545-1553.	1.3	26
87	Sex�specific patterns in the association between salt intake and blood pressure: The ELSA�Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 502-509.	1.0	25
88	Quantifying the risk of coronary artery disease in a community: The Bambu�-Project. <i>Arquivos Brasileiros De Cardiologia</i> , 2003, 81, 556-61, 549-55.	0.3	24
89	Informal work, unemployment and health in Brazilian metropolitan areas, 1998 and 2003. <i>Cadernos De Saude Publica</i> , 2008, 24, 2396-2406.	0.4	24
90	Factors associated with metabolically healthy status in obesity, overweight, and normal weight at baseline of ELSA-Brasil. <i>Medicine (United States)</i> , 2016, 95, e4010.	0.4	24

#	ARTICLE	IF	CITATIONS
91	Leisure Time Physical Activity and Cardio-Metabolic Health: Results From the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	24
92	American cutaneous leishmaniasis: use of a skin test as a predictor of relapse after treatment. <i>Bulletin of the World Health Organization</i> , 2000, 78, 968-74.	1.5	24
93	Verbal fluency tests reliability in a Brazilian multicentric study, ELSA-Brasil. <i>Arquivos De Neuro-Psiquiatria</i> , 2011, 69, 814-816.	0.3	23
94	Adverse Psychosocial Working Conditions and Poor Quality of Life among Financial Service Employees in Brazil. <i>Journal of Occupational Health</i> , 2012, 54, 88-95.	1.0	23
95	Stressful working conditions and poor self-rated health among financial services employees. <i>Revista De Saude Publica</i> , 2012, 46, 407-416.	0.7	23
96	Inconsistency of Association between Coffee Consumption and Cognitive Function in Adults and Elderly in a Cross-Sectional Study (ELSA-Brasil). <i>Nutrients</i> , 2015, 7, 9590-9601.	1.7	23
97	Major Electrocardiographic Abnormalities According to the Minnesota Coding System Among Brazilian Adults (from the ELSA-Brasil Cohort Study). <i>American Journal of Cardiology</i> , 2017, 119, 2081-2087.	0.7	23
98	Gender inequalities in health among older Brazilian adults. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2004, 16, 110-117.	0.6	23
99	Association of Coffee Consumption with MRI Markers and Cognitive Function: A Population-Based Study. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 451-461.	1.2	22
100	Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2017, 208, 448-454.	2.0	22
101	Life Course Socioeconomic Position and C-Reactive Protein: Mediating Role of Health-Risk Behaviors and Metabolic Alterations. <i>The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE</i> , 2014, 9, e108426.	1.1	22
102	Chagas' disease among older adults: branches or mainstream of the present burden of <i>Trypanosoma cruzi</i> infection?. <i>International Journal of Epidemiology</i> , 2002, 31, 688-689.	0.9	21
103	Continued exposure to silica after diagnosis of silicosis in Brazilian gold miners. <i>American Journal of Industrial Medicine</i> , 2006, 49, 811-818.	1.0	21
104	Comportamento saudÁvel entre adultos jovens no Brasil. <i>Revista De Saude Publica</i> , 2009, 43, 9-17.	0.7	21
105	Association between C reactive protein and all-cause mortality in the ELSA-Brasil cohort. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 421-427.	2.0	21
106	DiagnÁstico da situaÃ£o de saÁde da populaÃ£o idosa brasileira: um estudo da mortalidade e das internaÃ§Ãµes hospitalares pÁblicas. <i>Informe EpidemiolÁgico Do Sus</i> , 2000, 9, .	0.1	21
107	Leisure-Time Physical Activity, but not Commuting Physical Activity, is Associated with Cardiovascular Risk among ELSA-Brasil Participants. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 110, 36-43.	0.3	21
108	Effort-Reward Imbalance, Over-Commitment and Depressive Episodes at Work: Evidence from the ELSA-Brasil Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3025.	1.2	20

#	ARTICLE	IF	CITATIONS
109	Trends in asthma mortality in young people in southern Brazil. <i>Annals of Allergy, Asthma and Immunology</i> , 1999, 82, 287-292.	0.5	19
110	Severe maternal morbidity: a case-control study in Maranhao, Brazil. <i>Reproductive Health</i> , 2013, 10, 11.	1.2	19
111	Mortality rate after open Roux-in-Y gastric bypass: a 10-year follow-up. <i>Brazilian Journal of Medical and Biological Research</i> , 2014, 47, 617-625.	0.7	19
112	Differential reporting of discriminatory experiences in Brazil and the United States. <i>Cadernos De Saude Publica</i> , 2017, 33, e00110516.	0.4	19
113	Thyrotropin level and cognitive performance: Baseline results from the ELSA-Brasil Study. <i>Psychoneuroendocrinology</i> , 2018, 87, 152-158.	1.3	19
114	Associations of life course socioeconomic position and job stress with carotid intima-media thickness. <i>The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil)</i> . <i>Social Science and Medicine</i> , 2015, 141, 91-99.	1.8	18
115	Qualidade de vida relacionada À saÃde em idosos residentes em regiÃo de alta vulnerabilidade para saÃde de Belo Horizonte, Minas Gerais. <i>Revista Brasileira De Epidemiologia</i> , 2016, 19, 280-293.	0.3	18
116	Intake of selected foods and beverages and serum uric acid levels in adults: ELSA-Brasil (2008â€“2010). <i>Public Health Nutrition</i> , 2020, 23, 506-514.	1.1	18
117	Ethics of HIV trials. <i>Lancet, The</i> , 1997, 350, 1546.	6.3	17
118	Association between Body Image Dissatisfaction and Self-Rated Health, as Mediated by Physical Activity and Eating Habits: Structural Equation Modelling in ELSA-Brasil. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 790.	1.2	17
119	Polypharmacy, socioeconomic indicators and number of diseases: results from ELSA-Brasil. <i>Revista Brasileira De Epidemiologia</i> , 2020, 23, e200077.	0.3	17
120	Does health status explain gender dissimilarity in healthcare use among older adults?. <i>Cadernos De Saude Publica</i> , 2006, 22, 347-355.	0.4	17
121	The increase of diabetes mortality burden among Brazilian adults. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2007, 22, 239-245.	0.6	17
122	FrequÃncia e repercussÃo da sobrecarga de cuidadoras familiares de idosos com demÃncia. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2012, 15, 707-731.	0.1	16
123	Reliability of Cognitive Tests of ELSA-Brasil, the Brazilian Longitudinal Study of Adult Health. <i>Dementia E Neuropsychologia</i> , 2013, 7, 367-373.	0.3	16
124	Serum uric acid is associated with better executive function in men but not in women: Baseline assessment of the ELSA-Brasil study. <i>Experimental Gerontology</i> , 2017, 92, 82-86.	1.2	16
125	Predictive factors of in-hospital mortality and of severe perioperative complications in myocardial revascularization surgery. <i>Arquivos Brasileiros De Cardiologia</i> , 2003, 80, 51-60, 41-50.	0.3	15
126	Unexpected high prevalence of 1â€m month depression in a small Brazilian community: the BambuÃ-Study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 257-263.	2.2	15



#	ARTICLE	IF	CITATIONS
127	Association between self-rated oral appearance and the need for dental prostheses among elderly Brazilians. <i>Brazilian Oral Research</i> , 2013, 27, 203-210.	0.6	15
128	Maternal education, anthropometric markers of malnutrition and cognitive function (ELSA-Brasil). <i>BMC Public Health</i> , 2014, 14, 673.	1.2	15
129	Lower fasting blood glucose in neurofibromatosis type 1. <i>Endocrine Connections</i> , 2016, 5, 28-33.	0.8	15
130	Cognitive impairment in HTLV-1-associated myelopathy, proviral load and inflammatory markers. <i>International Journal of Infectious Diseases</i> , 2019, 84, 121-126.	1.5	15
131	Sex differences in the association between self-reported sleep duration, insomnia symptoms and cardiometabolic risk factors: cross-sectional findings from Brazilian longitudinal study of adult health. <i>Archives of Public Health</i> , 2020, 78, 48.	1.0	15
132	Oral language comprehension assessment among elderly: A population based study in Brazil. <i>Preventive Medicine</i> , 2009, 49, 541-545.	1.6	14
133	Costs and usage of healthcare services before and after open bariatric surgery. <i>Sao Paulo Medical Journal</i> , 2011, 129, 291-299.	0.4	14
134	Ten-years of bariatric surgery in Brazil: in-hospital mortality rates for patients assisted by universal health system or a health maintenance organization. <i>Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery</i> , 2014, 27, 261-267.	0.5	14
135	BEFORE-AND-AFTER STUDY: DOES BARIATRIC SURGERY REDUCE HEALTHCARE UTILIZATION AND RELATED COSTS AMONG OPERATED PATIENTS?. <i>International Journal of Technology Assessment in Health Care</i> , 2015, 31, 407-413.	0.2	14
136	Sex-specific associations of low birth weight with adult-onset diabetes and measures of glucose homeostasis: Brazilian Longitudinal Study of Adult Health. <i>Scientific Reports</i> , 2016, 6, 37032.	1.6	14
137	Relation of Anxiety and Depressive Symptoms to Coronary Artery Calcium (from the ELSA-Brasil) Tj ETQq1 1 0.784314 rgBT /Overlock 0.7 14	0.7	14
138	Optimal cut-off points for waist circumference in the definition of metabolic syndrome in Brazilian adults: baseline analyses of the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 49.	1.2	14
139	Greater aortic stiffness is associated with renal dysfunction in participants of the ELSA-Brasil cohort with and without hypertension and diabetes. <i>PLoS ONE</i> , 2019, 14, e0210522.	1.1	14
140	The association between salt intake and arterial stiffness is influenced by a sex-specific mediating effect through blood pressure in normotensive adults: The ELSA-Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1771-1779.	1.0	14
141	Measurement properties of Portuguese- and Brazil Western Ontario and McMaster Universities osteoarthritis index (WOMAC) for the assessment of knee complaints in Brazilian adults: ELSA-Brasil Musculoskeletal cohort. <i>Rheumatology International</i> , 2020, 40, 233-242.	1.5	14
142	Homeostasis model assessment of insulin resistance (HOMA-IR) and metabolic syndrome at baseline of a multicentric Brazilian cohort: ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2020, 36, e00072120.	0.4	14
143	Adherence to the Dietary Approaches to Stop Hypertension (DASH) and hypertension risk: results of the Longitudinal Study of Adult Health (ELSA-Brasil). <i>British Journal of Nutrition</i> , 2020, 123, 1068-1077.	1.2	14
144	Mortality from injuries and other causes in a cohort of 21,800 Brazilian steel workers.. <i>Occupational and Environmental Medicine</i> , 1996, 53, 343-350.	1.3	13

#	ARTICLE	IF	CITATIONS
145	Epidemiology of recurrent venous thrombosis. Brazilian Journal of Medical and Biological Research, 2012, 45, 1-7.	0.7	13
146	Glucose and triglyceride excursions following a standardized meal in individuals with diabetes: ELSA-Brasil study. Cardiovascular Diabetology, 2015, 14, 21.	2.7	13
147	Platelet volume is associated with the Framingham risk score for cardiovascular disease in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Clinical Chemistry and Laboratory Medicine, 2016, 54, 879-87.	1.4	13
148	Thyrotropin levels are associated with chronic kidney disease among healthy subjects in cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Clinical and Experimental Nephrology, 2017, 21, 1035-1043.	0.7	13
149	Sweetened Soft Drinks Consumption Is Associated with Metabolic Syndrome: Cross-sectional Analysis from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of the American College of Nutrition, 2017, 36, 99-107.	1.1	13
150	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA-Brasil. Acta Psychiatrica Scandinavica, 2019, 140, 552-562.	2.2	13
151	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. Journal of Affective Disorders, 2020, 263, 252-257.	2.0	13
152	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). Journal of Affective Disorders, 2020, 271, 39-48.	2.0	13
153	The Bambu-Health and Aging study (BHAS): prevalence of risk factors and use of preventive health care services. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2001, 9, 219-27.	0.6	13
154	Indicators of Abdominal Adiposity and Carotid Intima-Media Thickness: Results from the Longitudinal Study of Adult Health (ELSA-Brazil). Arquivos Brasileiros De Cardiologia, 2018, 112, 220-227.	0.3	13
155	The Bambu-health and aging study (BHAS). Prevalence of intermittent claudication in the aged population of the community of Bambu-and its associated factors. Arquivos Brasileiros De Cardiologia, 2001, 77, 458-462.	0.3	12
156	Does regular practice of physical activity reduce the risk of dysphonia?. Preventive Medicine, 2009, 49, 487-489.	1.6	12
157	Incidence and main causes of severe maternal morbidity in São Luís, Maranhão, Brazil: a longitudinal study. Sao Paulo Medical Journal, 2011, 129, 146-152.	0.4	12
158	Sex-specific associations of birth weight with measures of adiposity in mid-to-late adulthood: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). International Journal of Obesity, 2016, 40, 1286-1291.	1.6	12
159	Artificially Sweetened Beverage Consumption Is Positively Associated with Newly Diagnosed Diabetes in Normal-Weight but Not in Overweight or Obese Brazilian Adults. Journal of Nutrition, 2016, 146, 290-297.	1.3	12
160	Association between TSH levels within the reference range and adiposity markers at the baseline of the ELSA-Brasil study. PLoS ONE, 2020, 15, e0228801.	1.1	12
161	Measurement invariance of neuropsychological tests across different sociodemographic backgrounds in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil).. Neuropsychology, 2020, 34, 227-234.	1.0	12
162	Regression to the Mean Contributes to the Apparent Improvement in Glycemia 3.8 Years After Screening: The ELSA-Brasil Study. Diabetes Care, 2021, 44, 81-88.	4.3	12

#	ARTICLE	IF	CITATIONS
163	Predictors of first nonfatal occupational injury following employment in a Brazilian steelworks. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 523-528.	1.7	12
164	Obesity and underweight among Brazilian elderly: the Bambu�-Health and Aging Study. <i>Cadernos De Saude Publica</i> , 2003, 19, 605-12.	0.4	12
165	Auto-relato e relato de informante secund�rio na avalia�o da sa�de em idosos. <i>Revista De Saude Publica</i> , 2010, 44, 1120-1129.	0.7	11
166	Labor in early life, vulnerability for health in Brazilian schoolchildren: National Adolescent School-based Health Survey (PeNSE 2012). <i>Revista Brasileira De Epidemiologia</i> , 2014, 17, 17-30.	0.3	11
167	Time From Smoking Cessation and Inflammatory Markers: New Evidence From a Cross-Sectional Analysis of ELSA-Brasil. <i>Nicotine and Tobacco Research</i> , 2017, 19, 852-858.	1.4	11
168	Life course socioeconomic adversities and 10-year risk of cardiovascular disease: cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health. <i>International Journal of Public Health</i> , 2017, 62, 283-292.	1.0	11
169	Shift work, job strain, and metabolic syndrome: Cross-sectional analysis of ELSA-Brasil. <i>American Journal of Industrial Medicine</i> , 2018, 61, 911-918.	1.0	11
170	Health status indicators among community-dwelling elders with arthritis: the Bambu�-health and aging study. <i>Journal of Rheumatology</i> , 2006, 33, 342-7.	1.0	11
171	Gender differences in cumulative life-course socioeconomic position and social mobility in relation to new onset diabetes in adults: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Annals of Epidemiology</i> , 2016, 26, 858-864.e1.	0.9	10
172	Coffee Consumption and Heart Rate Variability: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Cohort Study. <i>Nutrients</i> , 2017, 9, 741.	1.7	10
173	Intragenerational Social Mobility and Changes in Blood Pressure: Longitudinal Analysis From the ELSA-Brasil Study. <i>American Journal of Hypertension</i> , 2018, 31, 672-678.	1.0	10
174	Validade Concorrente e de Face da Escala de MacArthur para Avalia�o do Status Social Subjetivo: Estudo Longitudinal de Sa�de do Adulto (ELSA-Brasil). <i>Ciencia E Saude Coletiva</i> , 2018, 23, 1267-1280.	0.1	10
175	The association between the neighbourhood social environment and obesity in Brazil: a cross-sectional analysis of the ELSA-Brasil study. <i>BMJ Open</i> , 2019, 9, e026800.	0.8	10
176	Aortic Stiffness and Age With Cognitive Performance Decline in the ELSA-Brasil Cohort. <i>Journal of the American Heart Association</i> , 2019, 8, e013248.	1.6	10
177	Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSA-Brasil study. <i>Diabetic Medicine</i> , 2020, 37, 1742-1751.	1.2	10
178	A nationwide analysis of the excess death attributable to diabetes in Brazil. <i>Journal of Global Health</i> , 2020, 10, 010401.	1.2	10
179	Lifetime risk of developing diabetes and years of life lost among those with diabetes in Brazil. <i>Journal of Global Health</i> , 2021, 11, 04041.	1.2	10
180	Electrocardiographic Findings in Brazilian Adults without Heart Disease: ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 109, 416-424.	0.3	10

#	ARTICLE	IF	CITATIONS
181	Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2022, 297, 259-268.	2.0	10
182	Trabalho feminino e sa�de na terceira idade. <i>Ciencia E Saude Coletiva</i> , 2002, 7, 825-839.	0.1	9
183	Maior acesso � informa�o sobre como prevenir o c�ncer bucal entre idosos assistidos na aten�o prim�ria � sa�de. <i>Ciencia E Saude Coletiva</i> , 2015, 20, 2239-2253.	0.1	9
184	Is subjective social status a summary of life-course socioeconomic position?. <i>Cadernos De Saude Publica</i> , 2018, 34, e00024317.	0.4	9
185	Anatomical References to Evaluate Thoracic Aorta Calcium by Computed Tomography. <i>Current Atherosclerosis Reports</i> , 2019, 21, 51.	2.0	9
186	Diagn�stico de Fibrila�o Atrial na Comunidade Utilizando Eletrocardiograma e Autorrelato: An�lise Transversal do ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 426-434.	0.3	9
187	Altera�es vocais e cuidados de sa�de entre professoras. <i>Revista CEFAC: Actualiza�o Cient�fica Em Fonoaudiologia</i> , 2012, 14, 697-704.	0.2	9
188	Thyroid-Stimulating Hormone and Thyroid Hormones and Incidence of Diabetes: Prospective Results of the Brazilian Longitudinal Study of Adult Health (ELSA-BRASIL). <i>Thyroid</i> , 2022, 32, 694-704.	2.4	9
189	Transtorno de Estresse P�s-Traum�tico (TEPT) em Bombeiros de Belo Horizonte, Brasil: Preval�ncia e Fatores Ocupacionais Associados. <i>Psicologia: Teoria E Pesquisa</i> , 2015, 31, 279-288.	0.1	8
190	Psychometric properties of Multidimensional Health Locus of Control - A and General Self-Efficacy Scale in civil servants: ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). <i>Brazilian Journal of Physical Therapy</i> , 2016, 20, 451-460.	1.1	8
191	Investigating osteoarthritis in a subcohort of the Brazilian Longitudinal Study of Adult Health: The ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). <i>Osteoarthritis and Cartilage</i> , 2016, 24, S210-S211.	0.6	8
192	GlycA, a marker of protein glycosylation, is related to albuminuria and estimated glomerular filtration rate: the ELSA-Brasil study. <i>BMC Nephrology</i> , 2017, 18, 367.	0.8	8
193	Longitudinal measurement invariance of neuropsychological tests in a diverse sample from the ELSA-Brasil study. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 254-261.	0.9	8
194	Early life socioeconomic status predicts cognition regardless of education level. <i>European Journal of Neurology</i> , 2021, 28, 3972-3978.	1.7	8
195	Confiabilidade do informante secund�rio em inqu�ritos de sa�de. <i>Revista Brasileira De Estudos De Populacao</i> , 2009, 26, 141-144.	0.3	8
196	Circunfer�ncia do Pesco�o e Risco Cardiovascular em 10 Anos na Linha de Base do ELSA-Brasil: Diferenciais por Sexo. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 115, 840-848.	0.3	8
197	Contextual and family factors associated with negative assessment of children's health. <i>European Journal of Public Health</i> , 2011, 21, 649-655.	0.1	7
198	The influence of prothrombotic laboratory abnormalities on the risk of recurrent venous thrombosis. <i>Thrombosis Research</i> , 2012, 130, 974-976.	0.8	7

#	ARTICLE	IF	CITATIONS
199	Encephalomyelopathy associated with HTLV-I: A primary disease or coexisting with multiple sclerosis? Dementia E Neuropsychologia, 2013, 7, 439-443.	0.3	7
200	Derivation of a risk assessment model for hospital-acquired venous thrombosis: the NAVAL score. Journal of Thrombosis and Thrombolysis, 2016, 41, 628-635.	1.0	7
201	Mental disorders and employment status in the São Paulo Metropolitan Area, Brazil: gender differences and use of health services. Cadernos De Saude Publica, 2017, 33, e00154116.	0.4	7
202	Microvascular endothelial function and cognitive performance: The ELSA-Brasil cohort study. Vascular Medicine, 2018, 23, 212-218.	0.8	7
203	Association between perceived racial discrimination and hypertension: findings from the ELSA-Brasil study. Cadernos De Saude Publica, 2018, 34, e00050317.	0.4	7
204	Work-Family Conflict and Ideal Cardiovascular Health Score in the ELSA-Brasil Baseline Assessment. Journal of the American Heart Association, 2019, 8, e012701.	1.6	7
205	Life Course Socioeconomic Position, Intergenerational Social Mobility, and Hypertension Incidence in ELSA-Brasil. American Journal of Hypertension, 2021, 34, 801-809.	1.0	7
206	Prognostic value of electrocardiographic abnormalities in adults from the Brazilian longitudinal study of adults' health. Heart, 2021, 107, 1560-1566.	1.2	7
207	Acesso À internação e fatores associados ao óbito hospitalar por doenças isquêmicas do coração no SUS. Arquivos Brasileiros De Cardiologia, 2008, 90, 130-138.	0.3	7
208	Vision for a Global Registry of Anticipated Public Health Studies. American Journal of Public Health, 2007, 97, S82-S87.	1.5	6
209	Early-life nutritional status and metabolic syndrome: gender-specific associations from a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Public Health Nutrition, 2018, 21, 1546-1553.	1.1	6
210	Time of exposure to night work and carotid atherosclerosis: a structural equation modeling approach using baseline data from ELSA-Brasil. International Archives of Occupational and Environmental Health, 2018, 91, 591-600.	1.1	6
211	Racial differences in the association between early socioeconomic position, birth weight, and arterial stiffness in adults from ELSA-Brasil. Annals of Epidemiology, 2019, 34, 45-51.	0.9	6
212	Four-year adiposity change and remission of hypertension: an observational evaluation from the Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Human Hypertension, 2020, 34, 68-75.	1.0	6
213	Markers of adiposity, insulin resistance, prediabetes and cognitive function at baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Diabetes Research and Clinical Practice, 2020, 170, 108499.	1.1	6
214	Dose-response associations of clinical markers of obesity and duration of exposure to excess weight with chronic musculoskeletal pain: cross-sectional analysis at baseline of ELSA-Brasil Musculoskeletal cohort. Rheumatology International, 2020, 40, 881-891.	1.5	6
215	Reference values for the triglyceride to high-density lipoprotein ratio and its association with cardiometabolic diseases in a mixed adult population: The ELSA-Brasil study. Journal of Clinical Lipidology, 2021, 15, 699-711.	0.6	6
216	Consumption of ultra-processed foods and incidence of dyslipidaemias: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). British Journal of Nutrition, 2023, 129, 336-344.	1.2	6

#	ARTICLE	IF	CITATIONS
217	Past provoking venous thrombosis risk situations on the risk of a recurrent thrombotic event: A cohort study. <i>Thrombosis Research</i> , 2011, 128, 227-232.	0.8	5
218	Inconsistent Correlation Between Carotid Artery Intima-Media Thickness and Peripheral Arterial Tonometry. <i>Medicine (United States)</i> , 2015, 94, e1403.	0.4	5
219	Relative leg length is associated with type 2 diabetes differently according to pubertal timing: The Brazilian longitudinal study of adult health. <i>American Journal of Human Biology</i> , 2015, 27, 219-225.	0.8	5
220	Psychological distress: a long-lasting matter of the heart. <i>Heart</i> , 2017, 103, 649-650.	1.2	5
221	Non-HDL-C goals based on the distribution of population percentiles in ELSA-Brasil: Is it time to change?. <i>Atherosclerosis</i> , 2018, 274, 243-250.	0.4	5
222	Racial disparities in renal function: the role of racial discrimination. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 1027-1032.	2.0	5
223	Relation of Thoracic Aortic and Coronary Artery Calcium to Cardiovascular Risk Factors (from The) Tj ETQq1 1 0.784314 rgBT /Overlook 1655-1661.	0.7	5
224	Job Stress and Heart Rate Variability: Findings From the ELSA-Brasil Cohort. <i>Psychosomatic Medicine</i> , 2019, 81, 536-544.	1.3	5
225	Anemia and Cognitive Performance in the ELSA-Brasil Cohort Baseline. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 227-234.	0.9	5
226	Normative Data for the ELSA-Brasil Neuropsychological Assessment and Operationalized Criterion for Cognitive Impairment for Middle-Aged and Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 293-303.	1.2	5
227	Ideal vascular health and cognitive performance in the Brazilian Longitudinal Study of Adult Health. <i>European Journal of Neurology</i> , 2021, 28, 71-80.	1.7	5
228	Racial inequality, racial discrimination and obesity incidence in adults from the ELSA-Brasil cohort. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 695-701.	2.0	5
229	Segmental Evaluation of Thoracic Aortic Calcium and Their Relations with Cardiovascular Risk Factors in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cells</i> , 2021, 10, 1243.	1.8	5
230	Racial discrimination is associated with greater arterial stiffness and carotid intima-media thickness: the ELSA-Brasil study. <i>Annals of Epidemiology</i> , 2022, 72, 40-47.	0.9	5
231	C�ncer de pulm�o em trabalhadores expostos � s�lica. <i>Jornal De Pneumologia</i> , 2002, 28, 233-236.	0.1	4
232	Weight Gain After Short- and Long-Limb Gastric Bypass in Patients Followed for Longer Than 10 Years. <i>Annals of Surgery</i> , 2008, 247, 205-206.	2.1	4
233	Do patients and physicians agree on diabetes management? A study conducted in Public Healthcare Centres in Brazil. <i>Patient Education and Counseling</i> , 2013, 92, 107-113.	1.0	4
234	Association of binge eating behavior and psychiatric comorbidity in ELSA-Brasil study: Results from baseline data. <i>Eating Behaviors</i> , 2016, 23, 145-149.	1.1	4

#	ARTICLE	IF	CITATIONS
235	Establishing a blood fructosamine reference range for the Brazilian population based on data from ELSA "Brasil. Practical Laboratory Medicine, 2019, 13, e00111.	0.6	4
236	Performance of distinct knee osteoarthritis classification criteria in the ELSA-Brasil musculoskeletal study. Clinical Rheumatology, 2019, 38, 793-802.	1.0	4
237	Lifetime night work exposure and the risk of type 2 diabetes: results from the longitudinal study of adult health (ELSA-Brasil). Chronobiology International, 2020, 37, 1344-1347.	0.9	4
238	Social Capital and Depressive Episodes: Gender Differences in the ELSA-Brasil Cohort. Frontiers in Public Health, 2021, 9, 657700.	1.3	4
239	Sugar-sweetened soft drinks consumption and risk of hyperuricemia: Results of the ELSA-Brasil study. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2004-2013.	1.1	4
240	Association Between Adherence to the MIND Diet and Cognitive Performance is Affected by Income. Alzheimer Disease and Associated Disorders, 2022, 36, 133-139.	0.6	4
241	Agreement Between the Geriatric Depression Scale and the General Health Questionnaire in a Population-Based Elderly Cohort. Clinical Gerontologist, 2003, 26, 69-82.	1.2	3
242	Risk of recurrent venous thrombosis related to past provoking risk situations. Blood Coagulation and Fibrinolysis, 2013, 24, 562-566.	0.5	3
243	Assessment of characteristics associated with pharmacologic thromboprophylaxis use in hospitalized patients. Blood Coagulation and Fibrinolysis, 2013, 24, 691-697.	0.5	3
244	Circulating early biomarkers of atherogenesis in participants of the Longitudinal Study of Adult Health (ELSA-Brasil) without diabetes or cardiovascular disease. Archives of Endocrinology and Metabolism, 2016, 60, 573-581.	0.3	3
245	Lista de eventos traumáticos ocupacionais para profissionais de emergências: adaptação e validação. Avaliação Psicológica, 2016, 15, 391-401.	0.1	3
246	A radiografia do joelho em flexão fixa utilizando um novo posicionador produziu medidas da largura do espaço articular com alta repetibilidade: estudo ELSA-Brasil Musculoesquelético (ELSA-Brasil ME). Revista Brasileira De Reumatologia, 2017, 57, 154-161.	0.8	3
247	Why does happiness matter? Understanding the relation between positive emotion and health outcomes. Social Science and Medicine, 2017, 191, 61-64.	1.8	3
248	Gender Difference in Social Capital, Common Mental Disorders and Depression: ELSA-Brasil Study. Psych, 2020, 2, 85-96.	0.7	3
249	Birth weight and body fat mass in adults assessed by bioimpedance in the ELSA-Brasil study. Cadernos De Saude Publica, 2021, 37, e00061619.	0.4	3
250	Incidence of thyroid diseases: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Archives of Endocrinology and Metabolism, 2021, 65, 468-478.	0.3	3
251	Association between control of diabetes mellitus and polypharmacy at the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Pharmacoepidemiology and Drug Safety, 2021, 30, 749-757.	0.9	3
252	Association between dietary patterns and renal function in a cross-sectional study using baseline data from the ELSA-Brasil cohort. Brazilian Journal of Medical and Biological Research, 2020, 53, e10230.	0.7	3

#	ARTICLE	IF	CITATIONS
253	Association between race/color and incidence of hypertension in the ELSA-Brasil population: investigating the mediation of racial discrimination and socioeconomic position. <i>Ethnicity and Health</i> , 2020, , 1-11.	1.5	3
254	Serum folate levels and cognitive performance in the ELSA-Brasil baseline assessment. <i>Arquivos De Neuro-Psiquiatria</i> , 2020, 78, 672-680.	0.3	3
255	Cohort Profile Update: The Brazilian Longitudinal Study of Adult Health Musculoskeletal (ELSA-Brasil) Tj ETQq1 1 0.784314 rgBT /Ove 0.9	0.9	3
256	Racial inequalities in multimorbidity: baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Public Health</i> , 2022, 22, .	1.2	3
257	Psychiatric morbidity and stable angina pectoris. the ELSA-Brasil. <i>European Heart Journal</i> , 2013, 34, P5145-P5145.	1.0	2
258	Education Plays a Greater Role than Age in Cognitive Test Performance among Participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil).. <i>International Journal of Epidemiology</i> , 2015, 44, i265-i265.	0.9	2
259	First stages chronic kidney disease have mild effects on cognitive performance. Results of a 15,105 brazilian adult baseline cohort. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2018, 40, 18-25.	0.4	2
260	Prevalence of pain and associated factors in Brazilian civil servants: an introductory analysis using baseline data from the ELSA-Brasil cohort. <i>Pain Reports</i> , 2019, 4, e797.	1.4	2
261	Insulin resistance may be misdiagnosed by HOMA-IR in adults with greater fat-free mass: the ELSA-Brasil Study. <i>Acta Diabetologica</i> , 2021, 58, 73-80.	1.2	2
262	Incidence of excess body weight and annual weight gain in women and men: Results from the <sc>ELSA-Brasil</sc> cohort. <i>American Journal of Human Biology</i> , 2021, , e23606.	0.8	2
263	Subtle Thyroid Dysfunction Is Not Associated with Cognitive Decline: Results from the ELSA-Brasil. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1529-1540.	1.2	2
264	Chagas disease is not associated with diabetes, metabolic syndrome, insulin resistance and beta cell dysfunction at baseline of Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Parasitology International</i> , 2021, 85, 102440.	0.6	2
265	The positive association between serum uric acid, impaired fasting glucose, impaired glucose tolerance, and diabetes mellitus in the ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2021, 37, e00255920.	0.4	2
266	Dairy product consumption reduces cardiovascular mortality: results after 8-year follow-up of ELSA-Brasil. <i>European Journal of Nutrition</i> , 2021, , 1.	1.8	2
267	Association between cognitive performance and self-reported glaucoma in middle-aged and older adults: a cross-sectional analysis of ELSA-Brasil. <i>Brazilian Journal of Medical and Biological Research</i> , 2020, 53, e10347.	0.7	2
268	Undernutrition and associated factors in primary schoolchildren in Lokossa, Benin: a cross-sectional study. <i>Revista Brasileira De Enfermagem</i> , 2022, 75, e20210254.	0.2	2
269	The intersection race/skin color and gender, smoking and excessive alcohol consumption: cross sectional analysis of the Brazilian National Health Survey, 2013. <i>Cadernos De Saude Publica</i> , 2021, 37, e00224220.	0.4	2
270	Association between neck circumference and non-alcoholic fatty liver disease: cross-sectional analysis from ELSA-Brasil. <i>Sao Paulo Medical Journal</i> , 2022, 140, 213-221.	0.4	2



#	ARTICLE	IF	CITATIONS
271	Job stress and chronic and widespread musculoskeletal pain: a cross-sectional analysis from the Brazilian Longitudinal Study of Adult Health Musculoskeletal. <i>Pain</i> , 2022, 163, 2044-2051.	2.0	2
272	P2-23 Contextual factors associated with smoking among Brazilian adolescents. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A226-A226.	2.0	1
273	More on: The association between mean platelet volume and cardiovascular risk factors. <i>European Journal of Internal Medicine</i> , 2016, 31, e18-e19.	1.0	1
274	Fixed-flexion knee radiography using a new positioning device produced highly repeatable measurements of joint space width: ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). <i>Revista Brasileira De Reumatologia</i> , 2017, 57, 154-161.	0.7	1
275	Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. <i>Journal of Affective Disorders</i> , 2021, 282, 179-186.	2.0	1
276	Thromboprophylaxis: medical recommendations and hospital programs. <i>Revista Da Associação Médica Brasileira</i> , 2011, 57, 87-97.	0.3	1
277	Nationwide Analysis of Excess Deaths Attributable to Diabetes in Brazil. <i>Diabetes</i> , 2018, 67, .	0.3	1
278	Neighborhood greenspace and cardiometabolic risk factors: Cross-sectional and longitudinal analysis in ELSA-Brasil participants. <i>Health and Place</i> , 2021, 72, 102699.	1.5	1
279	Envelhecimento: prevenção e promoção da saúde. <i>Cadernos De Saude Publica</i> , 2006, 22, 2009-2009.	0.4	1
280	Different Components of Subjective Well-being Are Associated With Chronic Nondisabling and Disabling Knee Pain. <i>Journal of Clinical Rheumatology</i> , 2021, 27, S301-S307.	0.5	1
281	Body fat distribution and its risk for cardiovascular events in 10 years: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cadernos De Saude Publica</i> , 2022, 38, e00346520.	0.4	1
282	Is retirement associated to greater life satisfaction? Cross-sectional findings from ELSA-Brasil. <i>Cadernos De Saude Publica</i> , 2022, 38, .	0.4	1
283	Chronic inflammatory diseases, subclinical atherosclerosis, and cardiovascular diseases: Design, objectives, and baseline characteristics of a prospective case-cohort study â€˜ ELSA-Brasil. <i>Clinics</i> , 2022, 77, 100013.	0.6	1
284	Sex differences in the association between alcohol intake and cognitive decline over 4 years in a middle-aged cohort: The Brazilian Longitudinal Study of Adult Health. <i>European Journal of Neurology</i> , 2022, , .	1.7	1
285	The association between diabetes mellitus and incidence of depressive episodes is different based on sex: insights from ELSA-Brasil. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2022, 13, 204201882210932.	1.4	1
286	Performance and reference intervals of thrombin generation test: results from the Brazilian longitudinal study of adult health (ELSA-Brasil). A cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2022, 140, 474-485.	0.4	1
287	Parâmetros Ecocardiográficos Simples são Fortes Preditores de Risco Cardiovascular em Indivíduos Assintomáticos: Coorte Elsa-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2022, 118, 916-924.	0.3	1
288	260: Vision for a Global Registry of Anticipated Public Health Studies (GRAPHS). <i>American Journal of Epidemiology</i> , 2005, 161, S65-S65.	1.6	0

#	ARTICLE	IF	CITATIONS
289	009-S: Health Status Indicators Among Community-Dwelling Elders with Arthritis: The Bambu� Health and Aging Study. American Journal of Epidemiology, 2005, 161, S3-S3.	1.6	0
290	P1-430 Smoking among Brazilian workers: influence of employment status and household context. Journal of Epidemiology and Community Health, 2011, 65, A186-A186.	2.0	0
291	Timing and type of alcohol consumption and the metabolic syndrome: ELSA-Brasil. Diabetology and Metabolic Syndrome, 2015, 7, .	1.2	0
292	Social Inequalities in C-Reactive Protein Levels in Adults from the Brazilian Longitudinal Study of Adult Health (Elsa-Brasil): A Life Course Analysis.. International Journal of Epidemiology, 2015, 44, i270-i271.	0.9	0
293	Experimentation and Use of Cigarette and other Tobacco Products among Brazilian Adolescents. National Research of School Health, 2012.. International Journal of Epidemiology, 2015, 44, i270-i270.	0.9	0
294	Relative Leg Length is Inversely Associated with Diabetes in Brazilian Adults: The Brazilian Longitudinal Study of Adult Health.. International Journal of Epidemiology, 2015, 44, i62-i63.	0.9	0
295	Repeatability and correlations of tibial plateau alignment and joint space width in non-fluoroscopic fixed-flexion knee radiographs: the ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). Osteoarthritis and Cartilage, 2016, 24, S295.	0.6	0
296	Long-Term Cohort Studies in Brazil: On the Tracks of the Nurses� Health Study and Beyond. American Journal of Public Health, 2016, 106, 1534-1536.	1.5	0
297	Age at first childbirth and newly diagnosed diabetes among postmenopausal women: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Sao Paulo Medical Journal, 2017, 135, 266-269.	0.4	0
298	SP311ASSOCIATION BETWEEN DIETARY PATTERNS, METABOLIC SYNDROME AND RENAL FUNCTION IN THE LONGITUDINAL STUDY OF ADULT HEALTH (ELSA-BRASIL). Nephrology Dialysis Transplantation, 2018, 33, i449-i449.	0.4	0
299	Glaucoma, but not cataracts, predicts lower verbal fluency performance: 3.8-year follow-up from the ELSA-Brasil study. Aging, Neuropsychology, and Cognition, 2020, 28, 1-13.	0.7	0
300	Sleep problems and their association with weight and waist gain - The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Sleep Medicine, 2020, 73, 196-201.	0.8	0
301	Response to comment on van Duinkerken et al. Biopsychosocial factors associated with a current depressive episode in diabetes: The ELSA�Brasil study. Diabetic Medicine, 2021, 38, e14435.	1.2	0
302	Association between Adiposity Indexes and Kidney Disease: Findings from the Longitudinal Study of Adult Health (Elsa-Brazil). Journal of the American College of Nutrition, 2022, 41, 275-280.	1.1	0
303	Lack of association between proton pump inhibitor use and decline in cognitive performance in the ELSA-Brasil cohort. European Journal of Clinical Pharmacology, 2021, 77, 1725-1735.	0.8	0
304	How does global and central obesity influences on arthritis or rheumatism? Results from the Brazilian National Health Survey, 2013. International Journal of Clinical Practice, 2021, 75, e14027.	0.8	0
305	Association between the use of female hormones and the thrombin generation: Cross-sectional analysis of the Longitudinal Study on Adult Health (ELSA-Brasil). Research, Society and Development, 2021, 10, e12910917888.	0.0	0
306	Social position and anthropometric status among adults in the ELSA-Brasil study: a latent class analysis. Cadernos De Saude Publica, 2021, 37, e00168918.	0.4	0

#	ARTICLE	IF	CITATIONS
307	Physical Activity, Body Image and Body Mass Index: ELSA Brasil Cohort. FASEB Journal, 2015, 29, LB308.	0.2	0
308	Abstract P245: Economic Residential Segregation is Associated With Obesity and Visceral Adiposity in Brazilian Women: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Circulation, 2019, 139, .	1.6	0
309	Abstract P354: Work-Family Conflict and Ideal Cardiovascular Health Score in ELSA-Brasil Baseline Assessment. Circulation, 2019, 139, .	1.6	0
310	Abstract P076: Regression of Prediabetes and Diabetes is Associated with Mild Weight and Waist Loss - ELSA-Brasil. Circulation, 2019, 139, .	1.6	0
311	1606-P: Lifetime Risk of Developing Diabetes and Years of Life Lost Due to Diabetes in Brazil: Estimates for the Year 2016. Diabetes, 2019, 68, .	0.3	0
312	STATIN USE AND MUSCULAR PROBLEMS: A CROSS-SECTIONAL ANALYSIS OF THE ELSA-BRASIL MUSCULOSKELETAL COHORT. , 0, , .		0
313	Retest effects in a diverse sample: sociodemographic predictors and possible correction approaches. Dementia E Neuropsychologia, 0, , .	0.3	0
314	Red cell distribution width is associated with cardiovascular risk in adults. Ciencia E Saude Coletiva, 2022, 27, 2753-2762.	0.1	0