

# Sandhi Barreto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1141151/publications.pdf>

Version: 2024-02-01

314  
papers

10,917  
citations

50244

46  
h-index

49868

87  
g-index

375  
all docs

375  
docs citations

375  
times ranked

13085  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Consumption of ultra-processed foods and incidence of dyslipidaemias: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>British Journal of Nutrition</i> , 2023, 129, 336-344.                                | 1.2 | 6         |
| 2  | Association between Adiposity Indexes and Kidney Disease: Findings from the Longitudinal Study of Adult Health (Elsa-Brazil). <i>Journal of the American College of Nutrition</i> , 2022, 41, 275-280.                         | 1.1 | 0         |
| 3  | Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2022, 297, 259-268.            | 2.0 | 10        |
| 4  | Undernutrition and associated factors in primary schoolchildren in Lokossa, Benin: a cross-sectional study. <i>Revista Brasileira De Enfermagem</i> , 2022, 75, e20210254.   | 0.2 | 2         |
| 5  | Association Between Adherence to the MIND Diet and Cognitive Performance is Affected by Income. <i>Alzheimer Disease and Associated Disorders</i> , 2022, 36, 133-139.   | 0.6 | 4         |
| 6  | Association between neck circumference and non-alcoholic fatty liver disease: cross-sectional analysis from ELSA-Brasil. <i>Sao Paulo Medical Journal</i> , 2022, 140, 213-221.  | 0.4 | 2         |
| 7  | Body fat distribution and its risk for cardiovascular events in 10 years: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cadernos De Saude Publica</i> , 2022, 38, e00346520.                                  | 0.4 | 1         |
| 8  | Job stress and chronic and widespread musculoskeletal pain: a cross-sectional analysis from the Brazilian Longitudinal Study of Adult Health Musculoskeletal. <i>Pain</i> , 2022, 163, 2044-2051.                              | 2.0 | 2         |
| 9  | Is retirement associated to greater life satisfaction? Cross-sectional findings from ELSA-Brasil. <i>Cadernos De Saude Publica</i> , 2022, 38, .   | 0.4 | 1         |
| 10 | Chronic inflammatory diseases, subclinical atherosclerosis, and cardiovascular diseases: Design, objectives, and baseline characteristics of a prospective case-cohort study ' ELSA-Brasil. <i>Clinics</i> , 2022, 77, 100013. | 0.6 | 1         |
| 11 | Sex differences in the association between alcohol intake and cognitive decline over 4 years in a middle-aged cohort: The Brazilian Longitudinal Study of Adult Health. <i>European Journal of Neurology</i> , 2022, , .       | 1.7 | 1         |
| 12 | Racial discrimination is associated with greater arterial stiffness and carotid intima-media thickness: the ELSA-Brasil study. <i>Annals of Epidemiology</i> , 2022, 72, 40-47.  | 0.9 | 5         |
| 13 | The association between diabetes mellitus and incidence of depressive episodes is different based on sex: insights from ELSA-Brasil. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2022, 13, 204201882210932.  | 1.4 | 1         |
| 14 | Cohort Profile Update: The Brazilian Longitudinal Study of Adult Health Musculoskeletal (ELSA-Brasil) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 0.9  | 0.9 | 5         |
| 15 | Performance and reference intervals of thrombin generation test: results from the Brazilian longitudinal study of adult health (ELSA-Brasil). A cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2022, 140, 474-485.  | 0.4 | 1         |
| 16 | Thyroid-Stimulating Hormone and Thyroid Hormones and Incidence of Diabetes: Prospective Results of the Brazilian Longitudinal Study of Adult Health (ELSA-BRASIL). <i>Thyroid</i> , 2022, 32, 694-704.                         | 2.4 | 9         |
| 17 | Parâmetros Ecocardiográficos Simples são Fortes Preditores de Risco Cardiovascular em Indivíduos Assintomáticos: Coorte Elsa-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2022, 118, 916-924.                          | 0.3 | 1         |
| 18 | Red cell distribution width is associated with cardiovascular risk in adults. <i>Ciencia E Saude Coletiva</i> , 2022, 27, 2753-2762.   | 0.1 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Racial inequalities in multimorbidity: baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). BMC Public Health, 2022, 22, .   | 1.2 | 3         |
| 20 | Normative Data for the ELSA-Brasil Neuropsychological Assessment and Operationalized Criterion for Cognitive Impairment for Middle-Aged and Older Adults. Journal of the International Neuropsychological Society, 2021, 27, 293-303. | 1.2 | 5         |
| 21 | Ideal vascular health and cognitive performance in the Brazilian Longitudinal Study of Adult Health. European Journal of Neurology, 2021, 28, 71-80.  | 1.7 | 5         |
| 22 | Hypertension, Prehypertension, and Hypertension Control. Hypertension, 2021, 77, 672-681.   | 1.3 | 56        |
| 23 | Response to comment on van Duinkerken et al. Biopsychosocial factors associated with a current depressive episode in diabetes: The ELSA-Brasil study. Diabetic Medicine, 2021, 38, e14435.  | 1.2 | 0         |
| 24 | Insulin resistance may be misdiagnosed by HOMA-IR in adults with greater fat-free mass: the ELSA-Brasil Study. Acta Diabetologica, 2021, 58, 73-80.   | 1.2 | 2         |
| 25 | Birth weight and body fat mass in adults assessed by bioimpedance in the ELSA-Brasil study. Cadernos De Saude Publica, 2021, 37, e00061619.   | 0.4 | 3         |
| 26 | Racial inequality, racial discrimination and obesity incidence in adults from the ELSA-Brasil cohort. Journal of Epidemiology and Community Health, 2021, 75, 695-701.  | 2.0 | 5         |
| 27 | Life Course Socioeconomic Position, Intergenerational Social Mobility, and Hypertension Incidence in ELSA-Brasil. American Journal of Hypertension, 2021, 34, 801-809.  | 1.0 | 7         |
| 28 | Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. Journal of Affective Disorders, 2021, 282, 179-186.  | 2.0 | 1         |
| 29 | Ultra-processed foods, changes in blood pressure and incidence of hypertension: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Public Health Nutrition, 2021, 24, 3352-3360.   | 1.1 | 48        |
| 30 | Incidence of excess body weight and annual weight gain in women and men: Results from the ELSA-Brasil cohort. American Journal of Human Biology, 2021, , e23606.  | 0.8 | 2         |
| 31 | Incidence of thyroid diseases: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Archives of Endocrinology and Metabolism, 2021, 65, 468-478.  | 0.3 | 3         |
| 32 | Association between control of diabetes mellitus and polypharmacy at the Brazilian Longitudinal Study of Adult Health ( ELSA-Brasil ). Pharmacoepidemiology and Drug Safety, 2021, 30, 749-757.                                       | 0.9 | 3         |
| 33 | Subtle Thyroid Dysfunction Is Not Associated with Cognitive Decline: Results from the ELSA-Brasil. Journal of Alzheimer's Disease, 2021, 81, 1529-1540.   | 1.2 | 2         |
| 34 | Lack of association between proton pump inhibitor use and decline in cognitive performance in the ELSA-Brasil cohort. European Journal of Clinical Pharmacology, 2021, 77, 1725-1735.   | 0.8 | 0         |
| 35 | Social Capital and Depressive Episodes: Gender Differences in the ELSA-Brasil Cohort. Frontiers in Public Health, 2021, 9, 657700.  | 1.3 | 4         |
| 36 | Segmental Evaluation of Thoracic Aortic Calcium and Their Relations with Cardiovascular Risk Factors in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Cells, 2021, 10, 1243.  | 1.8 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Longitudinal measurement invariance of neuropsychological tests in a diverse sample from the ELSA-Brasil study. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 254-261.   | 0.9 | 8         |
| 38 | Sugar-sweetened soft drinks consumption and risk of hyperuricemia: Results of the ELSA-Brasil study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2004-2013.  | 1.1 | 4         |
| 39 | Reference values for the triglyceride to high-density lipoprotein ratio and its association with cardiometabolic diseases in a mixed adult population: The ELSA-Brasil study. <i>Journal of Clinical Lipidology</i> , 2021, 15, 699-711.          | 0.6 | 6         |
| 40 | How does global and central obesity influences on arthritis or rheumatism? Results from the Brazilian National Health Survey, 2013. <i>International Journal of Clinical Practice</i> , 2021, 75, e14027.   | 0.8 | 0         |
| 41 | Lifetime risk of developing diabetes and years of life lost among those with diabetes in Brazil. <i>Journal of Global Health</i> , 2021, 11, 04041.   | 1.2 | 10        |
| 42 | Association between the use of female hormones and the thrombin generation: Cross-sectional analysis of the Longitudinal Study on Adult Health (ELSA-Brasil). <i>Research, Society and Development</i> , 2021, 10, e12910917888.                  | 0.0 | 0         |
| 43 | Early life socioeconomic status predicts cognition regardless of education level. <i>European Journal of Neurology</i> , 2021, 28, 3972-3978.   | 1.7 | 8         |
| 44 | Deep neural network-estimated electrocardiographic age as a mortality predictor. <i>Nature Communications</i> , 2021, 12, 5117.   | 5.8 | 77        |
| 45 | Diagnóstico de Fibrilação Atrial na Comunidade Utilizando Eletrocardiograma e Autorrelato: Análise Transversal do ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 426-434.   | 0.3 | 9         |
| 46 | Chagas disease is not associated with diabetes, metabolic syndrome, insulin resistance and beta cell dysfunction at baseline of Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Parasitology International</i> , 2021, 85, 102440. | 0.6 | 2         |
| 47 | Prognostic value of electrocardiographic abnormalities in adults from the Brazilian longitudinal study of adults' health. <i>Heart</i> , 2021, 107, 1560-1566.  | 1.2 | 7         |
| 48 | Regression to the Mean Contributes to the Apparent Improvement in Glycemia 3.8 Years After Screening: The ELSA-Brasil Study. <i>Diabetes Care</i> , 2021, 44, 81-88.  | 4.3 | 12        |
| 49 | Social position and anthropometric status among adults in the ELSA-Brasil study: a latent class analysis. <i>Cadernos De Saude Publica</i> , 2021, 37, e00168918.   | 0.4 | 0         |
| 50 | The positive association between serum uric acid, impaired fasting glucose, impaired glucose tolerance, and diabetes mellitus in the ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2021, 37, e00255920.                                   | 0.4 | 2         |
| 51 | Dairy product consumption reduces cardiovascular mortality: results after 8-year follow-up of ELSA-Brasil. <i>European Journal of Nutrition</i> , 2021, , 1.  | 1.8 | 2         |
| 52 | Neighborhood greenspace and cardiometabolic risk factors: Cross-sectional and longitudinal analysis in ELSA-Brasil participants. <i>Health and Place</i> , 2021, 72, 102699.  | 1.5 | 1         |
| 53 | Different Components of Subjective Well-being Are Associated With Chronic Nondisabling and Disabling Knee Pain. <i>Journal of Clinical Rheumatology</i> , 2021, 27, S301-S307.  | 0.5 | 1         |
| 54 | The intersection race/skin color and gender, smoking and excessive alcohol consumption: cross sectional analysis of the Brazilian National Health Survey, 2013. <i>Cadernos De Saude Publica</i> , 2021, 37, e00224220.                           | 0.4 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Intake of selected foods and beverages and serum uric acid levels in adults: ELSA-Brasil (2008–2010). <i>Public Health Nutrition</i> , 2020, 23, 506-514.  | 1.1 | 18        |
| 56 | Ultra-processed foods, incident overweight and obesity, and longitudinal changes in weight and waist circumference: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Public Health Nutrition</i> , 2020, 23, 1076-1086.                                | 1.1 | 143       |
| 57 | Measurement properties of Portuguese–Brazil Western Ontario and McMaster Universities osteoarthritis index (WOMAC) for the assessment of knee complaints in Brazilian adults: ELSA-Brasil Musculoskeletal cohort. <i>Rheumatology International</i> , 2020, 40, 233-242. | 1.5 | 14        |
| 58 | Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.   | 2.0 | 13        |
| 59 | Anemia and Cognitive Performance in the ELSA-Brasil Cohort Baseline. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 227-234.   | 0.9 | 5         |
| 60 | Four-year adiposity change and remission of hypertension: an observational evaluation from the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Human Hypertension</i> , 2020, 34, 68-75.   | 1.0 | 6         |
| 61 | Markers of adiposity, insulin resistance, prediabetes and cognitive function at baseline of the Brazilian Longitudinal Study of Adult Health (ELSA – Brasil). <i>Diabetes Research and Clinical Practice</i> , 2020, 170, 108499.  | 1.1 | 6         |
| 62 | Gender Difference in Social Capital, Common Mental Disorders and Depression: ELSA-Brasil Study. <i>Psych</i> , 2020, 2, 85-96.   | 0.7 | 3         |
| 63 | Lifetime night work exposure and the risk of type 2 diabetes: results from the longitudinal study of adult health (ELSA-Brasil). <i>Chronobiology International</i> , 2020, 37, 1344-1347.   | 0.9 | 4         |
| 64 | Glaucoma, but not cataracts, predicts lower verbal fluency performance: 3.8-year follow-up from the ELSA-Brasil study. <i>Aging, Neuropsychology, and Cognition</i> , 2020, 28, 1-13.  | 0.7 | 0         |
| 65 | Homeostasis model assessment of insulin resistance (HOMA-IR) and metabolic syndrome at baseline of a multicentric Brazilian cohort: ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2020, 36, e00072120.   | 0.4 | 14        |
| 66 | Sex differences in the association between self-reported sleep duration, insomnia symptoms and cardiometabolic risk factors: cross-sectional findings from Brazilian longitudinal study of adult health. <i>Archives of Public Health</i> , 2020, 78, 48.                | 1.0 | 15        |
| 67 | Thyroid Function and Sarcopenia: Results from the ELSA–Brasil Study. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1545-1553.  | 1.3 | 26        |
| 68 | Sleep problems and their association with weight and waist gain - The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sleep Medicine</i> , 2020, 73, 196-201.   | 0.8 | 0         |
| 69 | Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSA–Brasil study. <i>Diabetic Medicine</i> , 2020, 37, 1742-1751.   | 1.2 | 10        |
| 70 | Association between TSH levels within the reference range and adiposity markers at the baseline of the ELSA–Brasil study. <i>PLoS ONE</i> , 2020, 15, e0228801.  | 1.1 | 12        |
| 71 | Adherence to the Dietary Approaches to Stop Hypertension (DASH) and hypertension risk: results of the Longitudinal Study of Adult Health (ELSA-Brasil). <i>British Journal of Nutrition</i> , 2020, 123, 1068-1077.  | 1.2 | 14        |
| 72 | Association between diabetes and cognitive function at baseline in the Brazilian Longitudinal Study of Adult Health (ELSA- Brasil). <i>Scientific Reports</i> , 2020, 10, 1596.  | 1.6 | 40        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Dose-response associations of clinical markers of obesity and duration of exposure to excess weight with chronic musculoskeletal pain: cross-sectional analysis at baseline of ELSA-Brasil Musculoskeletal cohort. <i>Rheumatology International</i> , 2020, 40, 881-891. | 1.5 | 6         |
| 74 | Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2020, 271, 39-48.  | 2.0 | 13        |
| 75 | Association between C reactive protein and all-cause mortality in the ELSA-Brasil cohort. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 421-427.  | 2.0 | 21        |
| 76 | A nationwide analysis of the excess death attributable to diabetes in Brazil. <i>Journal of Global Health</i> , 2020, 10, 010401.   | 1.2 | 10        |
| 77 | Measurement invariance of neuropsychological tests across different sociodemographic backgrounds in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Neuropsychology</i> , 2020, 34, 227-234.   | 1.0 | 12        |
| 78 | Association between dietary patterns and renal function in a cross-sectional study using baseline data from the ELSA-Brasil cohort. <i>Brazilian Journal of Medical and Biological Research</i> , 2020, 53, e10230.   | 0.7 | 3         |
| 79 | Polypharmacy, socioeconomic indicators and number of diseases: results from ELSA-Brasil. <i>Revista Brasileira De Epidemiologia</i> , 2020, 23, e200077.  | 0.3 | 17        |
| 80 | Association between race/color and incidence of hypertension in the ELSA-Brasil population: investigating the mediation of racial discrimination and socioeconomic position. <i>Ethnicity and Health</i> , 2020, , 1-11.  | 1.5 | 3         |
| 81 | Association between cognitive performance and self-reported glaucoma in middle-aged and older adults: a cross-sectional analysis of ELSA-Brasil. <i>Brazilian Journal of Medical and Biological Research</i> , 2020, 53, e10347.  | 0.7 | 2         |
| 82 | Serum folate levels and cognitive performance in the ELSA-Brasil baseline assessment. <i>Arquivos De Neuro-Psiquiatria</i> , 2020, 78, 672-680.   | 0.3 | 3         |
| 83 | Circunferência do Pescoço e Risco Cardiovascular em 10 Anos na Linha de Base do ELSA-Brasil: Diferenciais por Sexo. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 115, 840-848.  | 0.3 | 8         |
| 84 | Poorer cardiovascular health is associated with psychiatric comorbidity: results from the ELSA-Brasil Study. <i>International Journal of Cardiology</i> , 2019, 274, 358-365.   | 0.8 | 30        |
| 85 | Association between consumption of ultra-processed foods and serum C-reactive protein levels: cross-sectional results from the ELSA-Brasil study. <i>Sao Paulo Medical Journal</i> , 2019, 137, 169-176.  | 0.4 | 45        |
| 86 | Effects of Calcium, Magnesium, and Potassium Concentrations on Ventricular Repolarization in Unselected Individuals. <i>Journal of the American College of Cardiology</i> , 2019, 73, 3118-3131.  | 1.2 | 27        |
| 87 | Relation of Thoracic Aortic and Coronary Artery Calcium to Cardiovascular Risk Factors (from The Tj ETQq1 1 0.784314 rgBT /Overload 1655-1661.  | 0.7 | 5         |
| 88 | Work-Family Conflict and Ideal Cardiovascular Health Score in the ELSA-Brasil Baseline Assessment. <i>Journal of the American Heart Association</i> , 2019, 8, e012701.   | 1.6 | 7         |
| 89 | Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA-Brasil. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 552-562.   | 2.2 | 13        |
| 90 | Effort-Reward Imbalance, Over-Commitment and Depressive Episodes at Work: Evidence from the ELSA-Brasil Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3025.  | 1.2 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Greater aortic stiffness is associated with renal dysfunction in participants of the ELSA-Brasil cohort with and without hypertension and diabetes. <i>PLoS ONE</i> , 2019, 14, e0210522.  | 1.1 | 14        |
| 92  | Cognitive impairment in HTLV-1-associated myelopathy, proviral load and inflammatory markers. <i>International Journal of Infectious Diseases</i> , 2019, 84, 121-126.   | 1.5 | 15        |
| 93  | Context-dependence of race self-classification: Results from a highly mixed and unequal middle-income country. <i>PLoS ONE</i> , 2019, 14, e0216653.   | 1.1 | 27        |
| 94  | Sex-specific patterns in the association between salt intake and blood pressure: The ELSA-Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 502-509.   | 1.0 | 25        |
| 95  | Racial differences in the association between early socioeconomic position, birth weight, and arterial stiffness in adults from ELSA-Brasil. <i>Annals of Epidemiology</i> , 2019, 34, 45-51.  | 0.9 | 6         |
| 96  | Intermediate hyperglycaemia to predict progression to type 2 diabetes (ELSA-Brasil): an occupational cohort study in Brazil. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 267-277.  | 5.5 | 53        |
| 97  | The association between the neighbourhood social environment and obesity in Brazil: a cross-sectional analysis of the ELSA-Brasil study. <i>BMJ Open</i> , 2019, 9, e026800.   | 0.8 | 10        |
| 98  | Aortic Stiffness and Age With Cognitive Performance Decline in the ELSA-Brasil Cohort. <i>Journal of the American Heart Association</i> , 2019, 8, e013248.  | 1.6 | 10        |
| 99  | Anatomical References to Evaluate Thoracic Aorta Calcium by Computed Tomography. <i>Current Atherosclerosis Reports</i> , 2019, 21, 51.  | 2.0 | 9         |
| 100 | The association between salt intake and arterial stiffness is influenced by a sex-specific mediating effect through blood pressure in normotensive adults: The ELSA-Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1771-1779. | 1.0 | 14        |
| 101 | Job Stress and Heart Rate Variability: Findings From the ELSA-Brasil Cohort. <i>Psychosomatic Medicine</i> , 2019, 81, 536-544.  | 1.3 | 5         |
| 102 | Prevalence of pain and associated factors in Brazilian civil servants: an introductory analysis using baseline data from the ELSA-Brasil cohort. <i>Pain Reports</i> , 2019, 4, e797.  | 1.4 | 2         |
| 103 | Establishing a blood fructosamine reference range for the Brazilian population based on data from ELSA-Brasil. <i>Practical Laboratory Medicine</i> , 2019, 13, e00111.  | 0.6 | 4         |
| 104 | Performance of distinct knee osteoarthritis classification criteria in the ELSA-Brasil musculoskeletal study. <i>Clinical Rheumatology</i> , 2019, 38, 793-802.  | 1.0 | 4         |
| 105 | Abstract P245: Economic Residential Segregation is Associated With Obesity and Visceral Adiposity in Brazilian Women: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Circulation</i> , 2019, 139, .                          | 1.6 | 0         |
| 106 | Abstract P354: Work-Family Conflict and Ideal Cardiovascular Health Score in ELSA-Brasil Baseline Assessment. <i>Circulation</i> , 2019, 139, .  | 1.6 | 0         |
| 107 | Abstract P076: Regression of Prediabetes and Diabetes is Associated with Mild Weight and Waist Loss - ELSA-Brasil. <i>Circulation</i> , 2019, 139, .   | 1.6 | 0         |
| 108 | 1606-P: Lifetime Risk of Developing Diabetes and Years of Life Lost Due to Diabetes in Brazil: Estimates for the Year 2016. <i>Diabetes</i> , 2019, 68, .  | 0.3 | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Early-life nutritional status and metabolic syndrome: gender-specific associations from a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Public Health Nutrition</i> , 2018, 21, 1546-1553.                             | 1.1 | 6         |
| 110 | Microvascular endothelial function and cognitive performance: The ELSA-Brasil cohort study. <i>Vascular Medicine</i> , 2018, 23, 212-218.   | 0.8 | 7         |
| 111 | Time of exposure to night work and carotid atherosclerosis: a structural equation modeling approach using baseline data from ELSA-Brasil. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 591-600.                                   | 1.1 | 6         |
| 112 | Consumption of ultra-processed food and obesity: cross sectional results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) cohort (2008-2010). <i>Public Health Nutrition</i> , 2018, 21, 2271-2279.  | 1.1 | 73        |
| 113 | Intragenerational Social Mobility and Changes in Blood Pressure: Longitudinal Analysis From the ELSA-Brasil Study. <i>American Journal of Hypertension</i> , 2018, 31, 672-678.   | 1.0 | 10        |
| 114 | Ideal cardiovascular health score at the ELSA-Brasil baseline and its association with sociodemographic characteristics. <i>International Journal of Cardiology</i> , 2018, 254, 333-337.   | 0.8 | 35        |
| 115 | Non-HDL-C goals based on the distribution of population percentiles in ELSA-Brasil: Is it time to change?. <i>Atherosclerosis</i> , 2018, 274, 243-250.   | 0.4 | 5         |
| 116 | At the intersection of place, race, and health in Brazil: Residential segregation and cardio-metabolic risk factors in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Social Science and Medicine</i> , 2018, 199, 67-76.                           | 1.8 | 48        |
| 117 | Carotid-femoral pulse wave velocity in a healthy adult sample: The ELSA-Brasil study. <i>International Journal of Cardiology</i> , 2018, 251, 90-95.  | 0.8 | 27        |
| 118 | Thyrotropin level and cognitive performance: Baseline results from the ELSA-Brasil Study. <i>Psychoneuroendocrinology</i> , 2018, 87, 152-158.  | 1.3 | 19        |
| 119 | Is subjective social status a summary of life-course socioeconomic position?. <i>Cadernos De Saude Publica</i> , 2018, 34, e00024317.   | 0.4 | 9         |
| 120 | Association between perceived racial discrimination and hypertension: findings from the ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2018, 34, e00050317.  | 0.4 | 7         |
| 121 | Shift work, job strain, and metabolic syndrome: Cross-sectional analysis of ELSA-Brasil. <i>American Journal of Industrial Medicine</i> , 2018, 61, 911-918.  | 1.0 | 11        |
| 122 | SP311 ASSOCIATION BETWEEN DIETARY PATTERNS, METABOLIC SYNDROME AND RENAL FUNCTION IN THE LONGITUDINAL STUDY OF ADULT HEALTH (ELSA-BRASIL). <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i449-i449.  | 0.4 | 0         |
| 123 | First stages chronic kidney disease have mild effects on cognitive performance. Results of a 15,105 brazilian adult baseline cohort. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2018, 40, 18-25. | 0.4 | 2         |
| 124 | Optimal cut-off points for waist circumference in the definition of metabolic syndrome in Brazilian adults: baseline analyses of the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 49.                        | 1.2 | 14        |
| 125 | Racial disparities in renal function: the role of racial discrimination. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 1027-1032.   | 2.0 | 5         |
| 126 | Consumption of ultra-processed foods and socioeconomic position: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health. <i>Cadernos De Saude Publica</i> , 2018, 34, e00019717.  | 0.4 | 47        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Sugar-Sweetened Soft Drinks and Fructose Consumption Are Associated with Hyperuricemia: Cross-Sectional Analysis from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2018, 10, 981.  | 1.7 | 47        |
| 128 | Association between Body Image Dissatisfaction and Self-Rated Health, as Mediated by Physical Activity and Eating Habits: Structural Equation Modelling in ELSA-Brasil. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 790.      | 1.2 | 17        |
| 129 | Validade Concorrente e de Face da Escala de MacArthur para Avaliação do Status Social Subjetivo: Estudo Longitudinal de Saúde do Adulto (ELSA-Brasil). <i>Ciencia E Saude Coletiva</i> , 2018, 23, 1267-1280.  | 0.1 | 10        |
| 130 | Consumption of alcohol and blood pressure: Results of the ELSA-Brasil study. <i>PLoS ONE</i> , 2018, 13, e0190239.   | 1.1 | 53        |
| 131 | Nationwide Analysis of Excess Deaths Attributable to Diabetes in Brazil. <i>Diabetes</i> , 2018, 67, .   | 0.3 | 1         |
| 132 | Indicators of Abdominal Adiposity and Carotid Intima-Media Thickness: Results from the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 112, 220-227.  | 0.3 | 13        |
| 133 | A radiografia do joelho em flexão fixa utilizando um novo posicionador produziu medidas da largura do espaço articular com alta repetibilidade: estudo ELSA-Brasil Musculoesquelético (ELSA-Brasil ME). <i>Revista Brasileira De Reumatologia</i> , 2017, 57, 154-161. | 0.8 | 3         |
| 134 | Fixed-flexion knee radiography using a new positioning device produced highly repeatable measurements of joint space width: ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). <i>Revista Brasileira De Reumatologia</i> , 2017, 57, 154-161.                        | 0.7 | 1         |
| 135 | Relations of Metabolically Healthy and Unhealthy Obesity to Digital Vascular Function in Three Community-Based Cohorts: A Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017, 6, .   | 1.6 | 32        |
| 136 | Thyrotropin levels are associated with chronic kidney disease among healthy subjects in cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical and Experimental Nephrology</i> , 2017, 21, 1035-1043.                 | 0.7 | 13        |
| 137 | Psychological distress: a long-lasting matter of the heart. <i>Heart</i> , 2017, 103, 649-650.   | 1.2 | 5         |
| 138 | Major Electrocardiographic Abnormalities According to the Minnesota Coding System Among Brazilian Adults (from the ELSA-Brasil Cohort Study). <i>American Journal of Cardiology</i> , 2017, 119, 2081-2087.  | 0.7 | 23        |
| 139 | Time From Smoking Cessation and Inflammatory Markers: New Evidence From a Cross-Sectional Analysis of ELSA-Brasil. <i>Nicotine and Tobacco Research</i> , 2017, 19, 852-858.   | 1.4 | 11        |
| 140 | Serum uric acid is associated with better executive function in men but not in women: Baseline assessment of the ELSA-Brasil study. <i>Experimental Gerontology</i> , 2017, 92, 82-86.   | 1.2 | 16        |
| 141 | Life course socioeconomic adversities and 10-year risk of cardiovascular disease: cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health. <i>International Journal of Public Health</i> , 2017, 62, 283-292.                                     | 1.0 | 11        |
| 142 | Why does happiness matter? Understanding the relation between positive emotion and health outcomes. <i>Social Science and Medicine</i> , 2017, 191, 61-64.   | 1.8 | 3         |
| 143 | Racial Differences in Arterial Stiffness are Mainly Determined by Blood Pressure Levels: Results From the ELSA-Brasil Study. <i>Journal of the American Heart Association</i> , 2017, 6, .   | 1.6 | 26        |
| 144 | Brazilian dietary patterns and the dietary approaches to stop hypertension (DASH) diet-relationship with metabolic syndrome and newly diagnosed diabetes in the ELSA-Brasil study. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 13.                            | 1.2 | 39        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2017, 208, 448-454.  | 2.0 | 22        |
| 146 | Sweetened Soft Drinks Consumption Is Associated with Metabolic Syndrome: Cross-sectional Analysis from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of the American College of Nutrition</i> , 2017, 36, 99-107.    | 1.1 | 13        |
| 147 | GlycA, a marker of protein glycosylation, is related to albuminuria and estimated glomerular filtration rate: the ELSA-Brasil study. <i>BMC Nephrology</i> , 2017, 18, 367.   | 0.8 | 8         |
| 148 | Comparison of machine-learning algorithms to build a predictive model for detecting undiagnosed diabetes - ELSA-Brasil: accuracy study. <i>Sao Paulo Medical Journal</i> , 2017, 135, 234-246.  | 0.4 | 56        |
| 149 | Coffee Consumption and Heart Rate Variability: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Cohort Study. <i>Nutrients</i> , 2017, 9, 741.  | 1.7 | 10        |
| 150 | Mental disorders and employment status in the São Paulo Metropolitan Area, Brazil: gender differences and use of health services. <i>Cadernos De Saude Publica</i> , 2017, 33, e00154116.   | 0.4 | 7         |
| 151 | Differential reporting of discriminatory experiences in Brazil and the United States. <i>Cadernos De Saude Publica</i> , 2017, 33, e00110516.   | 0.4 | 19        |
| 152 | Age at first childbirth and newly diagnosed diabetes among postmenopausal women: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2017, 135, 266-269.             | 0.4 | 0         |
| 153 | Leisure-Time Physical Activity, but not Commuting Physical Activity, is Associated with Cardiovascular Risk among ELSA-Brasil Participants. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 110, 36-43.  | 0.3 | 21        |
| 154 | Electrocardiographic Findings in Brazilian Adults without Heart Disease: ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 109, 416-424.  | 0.3 | 10        |
| 155 | Psychometric properties of Multidimensional Health Locus of Control - A and General Self-Efficacy Scale in civil servants: ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). <i>Brazilian Journal of Physical Therapy</i> , 2016, 20, 451-460. | 1.1 | 8         |
| 156 | Qualidade de vida relacionada À saÃde em idosos residentes em regiÃo de alta vulnerabilidade para saÃde de Belo Horizonte, Minas Gerais. <i>Revista Brasileira De Epidemiologia</i> , 2016, 19, 280-293.  | 0.3 | 18        |
| 157 | Circulating early biomarkers of atherogenesis in participants of the Longitudinal Study of Adult Health (ELSA-Brasil) without diabetes or cardiovascular disease. <i>Archives of Endocrinology and Metabolism</i> , 2016, 60, 573-581.            | 0.3 | 3         |
| 158 | Lista de eventos traumÃticos ocupacionais para profissionais de emergÃncias: adaptaÃÃo e validaÃÃo. <i>Avaliacao Psicologica</i> , 2016, 15, 391-401.   | 0.1 | 3         |
| 159 | Common mental disorders and sociodemographic characteristics: baseline findings of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 91-97.                                    | 0.9 | 55        |
| 160 | Sex-specific associations of low birth weight with adult-onset diabetes and measures of glucose homeostasis: Brazilian Longitudinal Study of Adult Health. <i>Scientific Reports</i> , 2016, 6, 37032.  | 1.6 | 14        |
| 161 | Association of Coffee Consumption with MRI Markers and Cognitive Function: A Population-Based Study. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 451-461.   | 1.2 | 22        |
| 162 | Investigating osteoarthritis in a subcohort of the Brazilian Longitudinal Study of Adult Health: The ELSA-Brasil Musculoskeletal Study (ELSA-Brasil MSK). <i>Osteoarthritis and Cartilage</i> , 2016, 24, S210-S211.                              | 0.6 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Relation of Anxiety and Depressive Symptoms to Coronary Artery Calcium (from the ELSA-Brazil) Tj ETQq1 1 0.784314 rgBT /Overlock   | 0.7 | 14        |
| 164 | Repeatability and correlations of tibial plateau alignment and joint space width in non-fluoroscopic fixed-flexion knee radiographs: the ELSA-Brazil Musculoskeletal Study (ELSA-Brazil MSK). Osteoarthritis and Cartilage, 2016, 24, S295.        | 0.6 | 0         |
| 165 | Sex-specific associations of birth weight with measures of adiposity in mid-to-late adulthood: the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). International Journal of Obesity, 2016, 40, 1286-1291.                              | 1.6 | 12        |
| 166 | Gender differences in cumulative life-course socioeconomic position and social mobility in relation to new onset diabetes in adults: the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). Annals of Epidemiology, 2016, 26, 858-864.e1. | 0.9 | 10        |
| 167 | Association of binge eating behavior and psychiatric comorbidity in ELSA-Brazil study: Results from baseline data. Eating Behaviors, 2016, 23, 145-149.  | 1.1 | 4         |
| 168 | Long-Term Cohort Studies in Brazil: On the Tracks of the Nurses' Health Study and Beyond. American Journal of Public Health, 2016, 106, 1534-1536.   | 1.5 | 0         |
| 169 | Factors associated with metabolically healthy status in obesity, overweight, and normal weight at baseline of ELSA-Brazil. Medicine (United States), 2016, 95, e4010.  | 0.4 | 24        |
| 170 | More on: The association between mean platelet volume and cardiovascular risk factors. European Journal of Internal Medicine, 2016, 31, e18-e19.   | 1.0 | 1         |
| 171 | Leisure Time Physical Activity and Cardio-Metabolic Health: Results From the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). Journal of the American Heart Association, 2016, 5, .   | 1.6 | 24        |
| 172 | Cardiovascular Health in Brazil. Circulation, 2016, 133, 422-433.  | 1.6 | 237       |
| 173 | Lower fasting blood glucose in neurofibromatosis type 1. Endocrine Connections, 2016, 5, 28-33.  | 0.8 | 15        |
| 174 | Platelet volume is associated with the Framingham risk score for cardiovascular disease in the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). Clinical Chemistry and Laboratory Medicine, 2016, 54, 879-87.                           | 1.4 | 13        |
| 175 | Chronic kidney disease among adult participants of the ELSA-Brazil cohort: association with race and socioeconomic position. Journal of Epidemiology and Community Health, 2016, 70, 380-389.  | 2.0 | 83        |
| 176 | Artificially Sweetened Beverage Consumption Is Positively Associated with Newly Diagnosed Diabetes in Normal-Weight but Not in Overweight or Obese Brazilian Adults. Journal of Nutrition, 2016, 146, 290-297.                                     | 1.3 | 12        |
| 177 | Derivation of a risk assessment model for hospital-acquired venous thrombosis: the NAVAL score. Journal of Thrombosis and Thrombolysis, 2016, 41, 628-635.   | 1.0 | 7         |
| 178 | Timing and Type of Alcohol Consumption and the Metabolic Syndrome - ELSA-Brazil. PLoS ONE, 2016, 11, e0163044.   | 1.1 | 40        |
| 179 | Physical Activity and Lipid Profile in the ELSA-Brazil Study. Arquivos Brasileiros De Cardiologia, 2016, 107, 10-9.  | 0.3 | 30        |
| 180 | BEFORE-AND-AFTER STUDY: DOES BARIATRIC SURGERY REDUCE HEALTHCARE UTILIZATION AND RELATED COSTS AMONG OPERATED PATIENTS?. International Journal of Technology Assessment in Health Care, 2015, 31, 407-413.   | 0.2 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Education plays a greater role than age in cognitive test performance among participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Neurology</i> , 2015, 15, 191.                                     | 0.8 | 54        |
| 182 | Inconsistent Correlation Between Carotid Artery Intima-Media Thickness and Peripheral Arterial Tonometry. <i>Medicine (United States)</i> , 2015, 94, e1403.  | 0.4 | 5         |
| 183 | Transtorno de Estresse Pós-Traumático (TEPT) em Bombeiros de Belo Horizonte, Brasil: Prevalência e Fatores Ocupacionais Associados. <i>Psicologia: Teoria E Pesquisa</i> , 2015, 31, 279-288.   | 0.1 | 8         |
| 184 | Body Image and Nutritional Status Are Associated with Physical Activity in Men and Women: The ELSA-Brasil Study. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 6179-6196.                      | 1.2 | 33        |
| 185 | Inconsistency of Association between Coffee Consumption and Cognitive Function in Adults and Elderly in a Cross-Sectional Study (ELSA-Brasil). <i>Nutrients</i> , 2015, 7, 9590-9601.   | 1.7 | 23        |
| 186 | Timing and type of alcohol consumption and the metabolic syndrome: ELSA-Brasil. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, .  | 1.2 | 0         |
| 187 | Prevalence, Awareness, Treatment and Influence of Socioeconomic Variables on Control of High Blood Pressure: Results of the ELSA-Brasil Study. <i>PLoS ONE</i> , 2015, 10, e0127382.  | 1.1 | 132       |
| 188 | Social Inequalities in C-Reactive Protein Levels in Adults from the Brazilian Longitudinal Study of Adult Health (Elsa-Brasil): A Life Course Analysis.. <i>International Journal of Epidemiology</i> , 2015, 44, i270-i271.          | 0.9 | 0         |
| 189 | Experimentation and Use of Cigarette and other Tobacco Products among Brazilian Adolescents. <i>National Research of School Health</i> , 2012.. <i>International Journal of Epidemiology</i> , 2015, 44, i270-i270.                   | 0.9 | 0         |
| 190 | Relative Leg Length is Inversely Associated with Diabetes in Brazilian Adults: The Brazilian Longitudinal Study of Adult Health.. <i>International Journal of Epidemiology</i> , 2015, 44, i62-i63.                                   | 0.9 | 0         |
| 191 | Maior acesso à informação sobre como prevenir o câncer bucal entre idosos assistidos na atenção primária à saúde. <i>Ciencia E Saude Coletiva</i> , 2015, 20, 2239-2253.  | 0.1 | 9         |
| 192 | Education Plays a Greater Role than Age in Cognitive Test Performance among Participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil).. <i>International Journal of Epidemiology</i> , 2015, 44, i265-i265.      | 0.9 | 2         |
| 193 | Relative leg length is associated with type 2 diabetes differently according to pubertal timing: The Brazilian longitudinal study of adult health. <i>American Journal of Human Biology</i> , 2015, 27, 219-225.                      | 0.8 | 5         |
| 194 | Glucose and triglyceride excursions following a standardized meal in individuals with diabetes: ELSA-Brasil study. <i>Cardiovascular Diabetology</i> , 2015, 14, 21.  | 2.7 | 13        |
| 195 | Cohort Profile: Longitudinal Study of Adult Health (ELSA-Brasil). <i>International Journal of Epidemiology</i> , 2015, 44, 68-75.   | 0.9 | 416       |
| 196 | Low Impact of Traditional Risk Factors on Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2054-2059.  | 1.1 | 65        |
| 197 | Associations of life course socioeconomic position and job stress with carotid intima-media thickness. <i>The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil)</i> . <i>Social Science and Medicine</i> , 2015, 141, 91-99. | 1.8 | 18        |
| 198 | Standardization and reference intervals of platelet volume indices: Insight from the Brazilian longitudinal study of adult health (ELSA-BRASIL). <i>Platelets</i> , 2015, 26, 413-420.  | 1.1 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Physical Activity, Body Image and Body Mass Index: ELSA Brasil Cohort. FASEB Journal, 2015, 29, LB308.  | 0.2 | 0         |
| 200 | Methods of cognitive function investigation in the Longitudinal Study on Adult Health (ELSA-Brasil). Sao Paulo Medical Journal, 2014, 132, 170-177.   | 0.4 | 40        |
| 201 | Experimentation and use of cigarette and other tobacco products among adolescents in the Brazilian state capitals (PeNSE 2012). Revista Brasileira De Epidemiologia, 2014, 17, 62-76.   | 0.3 | 29        |
| 202 | Mortality rate after open Roux-in-Y gastric bypass: a 10-year follow-up. Brazilian Journal of Medical and Biological Research, 2014, 47, 617-625.   | 0.7 | 19        |
| 203 | Labor in early life, vulnerability for health in Brazilian schoolchildren: National Adolescent School-based Health Survey (PeNSE 2012). Revista Brasileira De Epidemiologia, 2014, 17, 17-30.   | 0.3 | 11        |
| 204 | Sexual behavior among Brazilian adolescents, National Adolescent School-based Health Survey (PeNSE) Tj ETQq0 0.0 rgBT /Overlock 10  | 0.3 | 39        |
| 205 | Ten-years of bariatric surgery in Brazil: in-hospital mortality rates for patients assisted by universal health system or a health maintenance organization. Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery, 2014, 27, 261-267. | 0.5 | 14        |
| 206 | Relations of Digital Vascular Function, Cardiovascular Risk Factors, and Arterial Stiffness: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Cohort Study. Journal of the American Heart Association, 2014, 3, e001279.                                      | 1.6 | 27        |
| 207 | High prevalence of diabetes and intermediate hyperglycemia – The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Diabetology and Metabolic Syndrome, 2014, 6, 123.  | 1.2 | 103       |
| 208 | Subjective social status, self-rated health and tobacco smoking: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Health Psychology, 2014, 19, 1388-1399.   | 1.3 | 26        |
| 209 | Earlier age at menarche is associated with higher diabetes risk and cardiometabolic disease risk factors in Brazilian adults: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Cardiovascular Diabetology, 2014, 13, 22.   | 2.7 | 67        |
| 210 | Job stress is associated with migraine in current workers: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). European Journal of Pain, 2014, 18, 1290-1297.   | 1.4 | 32        |
| 211 | Maternal education, anthropometric markers of malnutrition and cognitive function (ELSA-Brasil). BMC Public Health, 2014, 14, 673.  | 1.2 | 15        |
| 212 | Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. Lancet Diabetes and Endocrinology, 2014, 2, 634-647.  | 5.5 | 591       |
| 213 | Life Course Socioeconomic Position and C-Reactive Protein: Mediating Role of Health-Risk Behaviors and Metabolic Alterations. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE, 2014, 9, e108426.   | 1.1 | 22        |
| 214 | Severe maternal morbidity: a case-control study in Maranhao, Brazil. Reproductive Health, 2013, 10, 11.   | 1.2 | 19        |
| 215 | Patterns of benzodiazepine and antidepressant use among middle-aged adults. The Brazilian longitudinal study of adult health (ELSA-Brasil). Journal of Affective Disorders, 2013, 151, 71-77.   | 2.0 | 47        |
| 216 | Do patients and physicians agree on diabetes management? A study conducted in Public Healthcare Centres in Brazil. Patient Education and Counseling, 2013, 92, 107-113.   | 1.0 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Contextual factors associated with sexual behavior among Brazilian adolescents. <i>Annals of Epidemiology</i> , 2013, 23, 629-635.  | 0.9 | 44        |
| 218 | Psychiatric morbidity and stable angina pectoris. the ELSA-Brasil. <i>European Heart Journal</i> , 2013, 34, P5145-P5145.   | 1.0 | 2         |
| 219 | Socioeconomic inequalities in youth smoking in Brazil. <i>BMJ Open</i> , 2013, 3, e003538.  | 0.8 | 38        |
| 220 | Reproducibility of peripheral arterial tonometry for the assessment of endothelial function in adults. <i>Journal of Hypertension</i> , 2013, 31, 1984-1990.  | 0.3 | 48        |
| 221 | Risk of recurrent venous thrombosis related to past provoking risk situations. <i>Blood Coagulation and Fibrinolysis</i> , 2013, 24, 562-566.   | 0.5 | 3         |
| 222 | Assessment of characteristics associated with pharmacologic thromboprophylaxis use in hospitalized patients. <i>Blood Coagulation and Fibrinolysis</i> , 2013, 24, 691-697.                           | 0.5 | 3         |
| 223 | Association between self-rated oral appearance and the need for dental prostheses among elderly Brazilians. <i>Brazilian Oral Research</i> , 2013, 27, 203-210.                                       | 0.6 | 15        |
| 224 | Encephalomyelopathy associated with HTLV-I: A primary disease or coexisting with multiple sclerosis?. <i>Dementia E Neuropsychologia</i> , 2013, 7, 439-443.  | 0.3 | 7         |
| 225 | Reliability of Cognitive Tests of ELSA-Brasil, the Brazilian Longitudinal Study of Adult Health. <i>Dementia E Neuropsychologia</i> , 2013, 7, 367-373.   | 0.3 | 16        |
| 226 | Contextual factors associated with smoking among Brazilian adolescents. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 723-729.  | 2.0 | 33        |
| 227 | Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Objectives and Design. <i>American Journal of Epidemiology</i> , 2012, 175, 315-324.  | 1.6 | 558       |
| 228 | Adverse Psychosocial Working Conditions and Poor Quality of Life among Financial Service Employees in Brazil. <i>Journal of Occupational Health</i> , 2012, 54, 88-95.                                | 1.0 | 23        |
| 229 | Epidemiology in Latin America and the Caribbean: current situation and challenges. <i>International Journal of Epidemiology</i> , 2012, 41, 557-571.  | 0.9 | 154       |
| 230 | Absenteeism due to voice disorders in female teachers: a public health problem. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 853-864.                           | 1.1 | 54        |
| 231 | Reliability of the MacArthur scale of subjective social status - Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Public Health</i> , 2012, 12, 1096.                               | 1.2 | 134       |
| 232 | The influence of prothrombotic laboratory abnormalities on the risk of recurrent venous thrombosis. <i>Thrombosis Research</i> , 2012, 130, 974-976.  | 0.8 | 7         |
| 233 | Factor structure, internal consistency and reliability of the Posttraumatic Stress Disorder Checklist (PCL): an exploratory study. <i>Trends in Psychiatry and Psychotherapy</i> , 2012, 34, 215-222. | 0.4 | 28        |
| 234 | Epidemiology of recurrent venous thrombosis. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 1-7.   | 0.7 | 13        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Stressful working conditions and poor self-rated health among financial services employees. Revista De Saude Publica, 2012, 46, 407-416.   | 0.7 | 23        |
| 236 | Frequência e repercussão da sobrecarga de cuidadoras familiares de idosos com demência. Revista Brasileira De Geriatria E Gerontologia, 2012, 15, 707-731.   | 0.1 | 16        |
| 237 | Alterações vocais e cuidados de saúde entre professoras. Revista CEFAC: Atualização Científica Em Fonoaudiologia, 2012, 14, 697-704.   | 0.2 | 9         |
| 238 | Transição demográfica e epidemiológica: a Epidemiologia e Serviços de Saúde revisita e atualiza o tema. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2012, 21, 529-532. | 0.3 | 43        |
| 239 | Past provoking venous thrombosis risk situations on the risk of a recurrent thrombotic event: A cohort study. Thrombosis Research, 2011, 128, 227-232.   | 0.8 | 5         |
| 240 | Chronic non-communicable diseases in Brazil: burden and current challenges. Lancet, The, 2011, 377, 1949-1961.   | 6.3 | 979       |
| 241 | Prevalência do consumo de álcool e drogas entre adolescentes: análise dos dados da Pesquisa Nacional de Saúde Escolar. Revista Brasileira De Epidemiologia, 2011, 14, 136-146.                             | 0.3 | 71        |
| 242 | Incidence and main causes of severe maternal morbidity in São Luís, Maranhão, Brazil: a longitudinal study. Sao Paulo Medical Journal, 2011, 129, 146-152.   | 0.4 | 12        |
| 243 | Costs and usage of healthcare services before and after open bariatric surgery. Sao Paulo Medical Journal, 2011, 129, 291-299.   | 0.4 | 14        |
| 244 | Verbal fluency tests reliability in a Brazilian multicentric study, ELSA-Brasil. Arquivos De Neuro-Psiquiatria, 2011, 69, 814-816.   | 0.3 | 23        |
| 245 | Avaliação de um modelo de predição para apneia do sono em pacientes submetidos a polissonografia. Jornal Brasileiro De Pneumologia, 2011, 37, 75-84.   | 0.4 | 27        |
| 246 | P1-430 Smoking among Brazilian workers: influence of employment status and household context. Journal of Epidemiology and Community Health, 2011, 65, A186-A186.   | 2.0 | 0         |
| 247 | P2-23 Contextual factors associated with smoking among Brazilian adolescents. Journal of Epidemiology and Community Health, 2011, 65, A226-A226.   | 2.0 | 1         |
| 248 | Contextual and family factors associated with negative assessment of children's health. European Journal of Public Health, 2011, 21, 649-655.  | 0.1 | 7         |
| 249 | Thromboprophylaxis: medical recommendations and hospital programs. Revista Da Associação Médica Brasileira, 2011, 57, 87-97.   | 0.3 | 1         |
| 250 | Unemployment and self-rated health: Neighborhood influence. Social Science and Medicine, 2010, 71, 815-823.  | 1.8 | 47        |
| 251 | Adverse psychosocial working conditions and minor psychiatric disorders among bank workers. BMC Public Health, 2010, 10, 686.  | 1.2 | 26        |
| 252 | Auto-relato e relato de informante secundário na avaliação da saúde em idosos. Revista De Saude Publica, 2010, 44, 1120-1129.  | 0.7 | 11        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Autopercepção da saúde bucal entre idosos brasileiros. Revista De Saude Publica, 2010, 44, 912-922.   | 0.7 | 47        |
| 254 | Comportamento saudável entre adultos jovens no Brasil. Revista De Saude Publica, 2009, 43, 9-17.  | 0.7 | 21        |
| 255 | Doença crônica, auto-avaliação de saúde e comportamento de risco: diferença de gênero. Revista De Saude Publica, 2009, 43, 38-47.   | 0.7 | 57        |
| 256 | Smoking-attributable mortality and years of potential life lost in 16 Brazilian capitals, 2003: a prevalence-based study. BMC Public Health, 2009, 9, 206.  | 1.2 | 39        |
| 257 | Different Criteria for Assessment of Roux-en-Y Gastric Bypass Success: Does Only Weight Matter?. Obesity Surgery, 2009, 19, 1384-1392.  | 1.1 | 34        |
| 258 | Mortality and Hospital Stay After Bariatric Surgery in 2,167 Patients: Influence of the Surgeon Expertise. Obesity Surgery, 2009, 19, 1228-1235.  | 1.1 | 36        |
| 259 | Does regular practice of physical activity reduce the risk of dysphonia?. Preventive Medicine, 2009, 49, 487-489.   | 1.6 | 12        |
| 260 | Oral language comprehension assessment among elderly: A population based study in Brazil. Preventive Medicine, 2009, 49, 541-545.   | 1.6 | 14        |
| 261 | Confiabilidade do informante secundário em inquéritos de saúde. Revista Brasileira De Estudos De Populacao, 2009, 26, 141-144.  | 0.3 | 8         |
| 262 | Voice Disorders (Dysphonia) in Public School Female Teachers Working in Belo Horizonte: Prevalence and Associated Factors. Journal of Voice, 2008, 22, 676-687.   | 0.6 | 95        |
| 263 | Household context and self-rated health: the effect of unemployment and informal work. Journal of Epidemiology and Community Health, 2008, 62, 1079-1085.   | 2.0 | 27        |
| 264 | Weight Gain After Short- and Long-Limb Gastric Bypass in Patients Followed for Longer Than 10 Years. Annals of Surgery, 2008, 247, 205-206.   | 2.1 | 4         |
| 265 | Informal work, unemployment and health in Brazilian metropolitan areas, 1998 and 2003. Cadernos De Saude Publica, 2008, 24, 2396-2406.  | 0.4 | 24        |
| 266 | O perfil de saúde cardiovascular dos idosos brasileiros precisa melhorar: estudo de base populacional. Arquivos Brasileiros De Cardiologia, 2008, 91, 1-10.   | 0.3 | 67        |
| 267 | Acesso à internação e fatores associados ao óbito hospitalar por doenças isquêmicas do coração no SUS. Arquivos Brasileiros De Cardiologia, 2008, 90, 130-138.  | 0.3 | 7         |
| 268 | Vision for a Global Registry of Anticipated Public Health Studies. American Journal of Public Health, 2007, 97, S82-S87.  | 1.5 | 6         |
| 269 | Prevalence of International Classification of Diseases, 10th Revision Common Mental Disorders in the Elderly in a Brazilian Community: The Bambui Health Ageing Study. American Journal of Geriatric Psychiatry, 2007, 15, 17-27. | 0.6 | 41        |
| 270 | Voice Disorder: case definition and prevalence in teachers. Revista Brasileira De Epidemiologia, 2007, 10, 625-636.   | 0.3 | 32        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | The increase of diabetes mortality burden among Brazilian adults. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2007, 22, 239-245.  | 0.6 | 17        |
| 272 | Is the GDS-30 better than the GHQ-12 for screening depression in elderly people in the community? The Bambui Health Aging Study (BHAS). <i>International Psychogeriatrics</i> , 2006, 18, 493.                       | 0.6 | 53        |
| 273 | Continued exposure to silica after diagnosis of silicosis in Brazilian gold miners. <i>American Journal of Industrial Medicine</i> , 2006, 49, 811-818.  | 1.0 | 21        |
| 274 | Does health status explain gender dissimilarity in healthcare use among older adults?. <i>Cadernos De Saude Publica</i> , 2006, 22, 347-355.   | 0.4 | 17        |
| 275 | Envelhecimento: prevenç o e promoç o da sa de. <i>Cadernos De Saude Publica</i> , 2006, 22, 2009-2009.   | 0.4 | 1         |
| 276 | Health status indicators among community-dwelling elders with arthritis: the Bambu -health and aging study. <i>Journal of Rheumatology</i> , 2006, 33, 342-7.  | 1.0 | 11        |
| 277 | O professor, as condiç es de trabalho e os efeitos sobre sua sa de. <i>Educacao E Pesquisa</i> , 2005, 31, 189-199.  | 0.4 | 132       |
| 278 | 260: Vision for a Global Registry of Anticipated Public Health Studies (GRAPHS). <i>American Journal of Epidemiology</i> , 2005, 161, S65-S65.   | 1.6 | 0         |
| 279 | 009-S: Health Status Indicators Among Community-Dwelling Elders with Arthritis: The Bambu  Health and Aging Study. <i>American Journal of Epidemiology</i> , 2005, 161, S3-S3.                                       | 1.6 | 0         |
| 280 | Type 2 diabetes: prevalence and associated factors in a Brazilian community - the Bambu -health and aging study. <i>Sao Paulo Medical Journal</i> , 2005, 123, 66-71.  | 0.4 | 68        |
| 281 | Gender inequalities in health among older Brazilian adults. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2004, 16, 110-117.  | 0.6 | 23        |
| 282 | A population based study on the intra and inter-rater reliability of the clock drawing test in Brazil: the Bambu -Health and Ageing Study. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 450-456. | 1.3 | 27        |
| 283 | Agreement Between the Geriatric Depression Scale and the General Health Questionnaire in a Population-Based Elderly Cohort. <i>Clinical Gerontologist</i> , 2003, 26, 69-82.   | 1.2 | 3         |
| 284 | The Bambui Health and Aging Study (BHAS): factors associated with the treatment of hypertension in older adults in the community. <i>Cadernos De Saude Publica</i> , 2003, 19, 817-827.                              | 0.4 | 32        |
| 285 | Quantifying the risk of coronary artery disease in a community: The Bambu -Project. <i>Arquivos Brasileiros De Cardiologia</i> , 2003, 81, 556-61, 549-55.   | 0.3 | 24        |
| 286 | Predictive factors of in-hospital mortality and of severe perioperative complications in myocardial revascularization surgery. <i>Arquivos Brasileiros De Cardiologia</i> , 2003, 80, 51-60, 41-50.                  | 0.3 | 15        |
| 287 | Detection of renal dysfunction based on serum creatinine levels in a Brazilian community: the Bambu -Health and Ageing Study. <i>Brazilian Journal of Medical and Biological Research</i> , 2003, 36, 393-401.       | 0.7 | 26        |
| 288 | Obesity and underweight among Brazilian elderly: the Bambu -Health and Aging Study. <i>Cadernos De Saude Publica</i> , 2003, 19, 605-612.  | 0.4 | 68        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | American cutaneous leishmaniasis: use of a skin test as a predictor of relapse after treatment. Bulletin of the World Health Organization, 2000, 78, 968-74. | 1.5 | 24        |
| 308 | Trends in asthma mortality in young people in southern Brazil. Annals of Allergy, Asthma and Immunology, 1999, 82, 287-292.                                  | 0.5 | 19        |
| 309 | A nested case-control study of fatal work related injuries among Brazilian steel workers.. Occupational and Environmental Medicine, 1997, 54, 599-604.       | 1.3 | 50        |
| 310 | Risk of death from motor-vehicle injury in Brazilian steelworkers: a nested case-control study. International Journal of Epidemiology, 1997, 26, 814-821.    | 0.9 | 29        |
| 311 | Ethics of HIV trials. Lancet, The, 1997, 350, 1546.  | 6.3 | 17        |
| 312 | Mortality from injuries and other causes in a cohort of 21,800 Brazilian steel workers.. Occupational and Environmental Medicine, 1996, 53, 343-350.         | 1.3 | 13        |
| 313 | STATIN USE AND MUSCULAR PROBLEMS: A CROSS-SECTIONAL ANALYSIS OF THE ELSA-BRASIL MUSCULOSKELETAL COHORT. , 0, , .   |     | 0         |
| 314 | Retest effects in a diverse sample: sociodemographic predictors and possible correction approaches. Dementia E Neuropsychologia, 0, , .                      | 0.3 | 0         |