

Thokozani Kalua

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1141705/thokozani-kalua-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

483

citations

12

h-index

21

g-index

41

ext. papers

699

ext. citations

6.3

avg, IF

3.32

L-index

#	Paper	IF	Citations
38	Isoniazid-associated pellagra during mass scale-up of tuberculosis preventive therapy: a case-control study.. <i>The Lancet Global Health</i> , 2022 , 10, e705-e714	13.6	2
37	Early post-partum viremia predicts long-term non-suppression of viral load in HIV-positive women on ART in Malawi: Implications for the elimination of infant transmission. <i>PLoS ONE</i> , 2021 , 16, e0248559	3.7	1
36	Screening for HIV Among Patients at Tuberculosis Clinics - Results from Population-Based HIV Impact Assessment Surveys, Malawi, Zambia, and Zimbabwe, 2015-2016. <i>Morbidity and Mortality Weekly Report</i> , 2021 , 70, 342-345	31.7	
35	Assessing the Impact of COVID-19 on TB and HIV Programme Services in Selected Health Facilities in Lilongwe, Malawi: Operational Research in Real Time. <i>Tropical Medicine and Infectious Disease</i> , 2021 , 6,	3.5	7
34	Strengthening measurement and performance of HIV prevention programmes. <i>Lancet HIV</i> , 2021 , 8, e306-e310	7.8	0
33	Multimonth dispensing of up to 6 months of antiretroviral therapy in Malawi and Zambia (INTERVAL): a cluster-randomised, non-blinded, non-inferiority trial. <i>The Lancet Global Health</i> , 2021 , 9, e628-e638	13.6	15
32	Incidence of HIV-positive admission and inpatient mortality in Malawi (2012-2019). <i>Aids</i> , 2021 , 35, 2191-2199	3.99	3
31	Implications of HIV treatment policies on the health workforce in rural Malawi and Tanzania between 2013 and 2017: Evidence from the SHAPE-UTT study. <i>Global Public Health</i> , 2021 , 16, 256-273	3.5	3
30	Implementation and experiences of integrated prevention of mother-to-child transmission services in Tanzania, Malawi and South Africa: A mixed methods study. <i>Global Public Health</i> , 2021 , 16, 201-215	3.5	3
29	Consequences of male partner engagement policies on HIV care-seeking in three African countries: Findings from the SHAPE UTT study. <i>Global Public Health</i> , 2021 , 16, 216-226	3.5	3
28	Influence of evolving HIV treatment guidance on CD4 counts and viral load monitoring: A mixed-methods study in three African countries. <i>Global Public Health</i> , 2021 , 16, 288-304	3.5	2
27	Unawareness of HIV Infection Among Men Aged 15-59 Years in 13 Sub-Saharan African Countries: Findings From the Population-Based HIV Impact Assessments, 2015-2019. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 87, S97-S106	3.1	2
26	Evaluating the effect of a community score card among pregnant and breastfeeding women living with HIV in two districts in Malawi. <i>PLoS ONE</i> , 2021 , 16, e0255788	3.7	0
25	Naomi: a new modelling tool for estimating HIV epidemic indicators at the district level in sub-Saharan Africa. <i>Journal of the International AIDS Society</i> , 2021 , 24 Suppl 5, e25788	5.4	2
24	Treatment-adjusted prevalence to assess HIV testing programmes. <i>Bulletin of the World Health Organization</i> , 2021 , 99, 874-882	8.2	0
23	Prevalence of nonsuppressed viral load and associated factors among HIV-positive adults receiving antiretroviral therapy in Eswatini, Lesotho, Malawi, Zambia and Zimbabwe (2015 to 2017): results from population-based nationally representative surveys. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25621	5.4	13
22	Protocol for a Case-Control Study to Investigate the Association of Pellagra With Isoniazid Exposure During Tuberculosis Preventive Treatment Scale-Up in Malawi. <i>Frontiers in Public Health</i> , 2020 , 8, 551308	6	3

21	Evaluation of 6-Month Versus Continuous Isoniazid Preventive Therapy for Mycobacterium tuberculosis in Adults Living With HIV/AIDS in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, 643-650	3.1	2
20	Bringing women's voices to PMTCT CARE: adapting CARE's Community Score Card to engage women living with HIV to build quality health systems in Malawi. <i>BMC Health Services Research</i> , 2020 , 20, 679	2.9	2
19	Assessing the costs and efficiency of HIV testing and treatment services in rural Malawi: implications for future "test and start" strategies. <i>BMC Health Services Research</i> , 2020 , 20, 740	2.9	1
18	Factors associated with burnout amongst healthcare workers providing HIV care in Malawi. <i>PLoS ONE</i> , 2019 , 14, e0222638	3.7	3
17	The missed potential of CD4 and viral load testing to improve clinical outcomes for people living with HIV in lower-resource settings. <i>PLoS Medicine</i> , 2019 , 16, e1002820	11.6	16
16	Low detectable postpartum viral load is associated with HIV transmission in Malawi's prevention of mother-to-child transmission programme. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25290	5.4	12
15	Pregnancy intention and contraceptive use among HIV-positive Malawian women at 4-26 weeks post-partum: A nested cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0215947	3.7	2
14	HIV surveillance based on routine testing data from antenatal clinics in Malawi (2011-2018): measuring and adjusting for bias from imperfect testing coverage. <i>Aids</i> , 2019 , 33 Suppl 3, S295-S302	3.5	0
13	HIV self-testing alone or with additional interventions, including financial incentives, and linkage to care or prevention among male partners of antenatal care clinic attendees in Malawi: An adaptive multi-arm, multi-stage cluster randomised trial. <i>PLoS Medicine</i> , 2019 , 16, e1002719	11.6	76
12	Risks and benefits of dolutegravir-based antiretroviral drug regimens in sub-Saharan Africa: a modelling study. <i>Lancet HIV, the</i> , 2019 , 6, e116-e127	7.8	53
11	Towards the third 90: improving viral load testing with a simple quality improvement program in health facilities in Malawi. <i>International Health</i> , 2019 , 11, 215-220	2.4	1
10	Extending beyond Policy: Reaching UNAIDS's three "90"s in Malawi. <i>Frontiers in Public Health</i> , 2018 , 6, 69	6	6
9	Status of HIV Epidemic Control Among Adolescent Girls and Young Women Aged 15-24 Years - Seven African Countries, 2015-2017. <i>Morbidity and Mortality Weekly Report</i> , 2018 , 67, 29-32	31.7	40
8	National estimates and risk factors associated with early mother-to-child transmission of HIV after implementation of option B+: a cross-sectional analysis. <i>Lancet HIV, the</i> , 2018 , 5, e688-e695	7.8	29
7	Patient and health worker experiences of differentiated models of care for stable HIV patients in Malawi: A qualitative study. <i>PLoS ONE</i> , 2018 , 13, e0196498	3.7	16
6	Multi-month prescriptions, fast-track refills, and community ART groups: results from a process evaluation in Malawi on using differentiated models of care to achieve national HIV treatment goals. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21650	5.4	87
5	Lessons Learned From Option B+ in the Evolution Toward "Test and Start" From Malawi, Cameroon, and the United Republic of Tanzania. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75 Suppl 1, S43-S50	3.1	44
4	Costs of facility-based HIV testing in Malawi, Zambia and Zimbabwe. <i>PLoS ONE</i> , 2017 , 12, e0185740	3.7	28

3	Incidence of HIV-Related Hospital Admission and Inpatient Mortality in Malawi (2012-2019): A Population Cohort Study. <i>SSRN Electronic Journal</i> ,	1	2
2	Prevalence of Nonsuppressed Viral Load and Associated Factors Among Adults Receiving Antiretroviral Therapy in Eswatini, Lesotho, Malawi, Zambia, and Zimbabwe (2015-2017): Results from Population-Based Nationally-Representative Surveys		2
1	Accuracy and performance of the WHO 2015 and WHO 2019 HIV testing strategies across epidemic settings		1