

Harm R Haak

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1142226/harm-r-haak-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

4,439
citations

30
h-index

66
g-index

100
ext. papers

5,501
ext. citations

6.5
avg, IF

5.04
L-index

#	Paper	IF	Citations
96	Variation in on-scene time of emergency medical services and the extent of the difference of on-scene time between genders: a retrospective population-based registry study in Riyadh Province, Saudi Arabia.. <i>BMJ Open</i> , 2022 , 12, e052481	3	0
95	EDP-mitotane in children: reassuring evidence of reversible side-effects and neurotoxicity.. <i>Discover Oncology</i> , 2022 , 13, 25		0
94	S-GRAS score for prognostic classification of adrenocortical carcinoma: an international, multicenter ENSAT study. <i>European Journal of Endocrinology</i> , 2021 , 186, 25-36	6.5	4
93	How close are we to personalized mitotane dosing in the treatment of adrenocortical carcinoma? State of the art and future perspectives. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2021 , 17, 677-683	5.5	
92	Understanding what matters most to patients in acute care in seven countries, using the flash mob study design. <i>BMC Health Services Research</i> , 2021 , 21, 474	2.9	1
91	Can vital signs recorded in patientsShomes aid decision making in emergency care? A Scoping Review. <i>Resuscitation Plus</i> , 2021 , 6, 100116	1.4	1
90	Comparison of SIRS criteria and qSOFA score for identifying culture-positive sepsis in the emergency department: a prospective cross-sectional multicentre study. <i>BMJ Open</i> , 2021 , 11, e041024	3	2
89	Population Pharmacokinetic and Pharmacogenetic Analysis of Mitotane in Patients with Adrenocortical Carcinoma: Towards Individualized Dosing. <i>Clinical Pharmacokinetics</i> , 2021 , 60, 89-102	6.2	2
88	Breakfast partly restores the anti-inflammatory function of high-density lipoproteins from patients with type 2 diabetes mellitus. <i>Atherosclerosis Plus</i> , 2021 , 44, 43-43		
87	Non-Conveyance Due to Patient-Initiated Refusal in Emergency Medical Services: A Retrospective Population-Based Registry Analysis Study in Riyadh Province, Saudi Arabia. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
86	Circulating adrenomedullin and B-type natriuretic peptide do not predict blood pressure fluctuations during pheochromocytoma resection: a cross-sectional study. <i>European Journal of Endocrinology</i> , 2021 , 185, 507-514	6.5	
85	Disparities between Rural and Urban Areas of the Central Region of Saudi Arabia in the Utilization and Time-Centeredness of Emergency Medical Services. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
84	Past, Present and Future of Epigenetics in Adrenocortical Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	12
83	Negative illness perceptions are related to poorer health-related quality of life among thyroid cancer survivors: Results from the PROFILES registry. <i>Head and Neck</i> , 2020 , 42, 2533-2541	4.2	4
82	Patient and Partner Perspectives on Health-Related Quality of Life in Adrenocortical Carcinoma. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa040	0.4	2
81	Quality of acute internal medicine: A patient-centered approach. Validation and usage of the Patient Reported Measure-acute care in the Netherlands. <i>PLoS ONE</i> , 2020 , 15, e0242603	3.7	
80	Efficacy of β Blockers on Hemodynamic Control during Pheochromocytoma Resection: A Randomized Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	34

79	Development and Internal Validation of a Multivariable Prediction Model for Adrenocortical-Carcinoma-Specific Mortality. <i>Cancers</i> , 2020 , 12,	6.6	2
78	Adrenocortical carcinomas and malignant pheochromocytomas: ESMO-EURACAN Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2020 , 31, 1476-1490	10.3	78
77	Urine steroid metabolomics for the differential diagnosis of adrenal incidentalomas in the EURINE-ACT study: a prospective test validation study. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 773-781	18.1	56
76	No age thresholds in the emergency department: A retrospective cohort study on age differences. <i>PLoS ONE</i> , 2019 , 14, e0210743	3.7	2
75	Heat Shock Protein 90 as a Prognostic Marker and Therapeutic Target for Adrenocortical Carcinoma. <i>Frontiers in Endocrinology</i> , 2019 , 10, 487	5.7	4
74	Strengths and weaknesses of the acute care systems in the United Kingdom and the Netherlands: what can we learn from each other?. <i>BMC Emergency Medicine</i> , 2019 , 19, 40	2.4	3
73	Health-Related Quality of Life in Adrenocortical Carcinoma. <i>Cancers</i> , 2019 , 11,	6.6	4
72	Morbidity and mortality of bone metastases in advanced adrenocortical carcinoma: a multicenter retrospective study. <i>European Journal of Endocrinology</i> , 2019 , 180, 311-320	6.5	10
71	Patients' perspective on improving the quality of acute medical care: determining patient reported outcomes. <i>BMJ Open Quality</i> , 2019 , 8, e000736	1.9	4
70	When patients' invisible work becomes visible: non-adherence and the routine task of pill-taking. <i>Sociology of Health and Illness</i> , 2019 , 41, 5-19	3	8
69	Performance of the Manchester triage system in older emergency department patients: a retrospective cohort study. <i>BMC Emergency Medicine</i> , 2019 , 19, 3	2.4	12
68	Unenhanced CT imaging is highly sensitive to exclude pheochromocytoma: a multicenter study. <i>European Journal of Endocrinology</i> , 2018 , 178, 431-437	6.5	26
67	Model-based analysis of postprandial glycemic response dynamics for different types of food. <i>Clinical Nutrition Experimental</i> , 2018 , 19, 32-45	2	16
66	Changes in glucose-lowering drug use before and after cancer diagnosis in patients with diabetes. <i>Diabetes and Metabolism</i> , 2018 , 44, 22-29	5.4	5
65	European Society of Endocrinology Clinical Practice Guidelines on the management of adrenocortical carcinoma in adults, in collaboration with the European Network for the Study of Adrenal Tumors. <i>European Journal of Endocrinology</i> , 2018 , 179, G1-G46	6.5	303
64	Quality and Quantity of Sleep and Factors Associated With Sleep Disturbance in Hospitalized Patients. <i>JAMA Internal Medicine</i> , 2018 , 178, 1201-1208	11.5	90
63	Outcome of elderly emergency department patients hospitalised on weekends - a retrospective cohort study. <i>BMC Emergency Medicine</i> , 2018 , 18, 9	2.4	5
62	Prehospital antibiotics in the ambulance for sepsis: a multicentre, open label, randomised trial. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 40-50	35.1	131

61	Gastrointestinal cancer incidence in type 2 diabetes mellitus; results from a large population-based cohort study in the UK. <i>Cancer Epidemiology</i> , 2018 , 54, 104-111	2.8	14
60	Unplanned readmissions among patients presenting with nonspecific complaints. <i>European Journal of Internal Medicine</i> , 2018 , 54, e36-e37	3.9	6
59	Peritoneal Metastases from Gastroenteropancreatic Neuroendocrine Tumors: Incidence, Risk Factors and Prognosis. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2199-2205	3.1	13
58	Higher risk of colorectal cancer in patients with newly diagnosed diabetes mellitus before the age of colorectal cancer screening initiation. <i>Scientific Reports</i> , 2017 , 7, 46527	4.9	43
57	No Decreased Risk of Gastrointestinal Cancers in Users of Metformin in The Netherlands; A Time-Varying Analysis of Metformin Exposure. <i>Cancer Prevention Research</i> , 2017 , 10, 290-297	3.2	17
56	The Power of Flash Mob Research: Conducting a Nationwide Observational Clinical Study on Capillary Refill Time in a Single Day. <i>Chest</i> , 2017 , 151, 1106-1113	5.3	29
55	Elderly emergency patients presenting with non-specific complaints: Characteristics and outcomes. <i>PLoS ONE</i> , 2017 , 12, e0188954	3.7	26
54	Applicability of the modified Emergency Department Work Index (mEDWIN) at a Dutch emergency department. <i>PLoS ONE</i> , 2017 , 12, e0173387	3.7	3
53	Patients and providers' perceptions of the preventability of hospital readmission: a prospective, observational study in four European countries. <i>BMJ Quality and Safety</i> , 2017 , 26, 958-969	5.4	21
52	Assessment of VAV2 Expression Refines Prognostic Prediction in Adrenocortical Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3491-3498	5.6	24
51	Intentional Nonadherence as a Means to Exert Control. <i>Qualitative Health Research</i> , 2017 , 27, 1215-1224	3.9	11
50	Identifying User Preferences for a Digital Educational Solution for Young Seniors With Diabetes. <i>Diabetes Spectrum</i> , 2017 , 30, 182-187	1.9	3
49	Association of socioeconomic status with outcomes in older adult community-dwelling patients after visiting the emergency department: a retrospective cohort study. <i>BMJ Open</i> , 2017 , 7, e019318	3	12
48	Concept Development of the Eindhoven Diabetes Education Simulator Project. <i>Games for Health Journal</i> , 2016 , 5, 120-7	4.2	5
47	Impact of cancer diagnosis and treatment on glycaemic control among individuals with colorectal cancer using glucose-lowering drugs. <i>Acta Diabetologica</i> , 2016 , 53, 727-35	3.9	2
46	Impact of cancer on adherence to glucose-lowering drug treatment in individuals with diabetes. <i>Diabetologia</i> , 2015 , 58, 951-60	10.3	27
45	Impact of cancer on use of glucose-lowering drug treatment in individuals with diabetes: potential mechanisms. Reply to Pouwer F [letter]. <i>Diabetologia</i> , 2015 , 58, 1380-1	10.3	1
44	Development of a pharmacokinetic model of mitotane: toward personalized dosing in adrenocortical carcinoma. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 58-65	3.2	18

43	Linsitinib (OSI-906) versus placebo for patients with locally advanced or metastatic adrenocortical carcinoma: a double-blind, randomised, phase 3 study. <i>Lancet Oncology, The</i> , 2015 , 16, 426-35	21.7	209
42	Adrenal tumors with unexpected outcome: a review of the literature. <i>International Journal of Endocrinology</i> , 2015 , 2015, 710514	2.7	13
41	Major prognostic role of Ki67 in localized adrenocortical carcinoma after complete resection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 841-9	5.6	199
40	A physiology-based model describing heterogeneity in glucose metabolism: the core of the Eindhoven Diabetes Education Simulator (E-DES). <i>Journal of Diabetes Science and Technology</i> , 2015 , 9, 282-92	4.1	6
39	Organisational Factors Induce Prolonged Emergency Department Length of Stay in Elderly Patients--A Retrospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0135066	3.7	27
38	Prognostic role of overt hypercortisolism in completely operated patients with adrenocortical cancer. <i>European Urology</i> , 2014 , 65, 832-8	10.2	87
37	Colorectal cancer, diabetes and survival: epidemiological insights. <i>Diabetes and Metabolism</i> , 2014 , 40, 120-7	5.4	23
36	Adrenocortical carcinoma in children: first population-based clinicopathological study with long-term follow-up. <i>Oncology Reports</i> , 2014 , 32, 2836-44	3.5	23
35	Mutational analyses of epidermal growth factor receptor and downstream pathways in adrenocortical carcinoma. <i>European Journal of Endocrinology</i> , 2013 , 169, 51-8	6.5	10
34	Adrenocortical carcinoma: a population-based study on incidence and survival in the Netherlands since 1993. <i>European Journal of Cancer</i> , 2013 , 49, 2579-86	7.5	172
33	Effect of diabetes on endometrial cancer recurrence and survival. <i>Maturitas</i> , 2013 , 74, 37-43	5	22
32	Health-related quality of life and disease specific symptoms in long-term thyroid cancer survivors: a study from the population-based PROFILES registry. <i>Acta Oncologica</i> , 2013 , 52, 249-58	3.2	90
31	Development of a disease-specific health-related quality of life questionnaire (THYCA-QoL) for thyroid cancer survivors. <i>Acta Oncologica</i> , 2013 , 52, 447-54	3.2	41
30	Rising incidence, no change in survival and decreasing mortality from thyroid cancer in The Netherlands since 1989. <i>Endocrine-Related Cancer</i> , 2013 , 20, 263-71	5.7	36
29	Fatigue among short- and long-term thyroid cancer survivors: results from the population-based PROFILES registry. <i>Thyroid</i> , 2013 , 23, 1247-55	6.2	58
28	Adrenal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2012 , 23 Suppl 7, vii131-8	10.3	222
27	Lower risk of cancer in patients on metformin in comparison with those on sulfonylurea derivatives: results from a large population-based follow-up study. <i>Diabetes Care</i> , 2012 , 35, 119-24	14.6	190
26	Serum inhibin pro- α is a tumor marker for adrenocortical carcinomas. <i>European Journal of Endocrinology</i> , 2012 , 166, 281-9	6.5	10

25	Combination chemotherapy in advanced adrenocortical carcinoma. <i>New England Journal of Medicine</i> , 2012 , 366, 2189-97	59.2	510
24	Incidence and prognosis of parathyroid gland carcinoma: a population-based study in The Netherlands estimating the preoperative diagnosis. <i>American Journal of Surgery</i> , 2011 , 202, 590-7	2.7	45
23	Treatment and outcome in non-Hodgkin's lymphoma patients with and without prevalent diabetes mellitus in a population-based cancer registry. <i>Journal of Geriatric Oncology</i> , 2011 , 2, 239-245	3.6	1
22	Diabetes alone should not be a reason for withholding adjuvant chemotherapy for stage III colon cancer. <i>Journal of Comorbidity</i> , 2011 , 1, 19-27	4	1
21	Health-related quality of life among thyroid cancer survivors: a systematic review. <i>Clinical Endocrinology</i> , 2011 , 75, 544-54	3.4	93
20	Plasma concentrations of o,pDDD, o,pDDA, and o,pDDE as predictors of tumor response to mitotane in adrenocortical carcinoma: results of a retrospective ENS@T multicenter study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1844-51	5.6	125
19	Adjuvant therapy in patients with adrenocortical carcinoma: a position of an international panel. <i>Journal of Clinical Oncology</i> , 2010 , 28, e401-2; author reply e403	2.2	84
18	Low goal ownership predicts drop-out from a weight intervention study in overweight patients with type 2 diabetes. <i>International Journal of Behavioral Medicine</i> , 2010 , 17, 176-81	2.6	38
17	Challenges and pitfalls in the management of parathyroid carcinoma: 17-year follow-up of a case and review of the literature. <i>Hormones and Cancer</i> , 2010 , 1, 205-14	5	19
16	Self-regulation and weight reduction in patients with type 2 diabetes: a pilot intervention study. <i>Patient Education and Counseling</i> , 2009 , 75, 84-90	3.1	29
15	Less aggressive treatment and worse overall survival in cancer patients with diabetes: a large population based analysis. <i>International Journal of Cancer</i> , 2007 , 120, 1986-92	7.5	241
14	Comorbidity in newly diagnosed thyroid cancer patients: a population-based study on prevalence and the impact on treatment and survival. <i>Clinical Endocrinology</i> , 2006 , 64, 450-5	3.4	18
13	Symptomatic epidural lipomatosis in ectopic Cushing's syndrome. <i>European Journal of Endocrinology</i> , 2004 , 151, 765-9	6.5	29
12	Concurrent Whipple's disease and Giardia lamblia infection in a patient presenting with weight loss. <i>European Journal of Internal Medicine</i> , 2001 , 12, 525-8	3.9	5
11	Diagnosis and treatment of adrenal incidentaloma. A cost-effectiveness analysis. <i>Endocrinology and Metabolism Clinics of North America</i> , 2000 , 29, 69-90, viii-ix	5.5	38
10	Proliferation in Adrenocortical Tumors: Correlation with Clinical Outcome and p53 Status. <i>Endocrine Pathology</i> , 1997 , 8, 29-36	4.2	39
9	Temporary heterotopic auxiliary liver transplantation for fulminant hepatitis B. <i>Journal of Hepatology</i> , 1995 , 23, 109-18	13.4	18
8	Neuroendocrine differentiation of adrenocortical tumors. <i>Cancer</i> , 1995 , 75, 860-4	6.4	59

7	Identification of virilizing adrenal tumors in hirsute women. <i>New England Journal of Medicine</i> , 1994 , 331, 968-73	59.2	126
6	Optimal treatment of adrenocortical carcinoma with mitotane: results in a consecutive series of 96 patients. <i>British Journal of Cancer</i> , 1994 , 69, 947-51	8.7	250
5	Nuclear DNA content and morphological characteristics in the prognosis of adrenocortical carcinoma. <i>British Journal of Cancer</i> , 1993 , 68, 151-5	8.7	30
4	Correction of neutropenia associated with chronic lymphocytic leukaemia following treatment with granulocyte-macrophage colony-stimulating factor. <i>Annals of Hematology</i> , 1991 , 62, 32-4	3	20
3	Prolonged bleeding time due to mitotane therapy. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 638-41		13
2	Successful mifepristone treatment of recurrent, inoperable meningioma. <i>Lancet, The</i> , 1990 , 336, 124-5	40	18
1	Multiple endocrine neoplasia syndrome type 2: the value of screening and central registration. A study of 15 kindreds in The Netherlands. <i>American Journal of Medicine</i> , 1987 , 83, 847-52	2.4	52