

Hong-kui Wei

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1142725/hong-kui-wei-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

1,464
citations

25
h-index

33
g-index

89
ext. papers

1,977
ext. citations

4.7
avg, IF

4.86
L-index

#	Paper	IF	Citations
84	Recent Advances in Understanding Amino Acid Sensing Mechanisms that Regulate mTORC1. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	59
83	Oregano Essential Oil Improves Intestinal Morphology and Expression of Tight Junction Proteins Associated with Modulation of Selected Intestinal Bacteria and Immune Status in a Pig Model. <i>BioMed Research International</i> , 2016 , 2016, 5436738	3	55
82	SIRT1 suppresses adipogenesis by activating Wnt/ β -catenin signaling in vivo and in vitro. <i>Oncotarget</i> , 2016 , 7, 77707-77720	3.3	52
81	Maternal Soluble Fiber Diet during Pregnancy Changes the Intestinal Microbiota, Improves Growth Performance, and Reduces Intestinal Permeability in Piglets. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	51
80	Zfp217 mediates m6A mRNA methylation to orchestrate transcriptional and post-transcriptional regulation to promote adipogenic differentiation. <i>Nucleic Acids Research</i> , 2019 , 47, 6130-6144	20.1	50
79	Oregano Essential Oil Induces SOD1 and GSH Expression through Nrf2 Activation and Alleviates Hydrogen Peroxide-Induced Oxidative Damage in IPEC-J2 Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 5987183	6.7	50
78	Effects of Dietary Supplementation of Oregano Essential Oil to Sows on Oxidative Stress Status, Lactation Feed Intake of Sows, and Piglet Performance. <i>BioMed Research International</i> , 2015 , 2015, 5252318	3.8	47
77	Inclusion of Konjac Flour in the Gestation Diet Changes the Gut Microbiota, Alleviates Oxidative Stress, and Improves Insulin Sensitivity in Sows. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 5899-909	4.8	45
76	Metabolic Syndrome During Perinatal Period in Sows and the Link With Gut Microbiota and Metabolites. <i>Frontiers in Microbiology</i> , 2018 , 9, 1989	5.7	39
75	KLF13 promotes porcine adipocyte differentiation through PPAR α activation. <i>Cell and Bioscience</i> , 2015 , 5, 28	9.8	38
74	Feeding a DHA-enriched diet increases skeletal muscle protein synthesis in growing pigs: association with increased skeletal muscle insulin action and local mRNA expression of insulin-like growth factor 1. <i>British Journal of Nutrition</i> , 2013 , 110, 671-80	3.6	36
73	Effect of oregano essential oil supplementation to a reduced-protein, amino acid-supplemented diet on meat quality, fatty acid composition, and oxidative stability of Longissimus thoracis muscle in growing-finishing pigs. <i>Meat Science</i> , 2017 , 133, 103-109	6.4	34
72	Fish Skin Gelatin Hydrolysate Production by Ginger Powder Induces Glutathione Synthesis To Prevent Hydrogen Peroxide Induced Intestinal Oxidative Stress via the Pept1-p62-Nrf2 Cascade. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 11601-11611	5.7	34
71	SIRT1 inhibits adipogenesis and promotes myogenic differentiation in C3H10T1/2 pluripotent cells by regulating Wnt signaling. <i>Cell and Bioscience</i> , 2015 , 5, 61	9.8	33
70	Transcriptome comparison between porcine subcutaneous and intramuscular stromal vascular cells during adipogenic differentiation. <i>PLoS ONE</i> , 2013 , 8, e77094	3.7	33
69	The effect of linseed on intramuscular fat content and adipogenesis related genes in skeletal muscle of pigs. <i>Lipids</i> , 2009 , 44, 999-1010	1.6	33
68	Oregano essential oil decreased susceptibility to oxidative stress-induced dysfunction of intestinal epithelial barrier in rats. <i>Journal of Functional Foods</i> , 2015 , 18, 1191-1199	5.1	32

67	miR-221 negatively regulates inflammation and insulin sensitivity in white adipose tissue by repression of sirtuin-1 (SIRT1). <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 6418-6428	4.7	32
66	GPR120 promotes adipogenesis through intracellular calcium and extracellular signal-regulated kinase 1/2 signal pathway. <i>Molecular and Cellular Endocrinology</i> , 2016 , 434, 1-13	4.4	31
65	Antioxidative peptides of hydrolysate prepared from fish skin gelatin using ginger protease activate antioxidant response element-mediated gene transcription in IPEC-J2 cells. <i>Journal of Functional Foods</i> , 2018 , 51, 104-112	5.1	31
64	Methionine Regulates mTORC1 via the T1R1/T1R3-PLC β Ca-ERK1/2 Signal Transduction Process in C2C12 Cells. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	29
63	Effects of oregano essential oil or quercetin supplementation on body weight loss, carcass characteristics, meat quality and antioxidant status in finishing pigs under transport stress. <i>Livestock Science</i> , 2016 , 192, 33-38	1.7	28
62	Supplementation of branched-chain amino acids to a reduced-protein diet improves growth performance in piglets: involvement of increased feed intake and direct muscle growth-promoting effect. <i>British Journal of Nutrition</i> , 2016 , 115, 2236-45	3.6	28
61	EPA inhibits the inhibitor of κ B (I κ B)/NF- κ B/muscle RING finger 1 pathway in C2C12 myotubes in a PPAR α -dependent manner. <i>British Journal of Nutrition</i> , 2011 , 105, 348-56	3.6	28
60	Early-Life Intervention Using Fecal Microbiota Combined with Probiotics Promotes Gut Microbiota Maturation, Regulates Immune System Development, and Alleviates Weaning Stress in Piglets. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	25
59	Free fatty acid receptor GPR120 and pathogenesis of obesity and type 2 diabetes mellitus. <i>Progress in Molecular Biology and Translational Science</i> , 2013 , 114, 251-76	4	25
58	Excessive backfat of sows at 109 d of gestation induces lipotoxic placental environment and is associated with declining reproductive performance. <i>Journal of Animal Science</i> , 2018 , 96, 250-257	0.7	24
57	Activation of PPAR α by PPAR δ through a functional PPRE in transdifferentiation of myoblasts to adipocytes induced by EPA. <i>Cell Cycle</i> , 2015 , 14, 1830-41	4.7	23
56	Effects of dietary fibers with high water-binding capacity and swelling capacity on gastrointestinal functions, food intake and body weight in male rats. <i>Food and Nutrition Research</i> , 2017 , 61, 1308118	3.1	22
55	Methionine metabolism in piglets Fed DL-methionine or its hydroxy analogue was affected by distribution of enzymes oxidizing these sources to keto-methionine. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 2008-14	5.7	22
54	GPR120: a critical role in adipogenesis, inflammation, and energy metabolism in adipose tissue. <i>Cellular and Molecular Life Sciences</i> , 2017 , 74, 2723-2733	10.3	21
53	FSGHF3 and peptides, prepared from fish skin gelatin, exert a protective effect on DSS-induced colitis via the Nrf2 pathway. <i>Food and Function</i> , 2020 , 11, 414-423	6.1	20
52	Effects of dl-2-hydroxy-4-methylthiobutyrate on the first-pass intestinal metabolism of dietary methionine and its extra-intestinal availability. <i>British Journal of Nutrition</i> , 2010 , 103, 643-51	3.6	19
51	Effects of Different Probiotics on Laying Performance, Egg Quality, Oxidative Status, and Gut Health in Laying Hens. <i>Animals</i> , 2019 , 9,	3.1	19
50	Maternal obesity aggravates the abnormality of porcine placenta by increasing N-methyladenosine. <i>International Journal of Obesity</i> , 2018 , 42, 1812-1820	5.5	18

49	Soluble Fiber with High Water-Binding Capacity, Swelling Capacity, and Fermentability Reduces Food Intake by Promoting Satiety Rather Than Satiation in Rats. <i>Nutrients</i> , 2016 , 8,	6.7	16
48	Effects of Supplementation of Branched-Chain Amino Acids to Reduced-Protein Diet on Skeletal Muscle Protein Synthesis and Degradation in the Fed and Fasted States in a Piglet Model. <i>Nutrients</i> , 2016 , 9,	6.7	15
47	Cloning and characterization of spliced variants of the porcine G protein coupled receptor 120. <i>BioMed Research International</i> , 2015 , 2015, 813816	3	15
46	Identification of zinc finger protein Bcl6 as a novel regulator of early adipose commitment. <i>Open Biology</i> , 2016 , 6,	7	14
45	Caprylic acid and nonanoic acid upregulate endogenous host defense peptides to enhance intestinal epithelial immunological barrier function via histone deacetylase inhibition. <i>International Immunopharmacology</i> , 2018 , 65, 303-311	5.8	14
44	Myostatin inhibits eEF2K-eEF2 by regulating AMPK to suppress protein synthesis. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 494, 278-284	3.4	13
43	Combined Soluble Fiber-Mediated Intestinal Microbiota Improve Insulin Sensitivity of Obese Mice. <i>Nutrients</i> , 2020 , 12,	6.7	12
42	GPA Peptide-Induced Nur77 Localization at Mitochondria Inhibits Inflammation and Oxidative Stress through Activating Autophagy in the Intestine. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 4964202	6.7	11
41	Applications of new functions for inducing host defense peptides and synergy sterilization of medium chain fatty acids in substituting in-feed antibiotics. <i>Journal of Functional Foods</i> , 2019 , 52, 348-359 ⁵¹	5.1	11
40	Metabolomics analysis of muscle from piglets fed low protein diets supplemented with branched chain amino acids using HPLC-high-resolution MS. <i>Electrophoresis</i> , 2015 , 36, 2250-2258	3.6	10
39	Blend of organic acids and medium chain fatty acids prevents the inflammatory response and intestinal barrier dysfunction in mice challenged with enterohemorrhagic Escherichia coli O157:H7. <i>International Immunopharmacology</i> , 2018 , 58, 64-71	5.8	10
38	Transcriptional response of porcine skeletal muscle to feeding a linseed-enriched diet to growing pigs. <i>Journal of Animal Science and Biotechnology</i> , 2016 , 7, 6	6	10
37	GPA peptide inhibits NLRP3 inflammasome activation to ameliorate colitis through AMPK pathway. <i>Aging</i> , 2020 , 12, 18522-18544	5.6	10
36	Molecular cloning, expression pattern analysis of porcine Rb1 gene and its regulatory roles during primary dedifferentiated fat cells adipogenic differentiation. <i>General and Comparative Endocrinology</i> , 2015 , 214, 77-86	3	9
35	Maternal eicosapentaenoic acid feeding promotes placental angiogenesis through a Sirtuin-1 independent inflammatory pathway. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 147-157	5	9
34	Eicosapentaenoic acid abolishes inhibition of insulin-induced mTOR phosphorylation by LPS via PTP1B downregulation in skeletal muscle. <i>Molecular and Cellular Endocrinology</i> , 2017 , 439, 116-125	4.4	8
33	Dietary supplementation of branched-chain amino acids increases muscle net amino acid fluxes through elevating their substrate availability and intramuscular catabolism in young pigs. <i>British Journal of Nutrition</i> , 2017 , 117, 911-922	3.6	7
32	Dietary n-6:n-3 ratio and Vitamin E improve motility characteristics in association with membrane properties of boar spermatozoa. <i>Asian Journal of Andrology</i> , 2017 , 19, 223-229	2.8	7

31	Role of arachidonic acid-derived eicosanoids in intestinal innate immunity. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 61, 2399-2410	11.5	7
30	Lower dietary n-6 : n-3 ratio and high-dose vitamin E supplementation improve sperm morphology and oxidative stress in boars. <i>Reproduction, Fertility and Development</i> , 2017 , 29, 940-949	1.8	6
29	An Analysis of Culling Patterns during the Breeding Cycle and Lifetime Production from the Aspect of Culling Reasons for Gilts and Sows in Southwest China. <i>Animals</i> , 2019 , 9,	3.1	6
28	Multi-level mixed models for evaluating factors affecting the mortality and weaning weight of piglets in large-scale commercial farms in central China. <i>Animal Science Journal</i> , 2018 , 89, 760-769	1.8	6
27	Maternal Eicosapentaenoic Acid Feeding Decreases Placental Lipid Deposition and Improves the Homeostasis of Oxidative Stress Through a Sirtuin-1 (SIRT1) Independent Manner. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1900343	5.9	6
26	Oxidative Stress and Inflammation in Sows with Excess Backfat: Up-Regulated Cytokine Expression and Elevated Oxidative Stress Biomarkers in Placenta. <i>Animals</i> , 2019 , 9,	3.1	6
25	GPA peptide enhances Nur77 expression in intestinal epithelial cells to exert a protective effect against DSS-induced colitis. <i>FASEB Journal</i> , 2020 , 34, 15364-15378	0.9	6
24	Gly-Pro-Ala peptide and FGSHF3 exert protective effects in DON-induced toxicity and intestinal damage via decreasing oxidative stress. <i>Food Research International</i> , 2021 , 139, 109840	7	6
23	Effects of Different Methionine Sources on Methionine Metabolism in the IPEC-J2 Cells. <i>BioMed Research International</i> , 2019 , 2019, 5464906	3	5
22	E4BP4 mediates glucocorticoid-regulated adipogenesis through COX2. <i>Molecular and Cellular Endocrinology</i> , 2017 , 450, 43-53	4.4	4
21	Different dietary methionine to lysine ratios in the lactation diet: effects on the performance of sows and their offspring and methionine metabolism in lactating sows. <i>Journal of Animal Science and Biotechnology</i> , 2019 , 10, 76	6	4
20	Logistic regression analysis of the related factors in discarded semen of boars in Southern China. <i>Theriogenology</i> , 2019 , 131, 47-51	2.8	4
19	Early Intervention Using Fecal Microbiota Transplantation Combined with Probiotics Influence the Growth Performance, Diarrhea, and Intestinal Barrier Function of Piglets. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 568	2.6	4
18	Microelements in seminal and serum plasma are associated with fresh semen quality in Yorkshire boars. <i>Theriogenology</i> , 2019 , 132, 88-94	2.8	3
17	Effect of Sows Gestational Methionine/Lysine Ratio on Maternal and Placental Hydrogen Sulfide Production. <i>Animals</i> , 2020 , 10,	3.1	3
16	Effect of oregano essential oil and benzoic acid supplementation to a low-protein diet on meat quality, fatty acid composition, and lipid stability of longissimus thoracis muscle in pigs. <i>Lipids in Health and Disease</i> , 2017 , 16, 164	4.4	3
15	Analysis of influencing factors of boar claw lesion and lameness. <i>Animal Science Journal</i> , 2018 , 89, 802-809		3
14	Serum and Seminal Plasma Element Concentrations in Relation to Semen Quality in Duroc Boars. <i>Biological Trace Element Research</i> , 2019 , 189, 85-94	4.5	3

13	Gut Microbiological Disorders Reduce Semen Utilization Rate in Duroc Boars. <i>Frontiers in Microbiology</i> , 2020 , 11, 581926	5.7	3
12	Linear model analysis of the influencing factors of boar longevity in Southern China. <i>Theriogenology</i> , 2017 , 93, 105-110	2.8	2
11	Hydratability and improved fermentability in vitro of guar gum by combination of xanthan gum. <i>Carbohydrate Polymers</i> , 2021 , 258, 117625	10.3	2
10	Elevated Systemic and Intestinal Inflammatory Response Are Associated With Gut Microbiome Disorder After Cardiovascular Surgery. <i>Frontiers in Microbiology</i> , 2021 , 12, 686648	5.7	2
9	Application of plant essential oils in pig diets 2020 , 227-237		1
8	The Effect of Functional Fiber on Microbiota Composition in Different Intestinal Segments of Obese Mice. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
7	Effect of gestation dietary methionine-to-lysine ratio on methionine metabolism and antioxidant ability of high-prolific sows. <i>Animal Nutrition</i> , 2021 , 7, 849-858	4.8	1
6	Effects of different amino acid levels and a carvacrol-thymol blend on growth performance and intestinal health of weaned pigs.. <i>Journal of Animal Science and Biotechnology</i> , 2022 , 13, 22	6	0
5	Effects on the Cell Barrier Function of L-Met and DL-HMTBA Is Related to Metabolic Characteristics and mA Modification.. <i>Frontiers in Nutrition</i> , 2022 , 9, 836069	6.2	0
4	Diallyl Trisulfide Promotes Placental Angiogenesis by Regulating Lipid Metabolism and Alleviating Inflammatory Responses in Obese Pregnant Mice. <i>Nutrients</i> , 2022 , 14, 2230	6.7	0
3	Simultaneous Quantification of Methionine-Related Metabolites and Co-factors in IPEC-J2 and PIEC Cells by LCMS/MS. <i>Chromatographia</i> , 2020 , 83, 361-371	2.1	
2	Establishment of a multilevel linear model to analyse the factors affecting piglet litter performance at birth. <i>Reproduction in Domestic Animals</i> , 2021 , 56, 278-286	1.6	
1	NR4A1 suppresses pyroptosis by transcriptionally inhibiting NLRP3 and IL-1 β and co-localizing with NLRP3 in trans-Golgi to alleviate pathogenic bacteria-induced colitis.. <i>Clinical and Translational Medicine</i> , 2021 , 11, e639	5.7	