

Teresa GarcÃ-a Lacarra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1142759/publications.pdf>

Version: 2024-02-01

143
papers

4,260
citations

117625

34
h-index

155660

55
g-index

147
all docs

147
docs citations

147
times ranked

2589
citing authors

#	ARTICLE	IF	CITATIONS
1	GENERATING INNOVATIVE EDUCATIONAL RESOURCES TO BRING FOOD INDUSTRY EXPERIENCES TO THE CLASSROOM. INTED Proceedings, 2022, , .	0.0	0
2	Survey of Commercial Food Products for Detection of Walnut (<i>Juglans regia</i>) by Two ELISA Methods and Real Time PCR. <i>Foods</i> , 2021, 10, 440.	4.3	9
3	From Polyclonal Sera to Recombinant Antibodies: A Review of Immunological Detection of Gluten in Foodstuff. <i>Foods</i> , 2021, 10, 66.	4.3	11
4	Phage Displayed Domain Antibodies (dAb) for Detection of Allergenic Pistachio Proteins in Foods. <i>Foods</i> , 2020, 9, 1230.	4.3	5
5	Production of a Recombinant Single-Domain Antibody for Gluten Detection in Foods Using the <i>Pichia pastoris</i> Expression System. <i>Foods</i> , 2020, 9, 1838.	4.3	6
6	A novel approach to produce phage single domain antibody fragments for the detection of gluten in foods. <i>Food Chemistry</i> , 2020, 321, 126685.	8.2	16
7	A sensitive and specific real-time PCR targeting DNA from wheat, barley and rye to track gluten contamination in marketed foods. <i>LWT - Food Science and Technology</i> , 2019, 114, 108378.	5.2	18
8	Multimeric recombinant antibody (scFv) for ELISA detection of allergenic walnut. An alternative to animal antibodies. <i>Journal of Food Composition and Analysis</i> , 2018, 67, 201-210.	3.9	10
9	Identification and characterisation of the proteins bound by specific phage-displayed recombinant antibodies (scFv) obtained against Brazil nut and almond extracts. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 1685-1695.	3.5	0
10	Use of multiplex ligation-dependent probe amplification (MLPA) for screening of wheat, barley, rye and oats in foods. <i>Food Control</i> , 2018, 84, 268-277.	5.5	10
11	Multiplex ligation-dependent probe amplification (MLPA) for simultaneous detection of DNA from sunflower, poppy, flaxseed, sesame and soy allergenic ingredients in commercial food products. <i>Food Control</i> , 2017, 71, 301-310.	5.5	24
12	Detection of Food Allergens by Phage-Displayed Produced Antibodies. <i>Methods in Molecular Biology</i> , 2017, 1592, 109-128.	0.9	2
13	Detection of Food Allergens by Taqman Real-Time PCR Methodology. <i>Methods in Molecular Biology</i> , 2017, 1592, 95-108.	0.9	7
14	Recent Advances in the Detection of Allergens in Foods. <i>Methods in Molecular Biology</i> , 2017, 1592, 263-295.	0.9	16
15	Targeting Conserved Genes in <i>Alternaria</i> Species. <i>Methods in Molecular Biology</i> , 2017, 1542, 123-129.	0.9	0
16	Production of in vivo biotinylated scFv specific to almond (<i>Prunus dulcis</i>) proteins by recombinant <i>Pichia pastoris</i> . <i>Journal of Biotechnology</i> , 2016, 227, 112-119.	3.8	7
17	Duplex real-time PCR using TaqMan [®] for the detection of sunflower (<i>Helianthus annuus</i>) and poppy (<i>Papaver rhoeas</i>) in commercial food products. <i>LWT - Food Science and Technology</i> , 2016, 65, 999-1007.	5.2	8
18	Market analysis of food products for detection of allergenic walnut (<i>Juglans regia</i>) and pecan (<i>Carya</i>)	8.2	26

#	ARTICLE	IF	CITATIONS
19	Isolation of recombinant antibody fragments (scFv) by phage display technology for detection of almond allergens in food products. <i>Food Control</i> , 2015, 54, 322-330.	5.5	15
20	Development of real-time PCR assays to detect cashew (<i>Anacardium occidentale</i>) and macadamia (<i>Macadamia intergrifolia</i>) residues in market analysis of processed food products. <i>LWT - Food Science and Technology</i> , 2015, 62, 233-241.	5.2	12
21	Duplex real-time PCR method for the detection of sesame (<i>Sesamum indicum</i>) and flaxseed (<i>Linum usitatissimum</i>) DNA in processed food products. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015, 32, 1772-1785.	2.3	12
22	Authenticity testing of wheat, barley, rye and oats in food and feed market samples by real-time PCR assays. <i>LWT - Food Science and Technology</i> , 2015, 60, 867-875.	5.2	30
23	Market Analysis of Food and Feed Products for Detection of Horse DNA by a TaqMan Real-Time PCR. <i>Food Analytical Methods</i> , 2015, 8, 489-498.	2.6	21
24	ELISA-based detection of mislabeled albacore (<i>Thunnus alalunga</i>) fresh and frozen fish fillets. <i>Food and Agricultural Immunology</i> , 2014, 25, 569-577.	1.4	14
25	Genus-specific PCR assay for screening <i>Arcobacter</i> spp. in chicken meat. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 1218-1224.	3.5	14
26	Survey of undeclared allergenic pistachio (<i>Pistacia vera</i>) in commercial foods by hydrolysis probe real-time PCR. <i>Food Control</i> , 2014, 39, 49-55.	5.5	25
27	Sensitive and specific detection of almond (<i>Prunus dulcis</i>) in commercial food products by real-time PCR. <i>LWT - Food Science and Technology</i> , 2014, 56, 31-39.	5.2	25
28	Avian-specific real-time PCR assay for authenticity control in farm animal feeds and pet foods. <i>Food Chemistry</i> , 2014, 142, 39-47.	8.2	19
29	High resolution TaqMan real-time PCR approach to detect hazelnut DNA encoding for ITS rDNA in foods. <i>Food Chemistry</i> , 2013, 141, 1872-1880.	8.2	34
30	Detection of Fish-Derived Ingredients in Animal Feeds by a TaqMan Real-Time PCR Assay. <i>Food Analytical Methods</i> , 2013, 6, 1040-1048.	2.6	14
31	TaqMan real-time PCR assay for detection of traces of Brazil nut (<i>Bertholletia excelsa</i>) in food products. <i>Food Control</i> , 2013, 33, 105-113.	5.5	23
32	Development of a real time PCR assay for detection of allergenic trace amounts of peanut (<i>Arachis</i>)	5.5	48
33	Selection of Recombinant Antibodies by Phage Display Technology and Application for Detection of Allergenic Brazil Nut (<i>Bertholletia excelsa</i>) in Processed Foods. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 10310-10319.	5.2	14
34	Detection of rabbit and hare processed material in compound feeds by TaqMan real-time PCR. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 771-779.	2.3	8
35	Competitive direct ELISA based on a monoclonal antibody for detection of Ochratoxin A in dried fig samples. <i>Food and Agricultural Immunology</i> , 2012, 23, 83-91.	1.4	15
36	Sensitive detection of porcine DNA in processed animal proteins using a TaqMan real-time PCR assay. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1402-1412.	2.3	11

#	ARTICLE	IF	CITATIONS
37	ITS-based detection and quantification of <i>Alternaria</i> spp. in raw and processed vegetables by real-time quantitative PCR. <i>Food Microbiology</i> , 2012, 32, 165-171.	4.2	22
38	Authentication of meat and commercial meat products from common pigeon (<i>Columba livia</i>) woodpigeon (<i>Columba palumbus</i>) and stock pigeon (<i>Columba oenas</i>) using a TaqMan [®] real-time PCR assay. <i>Food Control</i> , 2012, 23, 369-376.	5.5	13
39	PCR-based assay for the detection of <i>Alternaria</i> species and correlation with HPLC determination of altenuene, alternariol and alternariol monomethyl ether production in tomato products. <i>Food Control</i> , 2012, 25, 45-52.	5.5	41
40	A real-time reverse-transcriptase PCR technique for detection and quantification of viable <i>Alternaria</i> spp. in foodstuffs. <i>Food Control</i> , 2012, 28, 286-294.	5.5	9
41	Current Status on <i>Arcobacter</i> Research: An Update on DNA-Based Identification and Typing Methodologies. <i>Food Analytical Methods</i> , 2012, 5, 956-968.	2.6	12
42	Evaluation of a TaqMan real-time PCR assay for detection of chicken, turkey, duck, and goose material in highly processed industrial feed samples. <i>Poultry Science</i> , 2012, 91, 1709-1719.	3.4	31
43	The use of high-performance liquid chromatography to detect ochratoxin A in dried figs from the Spanish market. <i>Journal of the Science of Food and Agriculture</i> , 2012, 92, 74-77.	3.5	6
44	Application of species-specific polymerase chain reaction assays to verify the labeling of quail (<i>Coturnix coturnix</i>), pheasant (<i>Phasianus colchicus</i>) and ostrich (<i>Struthio camelus</i>) in pet foods. <i>Animal Feed Science and Technology</i> , 2011, 169, 128-133.	2.2	10
45	Application of a real-time PCR assay for the detection of ostrich (<i>Struthio camelus</i>) mislabelling in meat products from the retail market. <i>Food Control</i> , 2011, 22, 523-531.	5.5	29
46	Applicability assessment of a real-time PCR assay for the specific detection of bovine, ovine and caprine material in feedstuffs. <i>Food Control</i> , 2011, 22, 1189-1196.	5.5	31
47	PCR Detection of <i>Alternaria</i> spp. in Processed Foods, Based on the Internal Transcribed Spacer Genetic Marker. <i>Journal of Food Protection</i> , 2011, 74, 240-247.	1.7	24
48	Development of a real-time PCR assay to control the illegal trade of meat from protected capercaillie species (<i>Tetrao urogallus</i>). <i>Forensic Science International</i> , 2011, 210, 133-138.	2.2	13
49	Detection of Banned Ruminant-Derived Material in Industrial Feedstuffs by TaqMan Real-Time PCR Assay. <i>Journal of Food Protection</i> , 2011, 74, 1300-1308.	1.7	7
50	Mitochondrial and nuclear markers for the authentication of partridge meat and the specific identification of red-legged partridge meat products by polymerase chain reaction. <i>Poultry Science</i> , 2011, 90, 211-222.	3.4	11
51	Real-Time Polymerase Chain Reaction Detection of Fishmeal in Feedstuffs. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 1768-1777.	1.5	12
52	Polymerase chain reaction assay for verifying the labeling of meat and commercial meat products from game birds targeting specific sequences from the mitochondrial D-loop region. <i>Poultry Science</i> , 2010, 89, 1021-1032.	3.4	19
53	PCR detection and identification of <i>Alternaria</i> species-groups in processed foods based on the genetic marker Alt a 1. <i>Food Control</i> , 2010, 21, 1745-1756.	5.5	27
54	A review of current PCR-based methodologies for the authentication of meats from game animal species. <i>Trends in Food Science and Technology</i> , 2010, 21, 408-421.	15.1	192

#	ARTICLE	IF	CITATIONS
55	Novel TaqMan real-time polymerase chain reaction assay for verifying the authenticity of meat and commercial meat products from game birds. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2010, 27, 749-763.	2.3	76
56	Specific PCR Detection of <i>Arcobacter butzleri</i> , <i>Arcobacter cryaerophilus</i> , <i>Arcobacter skirrowii</i> , and <i>Arcobacter cibarius</i> in Chicken Meat. <i>Journal of Food Protection</i> , 2009, 72, 1491-1495.	1.7	23
57	Identification of raw and heat-processed meats from game bird species by polymerase chain reaction-restriction fragment length polymorphism of the mitochondrial D-loop region. <i>Poultry Science</i> , 2009, 88, 669-679.	3.4	17
58	Application of polymerase chain reaction-restriction fragment length polymorphism analysis and lab-on-a-chip capillary electrophoresis for the specific identification of game and domestic meats. <i>Journal of the Science of Food and Agriculture</i> , 2009, 89, 843-847.	3.5	35
59	Detection of horse DNA in food and feedstuffs using a polymerase chain reaction assay. <i>Journal of the Science of Food and Agriculture</i> , 2009, 89, 1202-1206.	3.5	2
60	A LightCycler TaqMan PCR assay for quantitative detection of chamois (<i>Rupicapra rupicapra</i>) and pyrenean ibex (<i>Capra pyrenaica</i>) in experimental meat mixtures. <i>International Journal of Food Science and Technology</i> , 2009, 44, 1997-2004.	2.7	14
61	PCR-based methodology for the authentication of grouper (<i>Epinephelus marginatus</i>) in commercial fish fillets. <i>Food Control</i> , 2009, 20, 618-622.	5.5	24
62	Authentication of meats from quail (<i>Coturnix coturnix</i>), pheasant (<i>Phasianus colchicus</i>), partridge (<i>Alectoris spp.</i>), and guinea fowl (<i>Numida meleagris</i>) using polymerase chain reaction targeting specific sequences from the mitochondrial 12S rRNA gene. <i>Food Control</i> , 2009, 20, 896-902.	5.5	26
63	SYBR-Green real-time PCR approach for the detection and quantification of pig DNA in feedstuffs. <i>Meat Science</i> , 2009, 82, 252-259.	5.5	76
64	Differentiation of European wild boar (<i>Sus scrofa scrofa</i>) and domestic swine (<i>Sus scrofa domestica</i>) meats by PCR analysis targeting the mitochondrial D-loop and the nuclear melanocortin receptor 1 (MC1R) genes. <i>Meat Science</i> , 2008, 78, 314-322.	5.5	71
65	Real-time PCR for detection and quantification of red deer (<i>Cervus elaphus</i>), fallow deer (<i>Dama dama</i>), and roe deer (<i>Capreolus capreolus</i>) in meat mixtures. <i>Meat Science</i> , 2008, 79, 289-298.	5.5	125
66	Determination of food authenticity by enzyme-linked immunosorbent assay (ELISA). <i>Food Control</i> , 2008, 19, 1-8.	5.5	342
67	An indirect ELISA and a PCR technique for the detection of Grouper (<i>Epinephelus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2008, 25, 677-683.	2.3	31
68	Detection of grouper mislabelling in the fish market by an immunostick colorimetric ELISA assay. <i>Food and Agricultural Immunology</i> , 2008, 19, 141-147.	1.4	9
69	Real-Time PCR for Quantitative Detection of Bovine Tissues in Food and Feed. <i>Journal of Food Protection</i> , 2008, 71, 564-572.	1.7	16
70	Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Authentication of Raw Meats from Game Birds. <i>Journal of AOAC INTERNATIONAL</i> , 2008, 91, 1416-1422.	1.5	17
71	Quantitative detection of goats' milk in sheep's milk by real-time PCR. <i>Food Control</i> , 2007, 18, 1466-1473.	5.5	69
72	Species-specific PCR for the identification of ruminant species in feedstuffs. <i>Meat Science</i> , 2007, 75, 120-127.	5.5	43

#	ARTICLE	IF	CITATIONS
73	Identification of meats from red deer (<i>Cervus elaphus</i>), fallow deer (<i>Dama dama</i>), and roe deer (<i>Capreolus capreolus</i>) using polymerase chain reaction targeting specific sequences from the mitochondrial 12S rRNA gene. <i>Meat Science</i> , 2007, 76, 234-240.	5.5	45
74	PCR identification of meats from chamois (<i>Rupicapra rupicapra</i>), pyrenean ibex (<i>Capra pyrenaica</i>), and mouflon (<i>Ovis ammon</i>) targeting specific sequences from the mitochondrial D-loop region. <i>Meat Science</i> , 2007, 76, 644-652.	5.5	41
75	Mitochondrial markers for the detection of four duck species and the specific identification of Muscovy duck in meat mixtures using the polymerase chain reaction. <i>Meat Science</i> , 2007, 76, 721-729.	5.5	36
76	Application of an indirect ELISA and a PCR technique for detection of cows' milk in sheep's and goats' milk cheeses. <i>International Dairy Journal</i> , 2007, 17, 87-93.	3.0	61
77	Real-time TaqMan PCR for quantitative detection of cows' milk in ewes' milk mixtures. <i>International Dairy Journal</i> , 2007, 17, 729-736.	3.0	56
78	Technical note: Detection of chicken, turkey, duck, and goose tissues in feedstuffs using species-specific polymerase chain reaction. <i>Journal of Animal Science</i> , 2007, 85, 452-458.	0.5	34
79	Technical Note: Detection of cat, dog, and rat or mouse tissues in food and animal feed using species-specific polymerase chain reaction. <i>Journal of Animal Science</i> , 2007, 85, 2734-2739.	0.5	35
80	Analysis of Mitochondrial DNA for Authentication of Meats from Chamois (<i>Rupicapra rupicapra</i>), Pyrenean Ibex (<i>Capra pyrenaica</i>), and Mouflon (<i>Ovis ammon</i>) by Polymerase Chain Reaction-Restriction Fragment Length Polymorphism. <i>Journal of AOAC INTERNATIONAL</i> , 2007, 90, 179-186.	1.5	24
81	Application of a polymerase chain reaction to detect adulteration of ovine cheeses with caprine milk. <i>European Food Research and Technology</i> , 2007, 225, 345-349.	3.3	22
82	PCR-RFLP Authentication of Meats from Red Deer (<i>Cervus elaphus</i>), Fallow Deer (<i>Dama dama</i>), Roe Deer (<i>Capreolus capreolus</i>), Cattle (<i>Bos taurus</i>), Sheep (<i>Ovis aries</i>), and Goat (<i>Capra hircus</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 1144-1150.	5.2	94
83	A Reverse Transcriptase PCR Technique for the Detection and Viability Assessment of <i>Kluyveromyces marxianus</i> in Yoghurt. <i>Journal of Food Protection</i> , 2006, 69, 2210-2216.	1.7	12
84	Detection of <i>Kluyveromyces marxianus</i> and other spoilage yeasts in yoghurt using a PCR-culture technique. <i>International Journal of Food Microbiology</i> , 2005, 105, 27-34.	4.7	40
85	PCR detection of cows' milk in water buffalo milk and mozzarella cheese. <i>International Dairy Journal</i> , 2005, 15, 1122-1129.	3.0	76
86	TaqMan real-time PCR for the detection and quantitation of pork in meat mixtures. <i>Meat Science</i> , 2005, 70, 113-120.	5.5	124
87	Development of a PCR-culture technique for rapid detection of yeast species in vacuum packed ham. <i>Meat Science</i> , 2005, 71, 230-237.	5.5	19
88	Enumeration of Yeasts in Dairy Products: A Comparison of Immunological and Genetic Techniques. <i>Journal of Food Protection</i> , 2004, 67, 357-364.	1.7	24
89	PCR Identification of Beef, Sheep, Goat, and Pork in Raw and Heat-Treated Meat Mixtures. <i>Journal of Food Protection</i> , 2004, 67, 172-177.	1.7	85
90	PCR-ELISA for the Semiquantitative Detection of Nile Perch (<i>Lates niloticus</i>) in Sterilized Fish Muscle Mixtures. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 4419-4422.	5.2	18

#	ARTICLE	IF	CITATIONS
91	Quantitation of Mule Duck in Goose Foie Gras Using TaqMan Real-Time Polymerase Chain Reaction. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 1478-1483.	5.2	39
92	Qualitative PCR for the detection of chicken and pork adulteration in goose and mule duck foie gras. <i>Journal of the Science of Food and Agriculture</i> , 2003, 83, 1176-1181.	3.5	14
93	Identification of Grouper (<i>Epinephelus guaza</i>), Wreck Fish (<i>Polyprion americanus</i>), and Nile Perch (<i>Lates niloticus</i>) Fillets by Polyclonal Antibody-Based Enzyme-Linked Immunosorbent Assay. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 1169-1172.	5.2	34
94	Identification of Goose, Mule Duck, Chicken, Turkey, and Swine in Foie Gras by Species-Specific Polymerase Chain Reaction. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 1524-1529.	5.2	79
95	Development of a polymerase chain reaction assay for species identification of goose and mule duck in foie gras products. <i>Meat Science</i> , 2003, 65, 1257-1263.	5.5	17
96	Development of a Specific Monoclonal Antibody for Grouper (<i>Epinephelus guaza</i>) Identification by an Indirect Enzyme-Linked Immunosorbent Assay. <i>Journal of Food Protection</i> , 2003, 66, 886-889.	1.7	21
97	Identification of the Clam Species <i>Ruditapes decussatus</i> (Grooved Carpet Shell), <i>Venerupis rhomboides</i> (Yellow Carpet Shell) and <i>Venerupis pullastra</i> (Pullet Carpet Shell) by ELISA. <i>Food and Agricultural Immunology</i> , 2002, 14, 65-71.	1.4	19
98	Application of Random Amplified Polymorphic DNA (RAPD) Analysis for Identification of Grouper (<i>Epinephelus guaza</i>), Wreck Fish (<i>Polyprion americanus</i>), and Nile Perch (<i>Lates niloticus</i>) Fillets. <i>Journal of Food Protection</i> , 2002, 65, 432-435.	1.7	40
99	Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Analysis of a 16S rRNA Gene Fragment for Authentication of Four Clam Species. <i>Journal of Food Protection</i> , 2002, 65, 692-695.	1.7	15
100	Genetic differentiation between the clam species <i>Ruditapes decussatus</i> (grooved carpet shell) and <i>Venerupis pullastra</i> (pullet carpet shell) by PCR-SSCP analysis. <i>Journal of the Science of Food and Agriculture</i> , 2002, 82, 881-885.	3.5	22
101	<i>Arcobacter</i> spp. enumeration in poultry meat using a combined PCR-ELISA assay. <i>Meat Science</i> , 2001, 59, 169-174.	5.5	16
102	PCR-SSCP: A Simple Method for the Authentication of Grouper (<i>Epinephelus guaza</i>), Wreck Fish (<i>Polyprion americanus</i>), and Nile Perch (<i>Lates niloticus</i>) Fillets. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 1720-1723.	5.2	30
103	Identification of Goose (<i>Anser anser</i>) and Mule Duck (<i>Anas platyrhynchos</i> x <i>Cairina moschata</i>) Foie Gras by Multiplex Polymerase Chain Reaction Amplification of the 5S rDNA Gene. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 2717-2721.	5.2	24
104	Identification of Nile Perch (<i>Lates niloticus</i>), Grouper (<i>Epinephelus guaza</i>), and Wreck Fish (<i>Polyprion</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (Shell), <i>Venerupis pullastra</i> (Pullet Carpet Shell) and <i>Ruditapes decussatus</i> (Grooved Carpet Shell) by PCR-RFLP. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 3336-3341.	1.5	31
105	Genetic differentiation between sole (<i>Solea solea</i>) and Greenland halibut (<i>Reinhardtius</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td (Shell), <i>Venerupis pullastra</i> (Pullet Carpet Shell) and <i>Ruditapes decussatus</i> (Grooved Carpet Shell) by PCR-RFLP. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 3336-3341.	3.5	37
106	Differentiation of smoked <i>Salmo salar</i> , <i>Oncorhynchus mykiss</i> and <i>Brama raii</i> using the nuclear marker 5S rDNA. <i>International Journal of Food Science and Technology</i> , 2000, 35, 401-406.	2.7	38
107	Identification of Nile Perch (<i>Lates niloticus</i>), Grouper (<i>Epinephelus guaza</i>), and Wreck Fish (<i>Polyprion</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td (Shell), <i>Venerupis pullastra</i> (Pullet Carpet Shell) and <i>Ruditapes decussatus</i> (Grooved Carpet Shell) by PCR-RFLP. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 3336-3341.	1.7	19
108	Identification of the Clam Species <i>Ruditapes decussatus</i> (Grooved Carpet) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (Shell), <i>Venerupis pullastra</i> (Pullet Carpet Shell) and <i>Ruditapes decussatus</i> (Grooved Carpet) by PCR-RFLP. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 3336-3341.	5.2	33

#	ARTICLE	IF	CITATIONS
109	Indirect Enzyme-Linked Immunosorbent Assay for the Identification of Sole (<i>Solea solea</i>), European Plaice (<i>Pleuronectes platessa</i>), Flounder (<i>Platichthys flesus</i>), and Greenland Halibut (<i>Reinhardtius</i>)	1.0	14
110	Application of Polymerase Chain Reaction–Single Strand Conformational Polymorphism (PCR–SSCP) to Identification of Flatfish Species. <i>Journal of AOAC INTERNATIONAL</i> , 1999, 82, 903-907.	1.5	21
111	Rapid enumeration of <i>Escherichia coli</i> in oysters by a quantitative PCR–ELISA. <i>Journal of Applied Microbiology</i> , 1999, 86, 231-236.	3.1	34
112	Detection and quantification of goat's cheese in ewe's cheese using a monoclonal antibody and two ELISA formats. , 1999, 79, 1043-1047.		27
113	PCR-RFLP of the mitochondrial cytochrome oxidase gene: a simple method for discrimination between Atlantic salmon (<i>Salmo salar</i>) and rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Journal of the Science of Food and Agriculture</i> , 1999, 79, 1654-1658.	3.5	27
114	Identification of Sole (<i>Solea solea</i>) and Greenland Halibut (<i>Reinhardtius hippoglossoides</i>) by PCR Amplification of the 5S rDNA Gene. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 1046-1050.	5.2	78
115	Identification of Atlantic Salmon (<i>Salmo salar</i>) and Rainbow Trout (<i>Oncorhynchus mykiss</i>) by Using Polymerase Chain Reaction Amplification and Restriction Analysis of the Mitochondrial Cytochrome b Gene. <i>Journal of Food Protection</i> , 1998, 61, 482-486.	1.7	41
116	Identification of Flatfish Species Using Polymerase Chain Reaction (PCR) Amplification and Restriction Analysis of the Cytochrome b Gene. <i>Journal of Food Science</i> , 1998, 63, 206-209.	3.1	62
117	Polymerase Chain Reaction–Restriction Fragment Length Polymorphism Analysis of a Short Fragment of the Cytochrome b Gene for Identification of Flatfish Species. <i>Journal of Food Protection</i> , 1998, 61, 1684-1685.	1.7	22
118	Revisión: Los residuos en la inspección de la carne Review: Chemical residues in meat inspection. <i>Food Science and Technology International</i> , 1997, 3, 391-403.	2.2	0
119	Monoclonal Antibodies and an Indirect ELISA for Detection of Psychrotrophic Bacteria in Refrigerated Milk. <i>Journal of Food Protection</i> , 1997, 60, 23-27.	1.7	12
120	Immunostick Colorimetric ELISA Assay for the Identification of Smoked Salmon, Trout and Bream. <i>Journal of the Science of Food and Agriculture</i> , 1997, 74, 547-550.	3.5	47
121	Immunostick Colorimetric Assay for Detection of <i>Pseudomonas</i> spp. in Refrigerated Meat and Milk. <i>Journal of Food Protection</i> , 1997, 60, 908-911.	1.7	4
122	Development of Monoclonal Antibodies against Caprine β -S2-Casein and Their Potential for Detecting the Substitution of Ovine Milk by Caprine Milk by an Indirect ELISA. <i>Journal of Agricultural and Food Chemistry</i> , 1996, 44, 1756-1761.	5.2	23
123	Polyclonal antibodies against protein F from the cell envelope of <i>Pseudomonas fluorescens</i> for the detection of psychrotrophic bacteria in refrigerated meat using an indirect ELISA. <i>Meat Science</i> , 1996, 42, 305-313.	5.5	5
124	Biotoxinas marinas: intoxicaciones por el consumo de moluscos bivalvos/Seafood toxins: poisoning by bivalve consumption. <i>Food Science and Technology International</i> , 1996, 2, 13-22.	2.2	7
125	Development of an Enzyme-Linked Immunosorbent Assay for the Identification of Smoked Salmon (<i>Salmo salar</i>), Trout (<i>Oncorhynchus mykiss</i>) and Bream (<i>Brama raii</i>). <i>Journal of Food Protection</i> , 1996, 59, 521-524.	1.7	36
126	Immunostick ELISA for Detection of Cow's Milk in Ewe's Milk and Cheese Using a Monoclonal Antibody against Bovine β -Casein. <i>Journal of Food Protection</i> , 1996, 59, 436-437.	1.7	38

#	ARTICLE	IF	CITATIONS
127	Indirect ELISA for detection of cows' milk in ewes' and goats' milks using a monoclonal antibody against bovine β -casein. <i>Journal of Dairy Research</i> , 1995, 62, 655-659.	1.4	34
128	Immunoreactivity of Goat's Milk Casein Fractionated by Ion-Exchange Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 1995, 43, 2025-2029.	5.2	9
129	Detection of goats' milk in ewes' milk by an indirect elisa. <i>Food and Agricultural Immunology</i> , 1994, 6, 113-118.	1.4	12
130	Antibody-based analytical methods for meat species determination and detecting adulteration of milk. <i>Food and Agricultural Immunology</i> , 1994, 6, 95-104.	1.4	4
131	Production of a horse-specific monoclonal antibody and detection of horse meat in raw meat mixtures by an indirect ELISA. <i>Journal of the Science of Food and Agriculture</i> , 1994, 66, 411-415.	3.5	17
132	Antibody Sandwich Enzyme-Linked Immunosorbent Assay. <i>Journal of Dairy Science</i> , 1994, 77, 3552-3557.	3.4	5
133	Sandwich ELISA for detection of goats' milk in ewes' milk and cheese. <i>Food and Agricultural Immunology</i> , 1994, 6, 105-111.	1.4	14
134	Detection of cows' milk in ewes' milk and cheese by a sandwich enzyme-linked immunosorbent assay (ELISA). <i>Journal of the Science of Food and Agriculture</i> , 1993, 61, 175-180.	3.5	24
135	A sandwich enzyme-linked immunosorbent assay (ELISA) for detection of <i>Pseudomonas fluorescens</i> and related psychrotrophic bacteria in refrigerated milk. <i>Journal of Applied Bacteriology</i> , 1993, 74, 394-401.	1.1	13
136	Indirect enzyme-linked Immunosorbent assay for detection of cow's milk in goat's milk. <i>Food and Agricultural Immunology</i> , 1992, 4, 11-18.	1.4	12
137	Partial purification of horse-specific soluble muscle proteins by immunoabsorption chromatography. <i>Journal of the Science of Food and Agriculture</i> , 1992, 58, 447-449.	3.5	3
138	Detection of Bovine Milk in Ovine Milk by a Sandwich Enzyme-Linked Immunosorbent Assay (ELISA). <i>Journal of Food Protection</i> , 1991, 54, 366-371.	1.7	17
139	Indirect ELISA for detection of goats' milk in ewes' milk and cheese. <i>International Journal of Food Science and Technology</i> , 1991, 26, 457-465.	2.7	22
140	Detection of cows' milk in ewes' milk and cheese by an indirect enzyme-linked immunosorbent assay (ELISA). <i>Journal of Dairy Research</i> , 1990, 57, 197-205.	1.4	30
141	Detection of Bovine Milk in Ovine Milk by an Indirect Enzyme-Linked Immunosorbent Assay. <i>Journal of Dairy Science</i> , 1990, 73, 1489-1493.	3.4	28
142	Development of a cows' milk identification test (COMIT) for field use. <i>Journal of Dairy Research</i> , 1989, 56, 691-698.	1.4	21
143	Sandwich ELISA for detection of horse meat in raw meat mixtures using antisera to muscle soluble proteins. <i>Meat Science</i> , 1988, 22, 143-153.	5.5	24