

Keith S Hoek

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11428527/keith-s-hoek-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28

papers

3,111

citations

23

h-index

30

g-index

30

ext. papers

3,584

ext. citations

5.2

avg, IF

4.66

L-index

#	Paper	IF	Citations
28	In vivo switching of human melanoma cells between proliferative and invasive states. <i>Cancer Research</i> , 2008 , 68, 650-6	10.1	458
27	Mitf regulation of Dia1 controls melanoma proliferation and invasiveness. <i>Genes and Development</i> , 2006 , 20, 3426-39	12.6	403
26	Metastatic potential of melanomas defined by specific gene expression profiles with no BRAF signature. <i>Pigment Cell & Melanoma Research</i> , 2006 , 19, 290-302		378
25	Cancer stem cells versus phenotype-switching in melanoma. <i>Pigment Cell and Melanoma Research</i> , 2010 , 23, 746-59	4.5	320
24	hnRNP A2 selectively binds the cytoplasmic transport sequence of myelin basic protein mRNA. <i>Biochemistry</i> , 1998 , 37, 7021-9	3.2	200
23	Novel MITF targets identified using a two-step DNA microarray strategy. <i>Pigment Cell and Melanoma Research</i> , 2008 , 21, 665-76	4.5	183
22	GLI2-mediated melanoma invasion and metastasis. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 1148-59	9.7	132
21	Systematic classification of melanoma cells by phenotype-specific gene expression mapping. <i>Pigment Cell and Melanoma Research</i> , 2012 , 25, 343-53	4.5	113
20	Wnt5A regulates expression of tumor-associated antigens in melanoma via changes in signal transducers and activators of transcription 3 phosphorylation. <i>Cancer Research</i> , 2008 , 68, 10205-14	10.1	99
19	Hypoxia contributes to melanoma heterogeneity by triggering HIF1-dependent phenotype switching. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2436-2443	4.3	97
18	Heterogeneous nuclear ribonucleoprotein A3, a novel RNA trafficking response element-binding protein. <i>Journal of Biological Chemistry</i> , 2002 , 277, 18010-20	5.4	86
17	Differential LEF1 and TCF4 expression is involved in melanoma cell phenotype switching. <i>Pigment Cell and Melanoma Research</i> , 2011 , 24, 631-42	4.5	72
16	DNA microarray analyses of melanoma gene expression: a decade in the mines. <i>Pigment Cell & Melanoma Research</i> , 2007 , 20, 466-84		69
15	GLI2 and M-MITF transcription factors control exclusive gene expression programs and inversely regulate invasion in human melanoma cells. <i>Pigment Cell and Melanoma Research</i> , 2011 , 24, 932-43	4.5	61
14	Heparan sulfate proteoglycan modulation of Wnt5A signal transduction in metastatic melanoma cells. <i>Journal of Biological Chemistry</i> , 2009 , 284, 28704-12	5.4	58
13	Wnt5A activates the calpain-mediated cleavage of filamin A. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1782-9	4.3	58
12	A proliferative melanoma cell phenotype is responsive to RAF/MEK inhibition independent of BRAF mutation status. <i>Pigment Cell and Melanoma Research</i> , 2011 , 24, 326-33	4.5	56

11	E-cadherin determines Caveolin-1 tumor suppression or metastasis enhancing function in melanoma cells. <i>Pigment Cell and Melanoma Research</i> , 2013 , 26, 555-70	4.5	46
10	Green tea extract reduces induction of p53 and apoptosis in UVB-irradiated human skin independent of transcriptional controls. <i>Experimental Dermatology</i> , 2009 , 18, 69-77	4	45
9	Binding of an RNA trafficking response element to heterogeneous nuclear ribonucleoproteins A1 and A2. <i>Journal of Biological Chemistry</i> , 2000 , 275, 38286-95	5.4	42
8	The immunohistochemistry of invasive and proliferative phenotype switching in melanoma: a case report. <i>Melanoma Research</i> , 2010 , 20, 349-55	3.3	37
7	A purine nucleotide biosynthesis enzyme guanosine monophosphate reductase is a suppressor of melanoma invasion. <i>Cell Reports</i> , 2013 , 5, 493-507	10.6	29
6	Filamin A modulates kinase activation and intracellular trafficking of epidermal growth factor receptors in human melanoma cells. <i>Endocrinology</i> , 2009 , 150, 2551-60	4.8	28
5	Id2 suppression of p15 counters TGF-beta-mediated growth inhibition of melanoma cells. <i>Pigment Cell and Melanoma Research</i> , 2009 , 22, 445-53	4.5	17
4	Loss of full length CtBP1 expression enhances the invasive potential of human melanoma. <i>BMC Cancer</i> , 2009 , 9, 52	4.8	10
3	Reduced pSmad2 immunodetection correlates with increased primary melanoma thickness. <i>Melanoma Research</i> , 2007 , 17, 131-6	3.3	4
2	Genesifter, leading the blind. <i>Pigment Cell and Melanoma Research</i> , 2008 , 21, 588-9	4.5	2
1	Pathogenesis of Malignant Melanoma 2010 , 55-64		