## Keith S Hoek

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11428527/keith-s-hoek-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 3,111 23 30 h-index g-index citations papers 4.66 3,584 30 5.2 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
28	A purine nucleotide biosynthesis enzyme guanosine monophosphate reductase is a suppressor of melanoma invasion. <i>Cell Reports</i> , <b>2013</b> , 5, 493-507	10.6	29
27	E-cadherin determines Caveolin-1 tumor suppression or metastasis enhancing function in melanoma cells. <i>Pigment Cell and Melanoma Research</i> , <b>2013</b> , 26, 555-70	4.5	46
26	Hypoxia contributes to melanoma heterogeneity by triggering HIF1Edependent phenotype switching. <i>Journal of Investigative Dermatology</i> , <b>2013</b> , 133, 2436-2443	4.3	97
25	Systematic classification of melanoma cells by phenotype-specific gene expression mapping. <i>Pigment Cell and Melanoma Research</i> , <b>2012</b> , 25, 343-53	4.5	113
24	A proliferative melanoma cell phenotype is responsive to RAF/MEK inhibition independent of BRAF mutation status. <i>Pigment Cell and Melanoma Research</i> , <b>2011</b> , 24, 326-33	4.5	56
23	Differential LEF1 and TCF4 expression is involved in melanoma cell phenotype switching. <i>Pigment Cell and Melanoma Research</i> , <b>2011</b> , 24, 631-42	4.5	72
22	GLI2 and M-MITF transcription factors control exclusive gene expression programs and inversely regulate invasion in human melanoma cells. <i>Pigment Cell and Melanoma Research</i> , <b>2011</b> , 24, 932-43	4.5	61
21	GLI2-mediated melanoma invasion and metastasis. <i>Journal of the National Cancer Institute</i> , <b>2010</b> , 102, 1148-59	9.7	132
20	Cancer stem cells versus phenotype-switching in melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2010</b> , 23, 746-59	4.5	320
19	The immunohistochemistry of invasive and proliferative phenotype switching in melanoma: a case report. <i>Melanoma Research</i> , <b>2010</b> , 20, 349-55	3.3	37
18	Pathogenesis of Malignant Melanoma <b>2010</b> , 55-64		
17	Heparan sulfate proteoglycan modulation of Wnt5A signal transduction in metastatic melanoma cells. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 28704-12	5.4	58
16	Filamin A modulates kinase activation and intracellular trafficking of epidermal growth factor receptors in human melanoma cells. <i>Endocrinology</i> , <b>2009</b> , 150, 2551-60	4.8	28
15	Loss of full length CtBP1 expression enhances the invasive potential of human melanoma. <i>BMC Cancer</i> , <b>2009</b> , 9, 52	4.8	10
14	Wnt5A activates the calpain-mediated cleavage of filamin A. <i>Journal of Investigative Dermatology</i> , <b>2009</b> , 129, 1782-9	4.3	58
13	Green tea extract reduces induction of p53 and apoptosis in UVB-irradiated human skin independent of transcriptional controls. <i>Experimental Dermatology</i> , <b>2009</b> , 18, 69-77	4	45
12	Id2 suppression of p15 counters TGF-beta-mediated growth inhibition of melanoma cells. <i>Pigment Cell and Melanoma Research</i> , <b>2009</b> , 22, 445-53	4.5	17

## LIST OF PUBLICATIONS

11	Genesifter, leading the blind. <i>Pigment Cell and Melanoma Research</i> , <b>2008</b> , 21, 588-9	4.5	2
10	Novel MITF targets identified using a two-step DNA microarray strategy. <i>Pigment Cell and Melanoma Research</i> , <b>2008</b> , 21, 665-76	4.5	183
9	Wnt5A regulates expression of tumor-associated antigens in melanoma via changes in signal transducers and activators of transcription 3 phosphorylation. <i>Cancer Research</i> , <b>2008</b> , 68, 10205-14	10.1	99
8	In vivo switching of human melanoma cells between proliferative and invasive states. <i>Cancer Research</i> , <b>2008</b> , 68, 650-6	10.1	458
7	DNA microarray analyses of melanoma gene expression: a decade in the mines. <i>Pigment Cell &amp; Melanoma Research</i> , <b>2007</b> , 20, 466-84		69
6	Reduced pSmad2 immunodetection correlates with increased primary melanoma thickness. <i>Melanoma Research</i> , <b>2007</b> , 17, 131-6	3.3	4
5	Mitf regulation of Dia1 controls melanoma proliferation and invasiveness. <i>Genes and Development</i> , <b>2006</b> , 20, 3426-39	12.6	403
4	Metastatic potential of melanomas defined by specific gene expression profiles with no BRAF signature. <i>Pigment Cell &amp; Melanoma Research</i> , <b>2006</b> , 19, 290-302		378
3	Heterogeneous nuclear ribonucleoprotein A3, a novel RNA trafficking response element-binding protein. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 18010-20	5.4	86
2	Binding of an RNA trafficking response element to heterogeneous nuclear ribonucleoproteins A1 and A2. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 38286-95	5.4	42
1	hnRNP A2 selectively binds the cytoplasmic transport sequence of myelin basic protein mRNA. <i>Biochemistry</i> , <b>1998</b> , 37, 7021-9	3.2	200