Paulo M Hoff

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11430157/publications.pdf

Version: 2024-02-01

76196 39575 9,289 121 40 94 citations h-index g-index papers 123 123 123 9811 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Chemotherapy Regimen Predicts Steatohepatitis and an Increase in 90-Day Mortality After Surgery for Hepatic Colorectal Metastases. Journal of Clinical Oncology, 2006, 24, 2065-2072. | 0.8 | 1,198 |
| 2 | Comparison of Oral Capecitabine Versus Intravenous Fluorouracil Plus Leucovorin as First-Line Treatment in 605 Patients With Metastatic Colorectal Cancer: Results of a Randomized Phase III Study. Journal of Clinical Oncology, 2001, 19, 2282-2292. | 0.8 | 1,061 |
| 3 | Lapatinib in Combination With Capecitabine Plus Oxaliplatin in Human Epidermal Growth Factor Receptor 2–Positive Advanced or Metastatic Gastric, Esophageal, or Gastroesophageal Adenocarcinoma: TRIO-013/LOGiC—A Randomized Phase III Trial. Journal of Clinical Oncology, 2016, 34, 443-451. | 0.8 | 490 |
| 4 | Bevacizumab plus oxaliplatin-based chemotherapy as adjuvant treatment for colon cancer (AVANT): a phase 3 randomised controlled trial. Lancet Oncology, The, 2012, 13, 1225-1233. | 5.1 | 484 |
| 5 | Phase II Trial of Infusional Fluorouracil, Irinotecan, and Bevacizumab for Metastatic Colorectal Cancer: Efficacy and Circulating Angiogenic Biomarkers Associated With Therapeutic Resistance. Journal of Clinical Oncology, 2010, 28, 453-459. | 0.8 | 440 |
| 6 | Targeting Vascular Endothelial Growth Factor in Advanced Carcinoid Tumor: A Random Assignment Phase II Study of Depot Octreotide With Bevacizumab and Pegylated Interferon Alfa-2b. Journal of Clinical Oncology, 2008, 26, 1316-1323. | 0.8 | 417 |
| 7 | Randomized Phase II Trial of Cetuximab, Bevacizumab, and Irinotecan Compared With Cetuximab and Bevacizumab Alone in Irinotecan-Refractory Colorectal Cancer: The BOND-2 Study. Journal of Clinical Oncology, 2007, 25, 4557-4561. | 0.8 | 406 |
| 8 | Pertuzumab plus trastuzumab and chemotherapy for HER2-positive metastatic gastric or gastro-oesophageal junction cancer (JACOB): final analysis of a double-blind, randomised, placebo-controlled phase 3 study. Lancet Oncology, The, 2018, 19, 1372-1384. | 5.1 | 319 |
| 9 | Multicenter Phase III Study of Uracil/Tegafur and Oral Leucovorin Versus Fluorouracil and Leucovorin in Patients With Previously Untreated Metastatic Colorectal Cancer. Journal of Clinical Oncology, 2002, 20, 3605-3616. | 0.8 | 305 |
| 10 | Improved Overall Survival Among Responders to Preoperative Chemoradiation for Locally Advanced Rectal Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2001, 24, 107-112. | 0.6 | 246 |
| 11 | Potential Regional Differences for the Tolerability Profiles of Fluoropyrimidines. Journal of Clinical Oncology, 2008, 26, 2118-2123. | 0.8 | 226 |
| 12 | Model-Based Prediction of Phase III Overall Survival in Colorectal Cancer on the Basis of Phase II Tumor Dynamics. Journal of Clinical Oncology, 2009, 27, 4103-4108. | 0.8 | 224 |
| 13 | Comprehensive cancer-gene panels can be used to estimate mutational load and predict clinical benefit to PD-1 blockade in clinical practice. Oncotarget, 2015, 6, 34221-34227. | 0.8 | 198 |
| 14 | Oxaliplatin-Mediated Increase in Spleen Size As a Biomarker for the Development of Hepatic Sinusoidal Injury. Journal of Clinical Oncology, 2010, 28, 2549-2555. | 0.8 | 188 |
| 15 | The Rising Incidence of Younger Patients With Colorectal Cancer: Questions About Screening, Biology, and Treatment. Current Treatment Options in Oncology, 2017, 18, 23. | 1.3 | 165 |
| 16 | Clinical and Pathologic Predictors of Locoregional Recurrence, Distant Metastasis, and Overall Survival in Patients Treated With Chemoradiation and Mesorectal Excision for Rectal Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2006, 29, 219-224. | 0.6 | 158 |
| 17 | Cediranib Plus FOLFOX/CAPOX Versus Placebo Plus FOLFOX/CAPOX in Patients With Previously Untreated Metastatic Colorectal Cancer: A Randomized, Double-Blind, Phase III Study (HORIZON II). Journal of Clinical Oncology, 2012, 30, 3596-3603. | 0.8 | 134 |
| 18 | Gonadotropin-Releasing Hormone Agonists for Ovarian Function Preservation in Premenopausal Women Undergoing Chemotherapy for Early-Stage Breast Cancer. JAMA Oncology, 2016, 2, 65. | 3.4 | 134 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Phase II study of capecitabine (Xeloda $\hat{A}^{@}$) and concomitant boost radiotherapy in patients with locally advanced rectal cancer. International Journal of Radiation Oncology Biology Physics, 2006, 66, 762-771. | 0.4 | 110 |
| 20 | HELOISE: Phase IIIb Randomized Multicenter Study Comparing Standard-of-Care and Higher-Dose Trastuzumab Regimens Combined With Chemotherapy as First-Line Therapy in Patients With Human Epidermal Growth Factor Receptor 2–Positive Metastatic Gastric or Gastroesophageal Junction Adenocarcinoma. Journal of Clinical Oncology, 2017, 35, 2558-2567. | 0.8 | 98 |
| 21 | Incidence and Severity of Hand–Foot Syndrome in Colorectal Cancer Patients Treated with Capecitabine: A Single-Institution Experience. Cancer Investigation, 2002, 20, 3-10. | 0.6 | 93 |
| 22 | Pathologic Complete Response in Rectal Cancer. Diseases of the Colon and Rectum, 2016, 59, 255-263. | 0.7 | 88 |
| 23 | Individual Patient Data Analysis of Progression-Free Survival Versus Overall Survival As a First-Line End Point for Metastatic Colorectal Cancer in Modern Randomized Trials: Findings From the Analysis and Research in Cancers of the Digestive System Database. Journal of Clinical Oncology, 2015, 33, 22-28. | 0.8 | 87 |
| 24 | Preoperative chemoradiotherapy with capecitabine versus protracted infusion 5-fluorouracil for rectal cancer: A matched-pair analysis. International Journal of Radiation Oncology Biology Physics, 2006, 66, 1378-1383. | 0.4 | 81 |
| 25 | Association of Proton Pump Inhibitors and Capecitabine Efficacy in Advanced Gastroesophageal Cancer. JAMA Oncology, 2017, 3, 767. | 3.4 | 80 |
| 26 | Bevacizumab: overview of the literature. Expert Review of Anticancer Therapy, 2012, 12, 567-580. | 1.1 | 79 |
| 27 | Phase I study to determine the safety and pharmacokinetics of oral administration of TAS-102 in patients with solid tumors. Cancer, 2006, 107, 1383-1390. | 2.0 | 76 |
| 28 | Role of angiogenesis in the pathogenesis of cancer. Cancer Treatment Reviews, 2012, 38, 825-833. | 3.4 | 76 |
| 29 | Phase I study with pharmacokinetics of S-1 on an oral daily schedule for 28 days in patients with solid tumors. Clinical Cancer Research, 2003, 9, 134-42. | 3.2 | 76 |
| 30 | Phase 1 study of TAS-102 administered once daily on a 5-day-per-week schedule in patients with solid tumors. Investigational New Drugs, 2008, 26, 445-454. | 1.2 | 74 |
| 31 | Literature Review and Practical Aspects on the Management of Oxaliplatin-Associated Toxicity. Clinical Colorectal Cancer, 2012, 11, 93-100. | 1.0 | 64 |
| 32 | Phase I Study of Preoperative Oral Uracil and Tegafur Plus Leucovorin and Radiation Therapy in Rectal Cancer. Journal of Clinical Oncology, 2000, 18, 3529-3534. | 0.8 | 57 |
| 33 | Phase II Study of Capecitabine in Patients With Fluorouracil-Resistant Metastatic Colorectal Carcinoma. Journal of Clinical Oncology, 2004, 22, 2078-2083. | 0.8 | 54 |
| 34 | Targeting the Epidermal Growth Factor Receptor: An Important Incremental Step in the Battle Against Colorectal Cancer. Journal of Clinical Oncology, 2004, 22, 1177-1179. | 0.8 | 47 |
| 35 | Durable Complete Responses in Metastatic Colorectal Cancer Treated with Chemotherapy Alone. Clinical Colorectal Cancer, 2011, 10, 178-182. | 1.0 | 47 |
| 36 | Hand-foot syndrome following prolonged infusion of high doses of vinorelbine. , 1998, 82, 965-969. | | 43 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | The experience with oxaliplatin in the treatment of upper gastrointestinal carcinomas. Seminars in Oncology, 2003, 30, 54-61. | 0.8 | 43 |
| 38 | Primary prevention of colorectal cancer: Myth or reality?. World Journal of Gastroenterology, 2014, 20, 15060. | 1.4 | 42 |
| 39 | Evidence of Clinical Activity for Cetuximab Combined with Irinotecan in a Patient with Refractory Anal Canal Squamous-Cell Carcinoma: Report of a Case. Diseases of the Colon and Rectum, 2007, 50, 395-398. | 0.7 | 41 |
| 40 | The Evolution of Fluoropyrimidine Therapy: From Intravenous to Oral. Oncologist, 2001, 6, 3-11. | 1.9 | 40 |
| 41 | Aflibercept Plus FOLFIRI vs. Placebo Plus FOLFIRI in Second-Line Metastatic Colorectal Cancer: a Post Hoc Analysis of Survival from the Phase III VELOUR Study Subsequent to Exclusion of Patients who had Recurrence During or Within 6ÂMonths of Completing Adjuvant Oxaliplatin-Based Therapy. Targeted Oncology, 2016, 11, 383-400. | 1.7 | 40 |
| 42 | Response to Chemotherapy and Prognosis in Metastatic Colorectal Cancer With DNA Deficient Mismatch Repair. Clinical Colorectal Cancer, 2017, 16, 228-239. | 1.0 | 40 |
| 43 | Future directions in the use of antiangiogenic agents in patients with colorectal cancer. Seminars in Oncology, 2004, 31, 17-21. | 0.8 | 38 |
| 44 | Clinical Calculator for Early Mortality in Metastatic Colorectal Cancer: An Analysis of Patients From 28 Clinical Trials in the Aide et Recherche en Cancérologie Digestive Database. Journal of Clinical Oncology, 2017, 35, 1929-1937. | 0.8 | 37 |
| 45 | Randomized Phase III Trial Exploring the Use of Long-Acting Release Octreotide in the Prevention of Chemotherapy-Induced Diarrhea in Patients With Colorectal Cancer: The LARCID Trial. Journal of Clinical Oncology, 2014, 32, 1006-1011. | 0.8 | 36 |
| 46 | Combined modality treatment of locally advanced breast carcinoma in elderly patients or patients with severe comorbid conditions using tamoxifen as the primary therapy., 2000, 88, 2054-2060. | | 35 |
| 47 | Phase I and Pharmacokinetic Study of Exatecan Mesylate (DX-8951f): A Novel Camptothecin Analog. Journal of Clinical Oncology, 2001, 19, 1493-1500. | 0.8 | 34 |
| 48 | Review: Combination therapy in high-risk stage II or stage III colon cancer: current practice and future prospects. Therapeutic Advances in Medical Oncology, 2010, 2, 261-272. | 1.4 | 34 |
| 49 | The Effects of Palliative Chemotherapy in Metastatic Colorectal Cancer Patients With an ECOG Performance Status of 3 and 4. Clinical Colorectal Cancer, 2015, 14, 52-57. | 1.0 | 33 |
| 50 | A Phase I Study of Escalating Doses of the Tyrosine Kinase Inhibitor Semaxanib (SU5416) in Combination with Irinotecan in Patients with Advanced Colorectal Carcinoma. Japanese Journal of Clinical Oncology, 2006, 36, 100-103. | 0.6 | 32 |
| 51 | UFT Plus Oral Leucovorin: A New Oral Treatment for Colorectal Cancer. Oncologist, 1998, 3, 155-164. | 1.9 | 27 |
| 52 | Percutaneous Transhepatic Biliary Drainage in Patients with Advanced Solid Malignancies: Prognostic Factors and Clinical Outcomes. Journal of Gastrointestinal Cancer, 2013, 44, 398-403. | 0.6 | 27 |
| 53 | Combination of Capecitabine and Oxaliplatin is an Effective Treatment Option for Advanced Neuroendocrine Tumors. Rare Tumors, 2013, 5, 121-125. | 0.3 | 27 |
| 54 | The Addition of Bevacizumab to Oxaliplatin-Based Chemotherapy: Impact Upon Hepatic Sinusoidal Injury and Thrombocytopenia. Journal of the National Cancer Institute, 2018, 110, 888-894. | 3.0 | 26 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | The tegafur-based dihydropyrimidine dehydrogenase inhibitory fluoropyrimidines, UFT/leucovorin (ORZEL) and S-1: a review of their clinical development and therapeutic potential. , 2000, 18, 331-342. | | 24 |
| 56 | Front-Line Therapy for Advanced Colorectal Cancer: Emphasis on Chemotherapy. Seminars in Oncology, 2005, 32, 40-42. | 0.8 | 22 |
| 57 | Bevacizumab plus Irinotecan-Based Regimens in the Treatment of Metastatic Colorectal Cancer. Oncology, 2010, 79, 118-128. | 0.9 | 21 |
| 58 | Time course of safety and efficacy of aflibercept in combination with FOLFIRI in patients with metastatic colorectal cancer who progressed on previous oxaliplatin-based therapy. European Journal of Cancer, 2015, 51, 18-26. | 1.3 | 21 |
| 59 | Immuneâ€mediated pancytopenia induced by oxaliplatin: a case report. Transfusion, 2010, 50, 1453-1459. | 0.8 | 19 |
| 60 | Antiangiogenic Drugs for Colorectal Cancer: Exploring New Possibilities. Clinical Colorectal Cancer, 2013, 12, 1-7. | 1.0 | 19 |
| 61 | Adjuvant chemotherapy for stage II colon cancer. Oncology, 2008, 22, 260-70; discussion 270, 273, 275. | 0.4 | 18 |
| 62 | Managing oncology clinical trials during COVID-19 pandemic. Contemporary Clinical Trials Communications, 2020, 19, 100637. | 0.5 | 17 |
| 63 | Paclitaxel-Induced Pancreatitis: A Case Report. Journal of the National Cancer Institute, 1997, 89, 91-93. | 3.0 | 16 |
| 64 | Phase II trial of 9-aminocamptothecin (NSC 603071) administered as a 120-hr continuous infusion weekly for three weeks in metastatic colorectal carcinoma. Investigational New Drugs, 1998, 16, 341-346. | 1.2 | 16 |
| 65 | Tegafur/Uracil + Calcium Folinate in Colorectal Cancer. Drugs, 1999, 58, 77-83. | 4.9 | 16 |
| 66 | A multicenter, multinational analysis of mitomycin C in refractory metastatic colorectal cancer. European Journal of Cancer, 2012, 48, 820-826. | 1.3 | 16 |
| 67 | Guidelines for the management of neuroendocrine tumours by the Brazilian gastrointestinal tumour group. Ecancermedicalscience, 2017, 11, 716. | 0.6 | 16 |
| 68 | Targeted Therapy Trials: Approval Strategies, Target Validation, or Helping Patients?. Journal of Clinical Oncology, 2007, 25, 1639-1641. | 0.8 | 14 |
| 69 | Replacing 5-fluorouracil by capecitabine in localised squamous cell carcinoma of the anal canal: systematic review and meta-analysis. Ecancermedicalscience, 2016, 10, 699. | 0.6 | 14 |
| 70 | Outcomes and Prognostic Factors in a Large Cohort of Hospitalized Cancer Patients With COVID-19. JCO Global Oncology, 2021, 7, 1084-1092. | 0.8 | 14 |
| 71 | Case Report: Hand-Foot Syndrome Induced by the Oral Fluoropyrimidine S-1. Japanese Journal of Clinical Oncology, 2001, 31, 172-174. | 0.6 | 12 |
| 72 | A Phase II Study of Intravenous Exatecan Mesylate (DX-8951f) Administered Daily for Five Days Every Three Weeks to Patients with Metastatic Adenocarcinoma of the Colon or Rectum. Investigational New Drugs, 2004, 22, 53-61. | 1.2 | 12 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Modified FLOX as first-line chemotherapy for metastatic colorectal cancer patients in the public health system in Brazil: Effectiveness and cost-utility analysis. Molecular and Clinical Oncology, 2013, 1, 175-179. | 0.4 | 12 |
| 74 | Combination of Irinotecan, Oxaliplatin and 5-Fluorouracil as a Rechallenge Regimen for Heavily Pretreated Metastatic Colorectal Cancer Patients. Journal of Gastrointestinal Cancer, 2018, 49, 470-475. | 0.6 | 12 |
| 75 | Young-age onset colorectal cancer in Brazil: Analysis of incidence, clinical features, and outcomes in a tertiary cancer center. Current Problems in Cancer, 2019, 43, 477-486. | 1.0 | 12 |
| 76 | Progress in Colorectal Cancer Chemotherapy. Drugs and Aging, 2000, 17, 201-216. | 1.3 | 11 |
| 77 | Association of Bevacizumab Plus Oxaliplatin-Based Chemotherapy With Disease-Free Survival and Overall Survival in Patients With Stage II Colon Cancer. JAMA Network Open, 2020, 3, e2020425. | 2.8 | 11 |
| 78 | Outcomes of Patients With Local Regrowth After Nonoperative Management of Rectal Cancer After Neoadjuvant Chemoradiotherapy. Diseases of the Colon and Rectum, 2022, 65, 333-339. | 0.7 | 10 |
| 79 | Chemotherapy of metastatic colorectal cancer. Current Treatment Options in Gastroenterology, 2005, 8, 239-247. | 0.3 | 9 |
| 80 | Phase II trial of combined irinotecan and oxaliplatin given every 3 weeks to patients with metastatic colorectal cancer. Cancer, 2006, 106, 2241-2246. | 2.0 | 9 |
| 81 | Novel oral chemotherapy agents. Current Oncology Reports, 2000, 2, 31-37. | 1.8 | 8 |
| 82 | Thymidine Phosphorylase (TP) Activation: Convenience Through Innovation. Oncologist, 2001, 6, 1-2. | 1.9 | 8 |
| 83 | Serum levels of VEGF and MCSF in HER2+ / HER2- breast cancer patients with metronomic neoadjuvant chemotherapy. Biomarker Research, 2018, 6, 20. | 2.8 | 7 |
| 84 | Pharmacokinetic and exposure–response analysis of pertuzumab in patients with HER2-positive metastatic gastric or gastroesophageal junction cancer. Cancer Chemotherapy and Pharmacology, 2019, 84, 539-550. | 1.1 | 7 |
| 85 | Evidence-based recommendations for gastrointestinal cancers during the COVID-19 pandemic by the Brazilian Gastrointestinal Tumours Group. Ecancermedicalscience, 2020, 14, 1048. | 0.6 | 7 |
| 86 | Adherence to colonoscopy recommendations for first-degree relatives of young patients diagnosed with colorectal cancer. Clinics, 2015, 70, 696-699. | 0.6 | 7 |
| 87 | Bevacizumab in Older Patients and Patients With Poorer Performance Status. Seminars in Oncology, 2006, 33, S19-S25. | 0.8 | 6 |
| 88 | Second-Line Chemotherapy Use in Metastatic Colon Cancer Varies by Disease Responsiveness. Clinical Colorectal Cancer, 2008, 7, 55-59. | 1.0 | 6 |
| 89 | Cardiac Safety of (Neo)Adjuvant Trastuzumab in the Community Setting: A Single-Center Experience. Breast Care, 2014, 9, 255-260. | 0.8 | 6 |
| 90 | Review on TAS-102 development and its use for metastatic colorectal cancer. Critical Reviews in Oncology/Hematology, 2016, 104, 91-97. | 2.0 | 6 |

| # | Article | lF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Response to Paclitaxel in an Adult Patient with Advanced Kaposiform Hemangioendothelioma. Case Reports in Oncology, 2016, 9, 481-487. | 0.3 | 6 |
| 92 | Safety and Efficacy of a Modified FLOX Adjuvant Regimen for Patients With Stage III Colorectal Cancer Treated in the Community. Clinical Colorectal Cancer, 2017, 16, 65-72. | 1.0 | 6 |
| 93 | Evaluation of Continuous Tumor-Size–Based End Points as Surrogates for Overall Survival in Randomized Clinical Trials in Metastatic Colorectal Cancer. JAMA Network Open, 2019, 2, e1911750. | 2.8 | 6 |
| 94 | Phase I bioequivalency study of MitoExtra and mitomycin C in patients with solid tumors. Cancer, 2001, 91, 815-821. | 2.0 | 5 |
| 95 | Progress in the development of novel treatments for colorectal cancer. Oncology, 2004, 18, 705-8. | 0.4 | 5 |
| 96 | UFT and Oral Leucovorin as Radiation Sensitizers in Rectal and Other Gastrointestinal Malignancies. Cancer Investigation, 2003, 21, 624-629. | 0.6 | 4 |
| 97 | Integration of Anti-Vascular Endothelial Growth Factor Therapies With Cytotoxic Chemotherapy in the Treatment of Colorectal Cancer. Cancer Journal (Sudbury, Mass), 2010, 16, 220-225. | 1.0 | 4 |
| 98 | Squamous-cell carcinoma of the anal canal: Room for improvement with targeted therapy. Clinics and Research in Hepatology and Gastroenterology, 2012, 36, 209-213. | 0.7 | 4 |
| 99 | ERCC1 in Advanced Biliary Tract Cancer Patients Treated with Chemotherapy: Prognostic and Predictive Roles. Journal of Gastrointestinal Cancer, 2014, 45, 80-86. | 0.6 | 4 |
| 100 | Efficacy and safety of sorafenib in elderly patients with advanced hepatocellular carcinoma. Clinics, 2021, 76, e2498. | 0.6 | 4 |
| 101 | Phase I trial of combined irinotecan and oxaliplatin given every three weeks to patients with metastatic colorectal cancer. Investigational New Drugs, 2004, 22, 307-313. | 1.2 | 3 |
| 102 | Next-generation Sequencing-based genomic profiling: Fostering innovation in cancer care?. Clinics, 2017, 72, 588-594. | 0.6 | 3 |
| 103 | Oxaliplatin-related neurotoxicity: is chelation the solution?. Nature Clinical Practice Oncology, 2004, 1, 78-79. | 4.3 | 2 |
| 104 | Small Cell Carcinomas of the Gastrointestinal Tract. , 2006, , 430-435. | | 2 |
| 105 | Paclitaxel induced chronic fibrosing interstitial pneumonitis: a case report and review of the literature. Oncology Reviews, 2010, 4, 101-106. | 0.8 | 2 |
| 106 | Do We Need another Antiangiogenesis Agent for Colorectal Cancer: are Bevacizumab and Aflibercept the Same?. Current Colorectal Cancer Reports, 2013, 9, 317-325. | 1.0 | 2 |
| 107 | Feasibility of two schedules of weekly paclitaxel in HER2-negative early breast cancer in a Brazilian community setting. Breast Cancer, 2016, 23, 261-265. | 1.3 | 2 |
| 108 | Phase II trial of humanized anti-Lewis Y monoclonal antibody for advanced hormone receptor-positive breast cancer that progressed following endocrine therapy. Clinics, 2021, 76, e3146. | 0.6 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The Role of EGFR Inhibition in Colorectal Cancer. , 2007, , 99-118. | | 1 |
| 110 | Evaluation of 18F-FDG PET-CT as a prognostic marker in advanced biliary tract cancer. Nuclear Medicine Communications, 2018, 39, 252-259. | 0.5 | 1 |
| 111 | Conversion Chemotherapy With a Modified FLOX Regimen for Borderline or Unresectable Liver Metastases From Colorectal Cancer: An Alternative for Limited-Resources Settings. Journal of Global Oncology, 2019, 5, 1-6. | 0.5 | 1 |
| 112 | Real-world Data for High-risk Stage II Colorectal Cancer – The Role of Tumor Side in the Adjuvant Setting. Clinical Colorectal Cancer, 2020, 20, e100-e108. | 1.0 | 1 |
| 113 | Pharmacokinetic (PK) and exposure-response (ER) analysis of pertuzumab (P) in patients (pts) with HER2-positive metastatic gastroesophageal junction and gastric cancer (mGEJC/GC) Journal of Clinical Oncology, 2018, 36, 2564-2564. | 0.8 | 1 |
| 114 | Monoclonal antibodies: the foundation of therapy for colorectal cancer in the 21st century?. Oncology, 2004, 18, 736-41; discussion 742, 745-6. | 0.4 | 1 |
| 115 | Novel agents and targets for the therapy of advanced colon cancer. Clinical Advances in Hematology and Oncology, 2007, 5, 365-6. | 0.3 | 1 |
| 116 | Future Solutions for Patients with Metastatic Colorectal Cancer Positive for K-RAS Mutations. Current Colorectal Cancer Reports, 2011, 7, 275-280. | 1.0 | 0 |
| 117 | Case report: a rare cause of metabolic alkalosis. CKJ: Clinical Kidney Journal, 2011, 4, 164-166. | 1.4 | 0 |
| 118 | Best Strategy in the Approach of Advanced Colorectal Cancer: Aggressive or Non-aggressive Chemotherapy?. Current Colorectal Cancer Reports, 2012, 8, 177-185. | 1.0 | 0 |
| 119 | Management of Colon Cancer and Liver Metastases: Is There a Role for Molecularly Targeted Agents?. Current Colorectal Cancer Reports, 2014, 10, 133-139. | 1.0 | 0 |
| 120 | Are There Strategies to Integrate the Continuum of Care for Metastatic Colorectal Cancer When Resources Are Limited?. Current Colorectal Cancer Reports, 2015, 11, 311-316. | 1.0 | 0 |
| 121 | Post-hoc analyses of overall survival (OS) and progression-free survival (PFS) in the TRIO-013/LOGiC trial of lapatinib (L) in combination with capecitabine plus oxaliplatin (CapeOx) Journal of Clinical Oncology, 2015, 33, 133-133. | 0.8 | 0 |