

Dan Xie

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1143684/dan-xie-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

4,565
citations

37
h-index

63
g-index

144
ext. papers

6,216
ext. citations

9.5
avg, IF

5.46
L-index

#	Paper	IF	Citations
124	METTL3 facilitates tumor progression via an mA-IGF2BP2-dependent mechanism in colorectal carcinoma. <i>Molecular Cancer</i> , 2019 , 18, 112	42.1	288
123	N-methyladenosine modification of circNSUN2 facilitates cytoplasmic export and stabilizes HMGA2 to promote colorectal liver metastasis. <i>Nature Communications</i> , 2019 , 10, 4695	17.4	226
122	PRMT5 Circular RNA Promotes Metastasis of Urothelial Carcinoma of the Bladder through Sponging miR-30c to Induce Epithelial-Mesenchymal Transition. <i>Clinical Cancer Research</i> , 2018 , 24, 6319-6330	12.9	207
121	Long non-coding RNA UICLM promotes colorectal cancer liver metastasis by acting as a ceRNA for microRNA-215 to regulate ZEB2 expression. <i>Theranostics</i> , 2017 , 7, 4836-4849	12.1	206
120	Long non-coding RNA XIST regulates gastric cancer progression by acting as a molecular sponge of miR-101 to modulate EZH2 expression. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016 , 35, 142	12.8	194
119	5-methylcytosine promotes pathogenesis of bladder cancer through stabilizing mRNAs. <i>Nature Cell Biology</i> , 2019 , 21, 978-990	23.4	178
118	Excessive miR-25-3p maturation via N-methyladenosine stimulated by cigarette smoke promotes pancreatic cancer progression. <i>Nature Communications</i> , 2019 , 10, 1858	17.4	138
117	LncRNA RPPH1 promotes colorectal cancer metastasis by interacting with TUBB3 and by promoting exosomes-mediated macrophage M2 polarization. <i>Cell Death and Disease</i> , 2019 , 10, 829	9.8	118
116	Epigenetic regulation of autophagy by the methyltransferase EZH2 through an MTOR-dependent pathway. <i>Autophagy</i> , 2015 , 11, 2309-22	10.2	99
115	CPT1A-mediated fatty acid oxidation promotes colorectal cancer cell metastasis by inhibiting anoikis. <i>Oncogene</i> , 2018 , 37, 6025-6040	9.2	95
114	LINC01410-miR-532-NCF2-NF-kB feedback loop promotes gastric cancer angiogenesis and metastasis. <i>Oncogene</i> , 2018 , 37, 2660-2675	9.2	92
113	CpG Methylation Signature Predicts Recurrence in Early-Stage Hepatocellular Carcinoma: Results From a Multicenter Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 734-742	2.2	90
112	METTL3 promotes ovarian carcinoma growth and invasion through the regulation of AXL translation and epithelial to mesenchymal transition. <i>Gynecologic Oncology</i> , 2018 , 151, 356-365	4.9	87
111	Acidic Microenvironment Up-Regulates Exosomal miR-21 and miR-10b in Early-Stage Hepatocellular Carcinoma to Promote Cancer Cell Proliferation and Metastasis. <i>Theranostics</i> , 2019 , 9, 1965-1979	12.1	85
110	Systemic delivery of microRNA-101 potently inhibits hepatocellular carcinoma in vivo by repressing multiple targets. <i>PLoS Genetics</i> , 2015 , 11, e1004873	6	76
109	APC-activated long noncoding RNA inhibits colorectal carcinoma pathogenesis through reduction of exosome production. <i>Journal of Clinical Investigation</i> , 2019 , 129, 727-743	15.9	72
108	Correlation of AIB1 overexpression with advanced clinical stage of human colorectal carcinoma. <i>Human Pathology</i> , 2005 , 36, 777-83	3.7	70

107	Decreased expression of miR-939 contributes to chemoresistance and metastasis of gastric cancer via dysregulation of SLC34A2 and Raf/MEK/ERK pathway. <i>Molecular Cancer</i> , 2017 , 16, 18	42.1	69
106	Increased expression of EIF5A2, via hypoxia or gene amplification, contributes to metastasis and angiogenesis of esophageal squamous cell carcinoma. <i>Gastroenterology</i> , 2014 , 146, 1701-13.e9	13.3	68
105	Liquid biopsies to track trastuzumab resistance in metastatic HER2-positive gastric cancer. <i>Gut</i> , 2019 , 68, 1152-1161	19.2	66
104	Modulation of Redox Homeostasis by Inhibition of MTHFD2 in Colorectal Cancer: Mechanisms and Therapeutic Implications. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 584-596	9.7	65
103	circCAMSAP1 Promotes Tumor Growth in Colorectal Cancer via the miR-328-5p/E2F1 Axis. <i>Molecular Therapy</i> , 2020 , 28, 914-928	11.7	62
102	CircLONP2 enhances colorectal carcinoma invasion and metastasis through modulating the maturation and exosomal dissemination of microRNA-17. <i>Molecular Cancer</i> , 2020 , 19, 60	42.1	59
101	ANXA3/JNK Signaling Promotes Self-Renewal and Tumor Growth, and Its Blockade Provides a Therapeutic Target for Hepatocellular Carcinoma. <i>Stem Cell Reports</i> , 2015 , 5, 45-59	8	58
100	The prognostic role of preoperative serum albumin/globulin ratio in patients with bladder urothelial carcinoma undergoing radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 484.e1-484.e8	2.8	54
99	Integrin $\alpha 7$ is a functional cancer stem cell surface marker in oesophageal squamous cell carcinoma. <i>Nature Communications</i> , 2016 , 7, 13568	17.4	53
98	HBx-mediated decrease of AIM2 contributes to hepatocellular carcinoma metastasis. <i>Molecular Oncology</i> , 2017 , 11, 1225-1240	7.9	52
97	Long noncoding RNA AGPG regulates PFKFB3-mediated tumor glycolytic reprogramming. <i>Nature Communications</i> , 2020 , 11, 1507	17.4	50
96	RBM24 suppresses cancer progression by upregulating miR-25 to target MALAT1 in nasopharyngeal carcinoma. <i>Cell Death and Disease</i> , 2016 , 7, e2352	9.8	50
95	NADPH homeostasis in cancer: functions, mechanisms and therapeutic implications. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 231	21	49
94	CBX8 Exhibits Oncogenic Activity via AKT/ β Catenin Activation in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2018 , 78, 51-63	10.1	47
93	Inhibition of the NF- κ B pathway by nafamostat mesilate suppresses colorectal cancer growth and metastasis. <i>Cancer Letters</i> , 2016 , 380, 87-97	9.9	46
92	Downregulation of MicroRNA-644a Promotes Esophageal Squamous Cell Carcinoma Aggressiveness and Stem Cell-like Phenotype via Dysregulation of PITX2. <i>Clinical Cancer Research</i> , 2017 , 23, 298-310	12.9	43
91	Pharmacological inhibition of DUSP6 suppresses gastric cancer growth and metastasis and overcomes cisplatin resistance. <i>Cancer Letters</i> , 2018 , 412, 243-255	9.9	41
90	Frequency and clinicopathological features of metastasis to liver, lung, bone, and brain from gastric cancer: A SEER-based study. <i>Cancer Medicine</i> , 2018 , 7, 3662-3672	4.8	39

89	Paradoxical role of CBX8 in proliferation and metastasis of colorectal cancer. <i>Oncotarget</i> , 2014 , 5, 10778-90	3.9	38
88	High levels of CCL2 or CCL4 in the tumor microenvironment predict unfavorable survival in lung adenocarcinoma. <i>Thoracic Cancer</i> , 2018 , 9, 775-784	3.2	37
87	C-terminal truncated hepatitis B virus X protein promotes hepatocellular carcinogenesis through induction of cancer and stem cell-like properties. <i>Oncotarget</i> , 2016 , 7, 24005-17	3.3	37
86	TSPAN15 interacts with BTRC to promote oesophageal squamous cell carcinoma metastasis via activating NF- κ B signaling. <i>Nature Communications</i> , 2018 , 9, 1423	17.4	36
85	A Coiled-Coil Domain Containing 50 Splice Variant Is Modulated by Serine/Arginine-Rich Splicing Factor 3 and Promotes Hepatocellular Carcinoma in Mice by the Ras Signaling Pathway. <i>Hepatology</i> , 2019 , 69, 179-195	11.2	35
84	Zic2 promotes tumor growth and metastasis via PAK4 in hepatocellular carcinoma. <i>Cancer Letters</i> , 2017 , 402, 71-80	9.9	35
83	The prognostic significance of lymphovascular invasion in patients with resectable gastric cancer: a large retrospective study from Southern China. <i>BMC Cancer</i> , 2015 , 15, 370	4.8	34
82	Stemness and chemotherapeutic drug resistance induced by EIF5A2 overexpression in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 26079-89	3.3	34
81	Melatonin enhances sensitivity to fluorouracil in oesophageal squamous cell carcinoma through inhibition of Erk and Akt pathway. <i>Cell Death and Disease</i> , 2016 , 7, e2432	9.8	32
80	Decreased expression of PTPN12 correlates with tumor recurrence and poor survival of patients with hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e85592	3.7	32
79	Expansion of cancer stem cell pool initiates lung cancer recurrence before angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E8948-E8957	11.5	31
78	TRIM65 supports bladder urothelial carcinoma cell aggressiveness by promoting ANXA2 ubiquitination and degradation. <i>Cancer Letters</i> , 2018 , 435, 10-22	9.9	29
77	CSTF2-Induced Shortening of the 3'UTR Promotes the Pathogenesis of Urothelial Carcinoma of the Bladder. <i>Cancer Research</i> , 2018 , 78, 5848-5862	10.1	29
76	TP53INP1 Downregulation Activates a p73-Dependent DUSP10/ERK Signaling Pathway to Promote Metastasis of Hepatocellular Carcinoma. <i>Cancer Research</i> , 2017 , 77, 4602-4612	10.1	27
75	HN1L-mediated transcriptional axis AP-2 β /METTL13/TCF3-ZEB1 drives tumor growth and metastasis in hepatocellular carcinoma. <i>Cell Death and Differentiation</i> , 2019 , 26, 2268-2283	12.7	26
74	Prognostic and predictive value of a microRNA signature in adults with T-cell lymphoblastic lymphoma. <i>Leukemia</i> , 2019 , 33, 2454-2465	10.7	25
73	A GYS2/p53 Negative Feedback Loop Restricts Tumor Growth in HBV-Related Hepatocellular Carcinoma. <i>Cancer Research</i> , 2019 , 79, 534-545	10.1	25
72	Intrahepatic cholangiocarcinoma prognostic determination using pre-operative serum C-reactive protein levels. <i>BMC Cancer</i> , 2016 , 16, 792	4.8	23

71	GNA13 as a prognostic factor and mediator of gastric cancer progression. <i>Oncotarget</i> , 2016 , 7, 4414-27	3.3	22
70	Eukaryotic translation initiation factor 5A2 promotes metabolic reprogramming in hepatocellular carcinoma cells. <i>Carcinogenesis</i> , 2017 , 38, 94-104	4.6	21
69	AGBL2 promotes cancer cell growth through IRGM-regulated autophagy and enhanced Aurora A activity in hepatocellular carcinoma. <i>Cancer Letters</i> , 2018 , 414, 71-80	9.9	21
68	FMNL1 mediates nasopharyngeal carcinoma cell aggressiveness by epigenetically upregulating MTA1. <i>Oncogene</i> , 2018 , 37, 6243-6258	9.2	20
67	Ablation of EIF5A2 induces tumor vasculature remodeling and improves tumor response to chemotherapy via regulation of matrix metalloproteinase 2 expression. <i>Oncotarget</i> , 2014 , 5, 6716-33	3.3	20
66	KIF2C: a novel link between Wnt/βcatenin and mTORC1 signaling in the pathogenesis of hepatocellular carcinoma. <i>Protein and Cell</i> , 2021 , 12, 788-809	7.2	20
65	Overexpression of MUC13, a Poor Prognostic Predictor, Promotes Cell Growth by Activating Wnt Signaling in Hepatocellular Carcinoma. <i>American Journal of Pathology</i> , 2018 , 188, 378-391	5.8	20
64	The telomere/telomerase binding factor PinX1 regulates paclitaxel sensitivity depending on spindle assembly checkpoint in human cervical squamous cell carcinomas. <i>Cancer Letters</i> , 2014 , 353, 104-114	9.9	19
63	Plasma miR-124 Is a Promising Candidate Biomarker for Human Intracerebral Hemorrhage Stroke. <i>Molecular Neurobiology</i> , 2018 , 55, 5879-5888	6.2	19
62	Chromobox homolog 8 is a predictor of muscle invasive bladder cancer and promotes cell proliferation by repressing the p53 pathway. <i>Cancer Science</i> , 2017 , 108, 2166-2175	6.9	18
61	Overexpression of CHD1L is positively associated with metastasis of lung adenocarcinoma and predicts patients poor survival. <i>Oncotarget</i> , 2015 , 6, 31181-90	3.3	18
60	Effects of three-dimensional collagen scaffolds on the expression profiles and biological functions of glioma cells. <i>International Journal of Oncology</i> , 2018 , 52, 1787-1800	4.4	17
59	Roles of flotillins in tumors. <i>Journal of Zhejiang University: Science B</i> , 2018 , 19, 171-182	4.5	16
58	Deficiency Induces Hepatocarcinogenesis by Decreasing Mitochondrial Respiration and Reprogramming Glucose Metabolism. <i>Cancer Research</i> , 2018 , 78, 4471-4481	10.1	16
57	Suppression of fumarate hydratase activity increases the efficacy of cisplatin-mediated chemotherapy in gastric cancer. <i>Cell Death and Disease</i> , 2019 , 10, 413	9.8	15
56	SATB2 is a Promising Biomarker for Identifying a Colorectal Origin for Liver Metastatic Adenocarcinomas. <i>EBioMedicine</i> , 2018 , 28, 62-69	8.8	15
55	An NF90/NF110-mediated feedback amplification loop regulates dicer expression and controls ovarian carcinoma progression. <i>Cell Research</i> , 2018 , 28, 556-571	24.7	15
54	PLCD3, a flotillin2-interacting protein, is involved in proliferation, migration and invasion of nasopharyngeal carcinoma cells. <i>Oncology Reports</i> , 2018 , 39, 45-52	3.5	15

53	Chemotherapy With or Without Anti-EGFR Agents in Left- and Right-Sided Metastatic Colorectal Cancer: An Updated Meta-Analysis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 805-811	7.3	15
52	KIFC1 is activated by TCF-4 and promotes hepatocellular carcinoma pathogenesis by regulating HMGA1 transcriptional activity. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 329	12.8	14
51	CD68 and interleukin 13, prospective immune markers for esophageal squamous cell carcinoma prognosis prediction. <i>Oncotarget</i> , 2016 , 7, 15525-38	3.3	14
50	Overexpression of RNF2 Is an Independent Predictor of Outcome in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>Scientific Reports</i> , 2016 , 6, 20894	4.9	14
49	A positive feedback loop consisting of C12orf59/NF- κ B/CDH11 promotes gastric cancer invasion and metastasis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 164	12.8	13
48	Prognostic factors affecting postoperative survival of patients with solitary small hepatocellular carcinoma. <i>Chinese Journal of Cancer</i> , 2016 , 35, 80		13
47	DAPK3 inhibits gastric cancer progression via activation of ULK1-dependent autophagy. <i>Cell Death and Differentiation</i> , 2021 , 28, 952-967	12.7	13
46	Overexpression of SLC34A2 is an independent prognostic indicator in bladder cancer and its depletion suppresses tumor growth via decreasing c-Myc expression and transcriptional activity. <i>Cell Death and Disease</i> , 2017 , 8, e2581	9.8	12
45	MYC-Activated LncRNA Promotes the Progression of Colorectal Cancer by Stabilizing YB1. <i>Cancer Research</i> , 2021 , 81, 2636-2650	10.1	12
44	Sodium butyrate induces autophagic apoptosis of nasopharyngeal carcinoma cells by inhibiting AKT/mTOR signaling. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 514, 64-70	3.4	11
43	p53R2 as a novel prognostic biomarker in nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2017 , 17, 846	4.8	11
42	Kinesin family member C1 accelerates bladder cancer cell proliferation and induces epithelial-mesenchymal transition via Akt/GSK3 β signaling. <i>Cancer Science</i> , 2019 , 110, 2822-2833	6.9	11
41	Association of insulin-like growth factor-binding protein-3 with radiotherapy response and prognosis of esophageal squamous cell carcinoma. <i>Chinese Journal of Cancer</i> , 2015 , 34, 514-21		11
40	Flavagline analog FL3 induces cell cycle arrest in urothelial carcinoma cell of the bladder by inhibiting the Akt/PHB interaction to activate the GADD45 β pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 21	12.8	10
39	β contributes to bladder urothelial carcinoma cell invasion and/or metastasis via regulation of E-cadherin and is a predictor of outcome in bladder urothelial carcinoma patients. <i>European Journal of Cancer</i> , 2014 , 50, 840-51	7.5	10
38	The putative tumor activator ARHGEF3 promotes nasopharyngeal carcinoma cell pathogenesis by inhibiting cellular apoptosis. <i>Oncotarget</i> , 2016 , 7, 25836-48	3.3	10
37	VDR-SOX2 signaling promotes colorectal cancer stemness and malignancy in an acidic microenvironment. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 183	21	10
36	Prognostic significance of the pN classification supplemented by vascular invasion for esophageal squamous cell carcinoma. <i>PLoS ONE</i> , 2014 , 9, e96129	3.7	9

35	Prognostic significance of thymidylate synthase in postoperative non-small cell lung cancer patients. <i>OncoTargets and Therapy</i> , 2014 , 7, 1301-10	4.4	9
34	Super-enhancer-driven AJUBA is activated by TCF4 and involved in epithelial-mesenchymal transition in the progression of Hepatocellular Carcinoma. <i>Theranostics</i> , 2020 , 10, 9066-9082	12.1	9
33	The Prognostic Significance Of JMJD3 In Primary Sarcomatoid Carcinoma Of The Lung, A Rare Subtype Of Lung Cancer. <i>OncoTargets and Therapy</i> , 2019 , 12, 9385-9393	4.4	9
32	Correlation of Milestone Restricted Mean Survival Time Ratio With Overall Survival Hazard Ratio in Randomized Clinical Trials of Immune Checkpoint Inhibitors: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e193433	10.4	8
31	Overexpression of CEP72 Promotes Bladder Urothelial Carcinoma Cell Aggressiveness via Epigenetic CREB-Mediated Induction of SERPINE1. <i>American Journal of Pathology</i> , 2019 , 189, 1284-1297	5.8	8
30	Insulin-like growth factor binding protein-3 is a new predictor of radiosensitivity on esophageal squamous cell carcinoma. <i>Scientific Reports</i> , 2015 , 5, 17336	4.9	8
29	Combining plasma Epstein-Barr virus DNA and nodal maximal standard uptake values of 18F-fluoro-2-deoxy-D-glucose positron emission tomography improved prognostic stratification to predict distant metastasis for locoregionally advanced nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015 , 6, 38296-307	3.3	8
28	Combination of Tanshinone IIA and Cisplatin Inhibits Esophageal Cancer by Downregulating NF-B/COX-2/VEGF Pathway. <i>Frontiers in Oncology</i> , 2020 , 10, 1756	5.3	8
27	AMPK α confers survival advantage of colorectal cancer cells under metabolic stress by promoting redox balance through the regulation of glutathione reductase phosphorylation. <i>Oncogene</i> , 2020 , 39, 637-650	9.2	8
26	Old age at diagnosis increases risk of tumor progression in nasopharyngeal cancer. <i>Oncotarget</i> , 2016 , 7, 66170-66181	3.3	7
25	ZHX3 promotes the progression of urothelial carcinoma of the bladder via repressing of RGS2 and is a novel substrate of TRIM21. <i>Cancer Science</i> , 2021 , 112, 1758-1771	6.9	7
24	Overexpression of SLC12A5 is associated with tumor progression and poor survival in ovarian carcinoma. <i>International Journal of Gynecological Cancer</i> , 2019 , 29, 1280-1284	3.5	5
23	Recent Findings in the Posttranslational Modifications of PD-L1. <i>Journal of Oncology</i> , 2020 , 2020, 549701	15	5
22	Prognostic Role of the Immunoscore for Patients with Urothelial Carcinoma of the Bladder Who Underwent Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4148-4156	3.1	5
21	A CpG Methylation Classifier to Predict Relapse in Adults with T-Cell Lymphoblastic Lymphoma. <i>Clinical Cancer Research</i> , 2020 , 26, 3760-3770	12.9	5
20	A gene-expression-based signature predicts survival in adults with T-cell lymphoblastic lymphoma: a multicenter study. <i>Leukemia</i> , 2020 , 34, 2392-2404	10.7	4
19	Overexpression of amplified in breast cancer 1 (AIB1) gene promotes lung adenocarcinoma aggressiveness in vitro and in vivo by upregulating C-X-C motif chemokine receptor 4. <i>Cancer Communications</i> , 2018 , 38, 53	9.4	4
18	MSI2-TGF- β 1/SMAD3 positive feedback regulation in glioblastoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 84, 415-425	3.5	4

17	Loss of MYC and E-box3 binding contributes to defective MYC-mediated transcriptional suppression of human MC-let-7a-1~let-7d in glioblastoma. <i>Oncotarget</i> , 2016 , 7, 56266-56278	3.3	4
16	Identification and validation of AIB1 and EIF5A2 for noninvasive detection of bladder cancer in urine samples. <i>Oncotarget</i> , 2016 , 7, 41703-41714	3.3	4
15	Immune-related adverse events predict responses to PD-1 blockade immunotherapy in hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2021 , 149, 959	7.5	4
14	The degree of microsatellite instability predicts response to PD-1 blockade immunotherapy in mismatch repair-deficient/microsatellite instability-high colorectal cancers. <i>Experimental Hematology and Oncology</i> , 2021 , 10, 2	7.8	4
13	Appraisal of Prognostic Interaction between Sidedness and Mucinous Histology in Colon Cancer: A Population-Based Study Using Inverse Probability Propensity Score Weighting. <i>Journal of Cancer</i> , 2019 , 10, 388-396	4.5	3
12	BRD2 induces drug resistance through activation of the RasGRP1/Ras/ERK signaling pathway in adult T-cell lymphoblastic lymphoma. <i>Cancer Communications</i> , 2020 , 40, 245-259	9.4	3
11	STEAP3 promotes cancer cell proliferation by facilitating nuclear trafficking of EGFR to enhance RAC1-ERK-STAT3 signaling in hepatocellular carcinoma. <i>Cell Death and Disease</i> , 2021 , 12, 1052	9.8	3
10	βFetoprotein mRNA in situ hybridisation is a highly specific marker of hepatocellular carcinoma: a multi-centre study. <i>British Journal of Cancer</i> , 2021 , 124, 1988-1996	8.7	3
9	AIB1 predicts tumor response to definitive chemoradiotherapy and prognosis in cervical squamous cell carcinoma. <i>Journal of Cancer</i> , 2019 , 10, 5212-5222	4.5	2
8	JMJD3 promotes esophageal squamous cell carcinoma pathogenesis through epigenetic regulation of MYC. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 165	21	2
7	FXR1 can bind with the CFIm25/CFIm68 complex and promote the progression of urothelial carcinoma of the bladder by stabilizing TRAF1 mRNA.. <i>Cell Death and Disease</i> , 2022 , 13, 170	9.8	2
6	LRPPRC regulates redox homeostasis via the circANKHD1/FOXO1 axis to enhance bladder urothelial carcinoma tumorigenesis. <i>Redox Biology</i> , 2021 , 48, 102201	11.3	1
5	ITLN1 inhibits tumor neovascularization and myeloid derived suppressor cells accumulation in colorectal carcinoma. <i>Oncogene</i> , 2021 , 40, 5925-5937	9.2	1
4	A novel peptide encoded by N6-methyladenosine modified circMAP3K4 prevents apoptosis in hepatocellular carcinoma.. <i>Molecular Cancer</i> , 2022 , 21, 93	42.1	1
3	A deep learning model and human-machine fusion for prediction of EBV-associated gastric cancer from histopathology.. <i>Nature Communications</i> , 2022 , 13, 2790	17.4	1
2	Prognostic Model for the Risk Stratification of Early and Late Recurrence in Hepatitis B Virus-Related Small Hepatocellular Carcinoma Patients with Global Histone Modifications. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 493-505	5.3	0
1	PPIP5K2 promotes colorectal carcinoma pathogenesis through facilitating DNA homologous recombination repair. <i>Oncogene</i> , 2021 , 40, 6680-6691	9.2	